



THE CITY OF SAN DIEGO

Report to the Planning Commission

DATE ISSUED: December 1, 2022 REPORT NO. PC-22-070

HEARING DATE: December 8, 2022

SUBJECT: Gateway Cannabis Outlet, Process Three Appeal Decision

PROJECT NUMBER: [PRJ-1067659](#)

REFERENCE: [Report to the Hearing Officer HO-22-051](#)

OWNER/APPLICANT: Gateway SMP LLC, Owner and Prime Harvest D9 LLC (Duane Alexander), Applicant

SUMMARY

Issue: Should the Planning Commission grant or deny an appeal of the Hearing Officer's November 16, 2022 decision to approve a Cannabis Outlet located at 995 Gateway Center Way within the Southeastern San Diego Community Plan area?

Staff Recommendation: Deny the appeal and affirm the decision of the Hearing Officer to approve Conditional Use Permit No. PMT-3172940.

Environmental Review: This project is within the scope of Negative Declaration 660383, adopted on August 18, 2021. This document adequately describes the activity for the purposes of CEQA. No further environmental review is required.

Fiscal Impact Statement: None. All staff costs associated with the processing of this project are recovered from a deposit account funded by the project applicant.

Code Enforcement Impact: None associated with this application.

Housing Impact Statement: The project site is in the IL-3-1 (Industrial) Zone within the Industrial Employment land use category per the Land Use and Street System Map (Figure LU-2) of the General Plan. IL-3-1 zone allows a mix of light industrial, office, and commercial uses. Pursuant to SDMC section 131.0622, retail sales and commercial services are permitted uses in the IL-3-1 Zones. The Southeastern San Diego Community Plan designates the site as Business Park within the Commercial, Employment and Industrial land use classification. Per the Community Plan, the Business Park designation represents employment-generating uses that will both create jobs and a pleasant and safe streetscape environment. Therefore, the

project would not impact housing supply within the City of San Diego.

BACKGROUND

This item is an appeal of the Hearing Officer’s November 16, 2022 decision to approve a Conditional Use Permit (CUP) to allow operation of a new Cannabis Outlet. The Report to the Hearing Officer HO-22-051 (Attachment 1) contains the project background, analysis, and necessary draft findings with a staff recommendation of approval.

Project Location:	995 Gateway Center Way (Suites 107/108)
Project Scope:	Conditional Use Permit (CUP) to allow the operation of 2,996-square-foot Cannabis Outlet (CO) in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building.
Lot Size:	4.10 acres
Zoning:	IL-3-1 (Industrial Light)
Land Use Plan Designations:	General Plan: Industrial Employment Community Plan: Business Park
Overlays:	Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone

Legal Standard for Appeal of Hearing Officer Decision

An appeal of a Hearing Officer decision may only be granted with evidence supporting one of the following findings:

- (1) Factual Error. The statements or evidence relied upon by the decision maker when approving, conditionally approving, or denying a permit, map, or other matter were inaccurate; or
- (2) New Information. New information is available to the applicant or the interested person that was not available through that person’s reasonable efforts or due diligence at the time of the decision; or
- (3) Findings Not Supported. The decision maker’s stated findings to approve, conditionally approve, or deny the permit, map, or other matter are not supported by the information provided to the decision maker; or

- (4) Conflicts. The decision to approve, conditionally approve, or deny the permit, map, or other matter is in conflict with a land use plan, a City Council policy, or the Municipal Code.

Pursuant to SDMC [section 112.0506\(c\)](#), the Planning Commission can only deny the appeal and affirm approval of the project if none of the above findings are supported by sufficient evidence or grant the appeal and reverse approval of the project if it finds one of the above findings is supported by sufficient evidence. The below analysis demonstrates how the appellants do not provide facts to support one of the above findings.

PROJECT APPEAL DISCUSSION

On November 16, 2022, an appeal application of the Hearing Officer's November 16, 2022 decision to approve the project was filed by Kara Adams (Attachment 2). The grounds for appeal are identified as "New Information". Appeal issues are summarized below, and staff responses follow.

Appeal Issue No. 1: *"I have concerns about the corporate status of the Prime Harvest entity that is the applicant."*

Staff Response to Appeal Issue No. 1: This is the only sentence written as a part of the appeal, which does not go into additional detail. This statement provides no evidence of new information that was not available through reasonable efforts or due diligence at the time of the decision.

The current status of the legal entity that appeared on Hearing Officer project documents was questioned at the November 16, 2022 hearing. The LLC listed as the applicant, Prime Harvest, LLC, was determined to no longer be registered in the State of California as of November 2, 2020. Prime Harvest LLC documents are shown in Attachment 5.

At the hearing, the applicant acknowledged this discrepancy and stated that the LLC had a new name, Prime Harvest D9 LLC, which was registered with the state on May 25, 2022, prior to application (Prime Harvest D9 LLC documents are shown in Attachment 6).

Both the former Prime Harvest LLC and the current Prime Harvest D9 list one member, Eulenthus Duane Alexander, whose name is listed on the Ownership Disclosure Statement that appears as Attachment 8 to the Hearing Officer Report, and whose name also appears on Page 1 of that report. Therefore, the ownership interest of the applicant entity has been properly disclosed. The addition of "D9" to the applicant's entity name is not sufficient evidence to invalidate the findings made by the Hearing Officer.

Mr. Alexander is an authorized agent of the property owner per [SDMC section 112.0102\(a\)](#) and had the authority to file the project application. He will sign the approved CUP, and he (or his successor in interest) will be responsible for compliance with permit conditions. Project documents have been updated to include "D9" as a part of the LLC name. They are attached to this staff report.

Conclusion:

This appeal states that it is based on new information but provides no evidence of new information that was not available through reasonable efforts or due diligence at the time of the decision. That which can be asserted without evidence can be dismissed without evidence.


City staff has reviewed the proposed project, analyzed the appeal issues raised, and determined that the project is in conformance with adopted City Council polices, regulations of the Land Development Code, and the Southeastern San Diego Community Plan. The appellant does not have sufficient evidence to support any of the four findings that are grounds for appeal. The proposed project is consistent with the recommended land use and development standards in effect for this site, and no deviations are required to approve the project. Therefore, City staff recommends the Planning Commission deny the appeal and uphold the Hearing Officer's decision to approve Conditional Use Permit No. PMT-3172940.

Staff has prepared updated draft findings (Attachment 3) to support the proposed development and draft conditions of approval (Attachment 4).

ALTERNATIVES

1. Deny the appeal and affirm the Hearing Officer's decision to approve Conditional Use Permit No. PMT-3172940, with modifications.
2. Approve the appeal, reverse the Hearing Officer's decision, and deny Conditional Use Permit No. PMT-3172940, if the findings to approve the project cannot be affirmed.

Respectfully submitted,



Lara Gates
Deputy Director
Development Services Department



Travis Cleveland
Development Project Manager
Development Services Department

Attachments:

1. Report to the Hearing Officer HO-22-051
2. Kara Adams Appeal Application
3. Draft Resolution with Findings
4. Draft Permit with Conditions
5. Prime Harvest LLC registration information
6. Prime Harvest D9 LLC registration information



THE CITY OF SAN DIEGO

M E M O R A N D U M

DATE: November 15, 2022


TO: Hearing Officer

FROM: TC Travis Cleveland, Development Project Manager, Development Services

SUBJECT: 11/14/2022 Community Planning Group vote on Gateway Cannabis Outlet, PRJ-1067659, Item #1 on the 11/16/2022 Hearing Officer docket

On November 14, 2022, the Southeastern San Diego Community Planning Group voted 8-2 to recommend approval of the above project with no conditions.

Attachments: 1. Community Planning Committee Distribution Form

Page 3	City of San Diego · Information Bulletin 620		August 2018
	City of San Diego Development Services 1222 First Ave., MS-302 San Diego, CA 92101		<h2 style="text-align: center;">Community Planning Committee Distribution Form</h2>
Project Name: Gateway Cannabis Outlet		Project Number: PRJ-1067657	
Community: Southeastern San Diego			
<p style="text-align: center;">For project scope and contact information (project manager and applicant), log into OpenDSD at https://aca.accela.com/SANDIEGO.</p> <p style="text-align: center;">Select "Search for Project Status" and input the Project Number to access project information.</p>			
<input checked="" type="checkbox"/> Vote to Approve <input type="checkbox"/> Vote to Approve with Conditions Listed Below <input type="checkbox"/> Vote to Approve with Non-Binding Recommendations Listed Below <input type="checkbox"/> Vote to Deny			Date of Vote: November 14, 2022
# of Members Yes 8	# of Members No 2	# of Members Abstain 0	
Conditions or Recommendations:			
<input type="checkbox"/> No Action (Please specify, e.g., Need further information, Split vote, Lack of quorum, etc.)			
NAME: Myron Taylor			
TITLE: Chair, Southeastern San Diego Planning Group			DATE: November 14, 2022
<i>Attach additional pages if necessary (maximum 3 attachments).</i>			

Visit our web site at www.sandiego.gov/development-services.

Upon request, this information is available in alternative formats for persons with disabilities.

DS-5620 (08-18) ONLINE FORM

DATE ISSUED: November 9, 2022 REPORT NO. HO-22-051

HEARING DATE: November 16, 2022

SUBJECT: Gateway Cannabis Outlet CUP, Process Three Decision

PROJECT NUMBER: [PRJ-1067659](#)

OWNER/APPLICANT: Gateway SMP LLC, Owner and Prime Harvest LLC (Duane Alexander), Applicant

SUMMARY

Issue: Should the Hearing Officer approve a Conditional Use Permit to allow the operation of a 2,996-square-foot Cannabis Outlet in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building located at 995 Gateway Center Way within the Southeastern San Diego Community Plan area?

Staff Recommendation:

1. Approve Conditional Use Permit No. PMT-3172940.

Community Planning Group Recommendation: At the time this report went to print, the project had not yet gone before the full Southeastern San Diego Community Planning Group. The project will go before that group on November 14, 2022, and staff will be prepared to discuss the outcome of that meeting at the hearing for this item.

Environmental Review: This project is within the scope of Negative Declaration 660383, adopted on August 18, 2021. This document adequately describes the activity for the purposes of CEQA. No further environmental review is required.

BACKGROUND

On March 25, 2014, the City of San Diego adopted Ordinance No O-20356 to implement regulations for Medical Marijuana Consumer Cooperatives (MMCCs), which allowed the sale of medicinal marijuana with the approval of a Conditional Use Permit (CUP). On February 22, 2017, Ordinance No. O-20793 was approved, which included amendments to the Land Development Code and the Local Coastal Program, replacing the MMCC use with a new retail sales use, Marijuana Outlet. On July 30, 2020, the City Council approved Ordinance [O-21163](#), which replaced the word "marijuana" with

“cannabis”, to reflect consistency with the State of California cannabis regulations. Therefore, Marijuana Outlet was renamed to Cannabis Outlet (CO).

Per A CO may be allowed with the approval of a Process Three Conditional Use Permit (CUP) pursuant to [SDMC section 126.0303](#) when allowed as a conditional use in the underlying zone. COs may sell both medicinal and retail cannabis/cannabis products subject to State licensing requirements as defined in California Business and Professions Code section 26001. Pursuant to [SDMC section 141.0504](#), Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, there remains capacity for one additional Cannabis Outlet to be approved in Council District 9. If approved by the Hearing Officer, the proposed project would be the fourth Cannabis Outlet CUP approved within CD 9 and the 28th within the City and would bring forward another new business in San Diego’s emerging cannabis industry.

DISCUSSION

Project Description:

Project Location:	995 Gateway Center Way (Suites 107/108)
Project Scope:	Conditional Use Permit (CUP) to allow the operation of 2,996-square-foot Cannabis Outlet (CO) in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building.
Lot Size:	4.10 acres
Zoning:	IL-3-1 (Industrial Light)
Land Use Plan Designations:	General Plan: Industrial Employment Community Plan: Business Park
Overlays:	Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone

The site is currently improved with a three-story commercial building constructed in 1989 (Attachment 3). The existing uses of the proposed tenant spaces are offices; other existing uses on site include medical, research, and professional offices; surrounding uses include a Costco Warehouse retail, medical clinics, and light industrial businesses.

Operation of the CO will include the retail sale of cannabis/cannabis products. The proposed tenant improvements will comply with the California Building Code, Plumbing Code, Mechanical Code,

Electrical Code, Fire Code and all adopted referenced standards in effect at the time the building permit is issued, and will be reviewed for conformance during the construction permit application phase prior to issuance of a change of use/certificate of occupancy. Required landscape improvements as shown on the proposed plans must also comply with landscape regulations and will be included in the building permit scope of work.

The project is required to provide 15 parking spaces for the CO use and maintain a minimum of 155 off-street parking spaces for all uses on the premises, totaling 170 parking spaces required at the site. The project proposes to reconfigure the existing 166-space parking lot to provide 170 spaces, meeting this requirement. Public improvements include the replacement of the two existing driveways and the installation of two 24-foot wide City standard driveways, located adjacent to the site on Gateway Center Way, as well as the reconstruction of sidewalk with standard concrete sidewalk along the property frontage on Gateway Center Way, to the satisfaction of the City Engineer.

General Plan and Community Plan Consistency:

The project site is within the Industrial Employment land use category per the Land Use and Street System Map (Figure LU-2) of the General Plan. The IL-3-1 zone allows a mix of light industrial, office, and commercial uses. Pursuant to SDMC section 131.0622, retail sales and commercial services are permitted uses in the IL-3-1 Zones. The Southeastern San Diego Community Plan (Community Plan) designates the site as Business Park within the Commercial, Employment and Industrial land use classification. The Business Park designation represents employment-generating uses that will both create jobs and a pleasant and safe streetscape environment. Intended uses include office, research and development, and light manufacturing; storage and distribution are discouraged to minimize truck traffic. Limited retail is allowed to augment commercial uses and serve nearby residential areas but is not intended as a primary use. The proposed CO is classified as retail sales use category, and will be one of the 12 tenants in the commercial building, occupying 7% of the entire premises; therefore, it will not be the primary use of the premises.

The proposed CO is allowed in the IL-3-1 zone with a CUP pursuant to SDMC sections 131.0622 and 141.0504. The proposed project will promote the policies of the General Plan and the Community Plan because the CO will supply jobs and encourage/facilitate commerce within the San Diego region. Therefore, the proposed CO is a compatible use at this location with a CUP and it is consistent with Community Plan land use policies.

Separation Requirements:

The SDMC allows the operation of CO in certain zones of the City and outlines their operational requirements. A CO is allowed in the IL-3-1 Zone with a CUP and is subject to minimum separation requirements between specified uses pursuant to SDMC Section 141.0504(a), which requires a 1,000-foot separation from resource and population-based city parks, other COs, churches, childcare centers, playgrounds, libraries owned and operated by the City of San Diego, minor-oriented facilities, residential care facilities, and schools. In addition, there is a minimum distance requirement of 100 feet from all residentially zoned properties. City staff reviewed the 100/1,000-foot radius map and spreadsheet (Attachment 6) submitted by the applicant identifying all the

existing surrounding uses and determined that the proposed CO complies with the minimum separation requirements between uses. See analysis below:

Iglesia Del Nazareno, 3535 Market Street: a church as defined in [SDMC section 113.0103](#), Iglesia Del Nazareno is within the 1,000-radius of the proposed CO. This church is approximately 854 feet from the project site measured property line to property line. The proposed CO is located on top of a hillside with a slope gradient between 142 to 165 feet high, which is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet (Attachment 7). Per [SDMC section 113.0225\(c\)](#), when measuring distance between uses, natural topographical barriers and constructed barriers such as freeways or flood control channels that would impede direct physical access between the uses can be taken into consideration. In such case, the distance is measured as the most direct route around the barrier in a manner that establishes direct access. A direct public route to the church from the proposed Cannabis Outlet would be greater than 1,500 feet. Therefore, the proposed project complies with the minimum separation requirements.

Dennis V. Allen Neighborhood Park, 800 Boundary Street: This is a population-based city park as defined in the [Recreation Element](#) of the City of San Diego General Plan. It was surveyed at 1,014 feet from the project site, measured horizontally in a straight line between the two closest points of property line to property line pursuant to [SDMC section 113.0225](#) (Attachment 7). Therefore, the proposed CO complies with the minimum separation requirements.

Mount Hope Cemetery, 3751 Market Street: Although shown as a “resource-based park” on page 19 of the City’s [Parks Master Plan](#) (PMP), this cemetery is not a City park; and Park Planning Staff have acknowledged that this represents a mapping error in the PMP. Mount Hope Cemetery does not meet the PMP’s definition of a “Resource-Based Regional Park” as shown on page 21 of the document, which is “Areas of habitat and resource protection, with compatible recreation”. The PMP designates areas such as Mission Bay, Balboa Park, Liberty Station Park, Presidio Park, Chicano Park, and Torrey Pines Golf Course as resource-based parks.

Conversely, other cemeteries such as the El Camino Memorial Park (5600 Carroll Canyon Road), Holy Cross Cemetery (4470 Hilltop Drive), Mount Olivet Cemetery (2127 Iris Avenue), and Miramar National Cemetery (5795 Nobel Drive) are not shown as resource-based parks in the PMP. The intent to define Mount Hope in particular, or cemeteries in general, as resource-based parks is not addressed in the PMP. However, it can be argued that the proposed Cannabis Outlet must be at least 1,000 feet from Mount Hope until such time as the error in the PMP map can be corrected.

Staff has determined that the proposed Cannabis Outlet meets the required separation distance due to topography as allowed by the Municipal Code. The proposed outlet is located on top of a hillside with a slope gradient between 142 to 165 feet high. This hillside is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet from Mount Hope Cemetery. Pursuant to [SDMC 113.0225\(c\)](#), when measuring distance between uses, natural topographical barriers that would impede direct

physical access between the uses can be taken into consideration. The shortest resulting walking distance is over 1,500 feet.

Operational and Security Requirements:

The proposed CO is subject to specific operational and security requirements and restrictions as set forth in SDMC Section 141.0504(b) through (m), which have also been incorporated as conditions in the CUP. These conditions include:

1. Prohibition of consultation by medical professionals on-site;
2. Prohibition of the use of specified vending machines except by a responsible person (as defined by [SDMC section 42.1502](#) and [Section 11.0210](#));
3. Provision of interior and exterior lighting, operable cameras, alarms, and security guard;
4. Restriction of hours of operation to between 7:00 am and 9:00 pm daily; maintenance of area and adjacent public sidewalks free of litter and graffiti, and removal of graffiti within 24 hours;
5. Restriction of signage to business name, two-color signs, and alphabetic characters;
6. Signage advertising cannabis may not be visible from the public right-of-way.

Outlets must also comply with Chapter 4, Article 2, Division 15 which provides guidelines for lawful operation.

In addition to the Municipal Code requirements listed above, state law:

1. Prohibits the sale of cannabis to minors (18 and up for medicinal cannabis, 21 and up for recreational);
2. Requires strict testing and labelling of products

Conclusion:

City staff has reviewed the proposed project and all issues identified through the review process have been resolved in conformance with adopted City Council policies and regulations of the Land Development Code. The proposed project complies with all development regulations of the IL-3-1 Zone and no deviations are required to approve the project. The project meets all separation requirements and the permit has been conditioned to ensure the proposed Cannabis Outlet would not be detrimental to the public health, safety, and welfare. Staff has provided draft findings (Attachment 4) and draft conditions of approval (Attachment 5) to support the proposed development. Staff is recommending the Hearing Officer APPROVE Conditional Use Permit No. PMT-3172940.

ALTERNATIVES

1. APPROVE CUP No. 3172940 with modifications.
2. DENY CUP No. 3172940 if the findings required to approve the project cannot be affirmed.


Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Travis Cleveland", written over a horizontal line.

Travis Cleveland, Development Project Manager

Attachments:

1. Project Location Map
2. Community Plan Land Use
3. Aerial Photograph
4. Draft Resolution with Findings
5. Draft Permit with Conditions
6. 100/1,000-foot Radius Map and Spreadsheet
7. Separation Exhibits (Iglesia Del Nazareno, Dennis V. Allen Park, and Mount Hope Cemetery)
8. Ownership Disclosure Statement
9. Project Plans



Project Site



Project Location Map

Gateway Cannabis Outlet CUP / 995 Gateway Center Way
PROJECT NO. PRJ-1067659






FIGURE 2-1: Community Plan Land Use



Project Site

	Trolley Stops		Residential - Low (5-9 du/ac)
	Trolley Line		Residential - Low Medium (10-14 du/ac)
	Proposed Streets		Residential - Medium (15-29 du/ac)
	Proposed Ramps		Residential - Medium High (30-44 du/ac)
	Village District		Community Commercial - Residential Prohibited
	Southeastern San Diego Community Plan Boundary		Regional Commercial - Residential Prohibited
Land Use Classifications			Office Commercial
Mixed Use			Business Park
	Neighborhood Mixed Use-Low (15-29 du/ac)		Light Industrial
	Neighborhood Mixed Use-Medium (30-44 du/ac)	Institutional and Public/Semi-Public Facilities	
	Community Mixed Use-Low (15-29 du/ac)		Institutional
	Community Mixed Use-Medium (30-44 du/ac)	Park, Open Space and Recreation	
	Community Mixed Use-High (45-74 du/ac)		Population-based Park
Residential			Open Space
	Residential - Very Low (0-4 du/ac)		

Existing Caltrans Right-of-Way: Future Land Uses and Streets are conceptual and require further planning





ATTACHMENT 1 ATTACHMENT 2



Community Plan Land Use Map

Gateway Cannabis Outlet CUP / 995 Gateway Center Way
PROJECT NO. PRJ-1067659






Project Site



Aerial Photo

Gateway Cannabis Outlet CUP / 995 Gateway Center Way
PROJECT NO. PRJ-1067659



HEARING OFFICER
RESOLUTION NO. XXXX
CONDITIONAL USE PERMIT NO. 3172940
GATEWAY CANNABIS OUTLET CUP - PROJECT NO. PRJ-1067659

WHEREAS, GATEWAY SMP LLC, a California Limited Liability Company, Owner, and PRIME HARVEST LLC, a California Limited Liability Company, Permittee, filed an application with the City of San Diego for a Conditional Use Permit to allow the operation of a 2,996-square-foot Cannabis Outlet in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building (as described in and by reference to the approved Exhibits "A" and corresponding conditions of approval for the associated Permit No. 3172940), on portions of a 4.10-acre site; and

WHEREAS, the project site is located at 995 Gateway Center Way in the IL-3-1 Zone, Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area; and

WHEREAS, the project site is legally described as Lots 19 and 20 of Gateway Center East Unit No. 1, in the City of San Diego, County of San Diego, State of California, according to Map thereof No. 11512, filed in the Office of the County Recorder of San Diego County, May 14, 1986; and

WHEREAS, on November 16, 2022, the Hearing Officer of the City of San Diego considered Conditional Use Permit No. 3172940 pursuant to the Land Development Code of the City of San Diego; NOW, THEREFORE,

BE IT RESOLVED by the Hearing Officer of the City of San Diego, that it adopts the following findings with respect to Conditional Use Permit No. 3172940:

A. CONDITIONAL USE PERMIT FINDINGS [SDMC Section 126.0305]**1. The proposed development will not adversely affect the applicable land use plan.**

The project is a request for a Conditional Use Permit (CUP) to allow the operation of a 2,996-square-foot Cannabis Outlet (CO) in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building located at 995 Gateway Center Way (Attachment 1). The 4.10-acre site is in the IL-3-1 Zone, Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area

The project site is within the Industrial Employment land use category per the Land Use and Street System Map (Figure LU-2) of the General Plan. The IL-3-1 zone allows a mix of light industrial, office, and commercial uses. Pursuant to SDMC section 131.0622, retail sales and commercial services are permitted uses in the IL-3-1 Zones. The Southeastern San Diego Community Plan (Community Plan) designates the site as Business Park within the Commercial, Employment and Industrial land use classification. The Business Park designation represents employment-generating uses that will both create jobs and a pleasant and safe streetscape environment. Intended uses include office, research and development, and light manufacturing; storage and distribution are discouraged to minimize truck traffic. Limited retail is allowed to augment commercial uses and serve nearby residential areas but is not intended as a primary use. The proposed CO is classified as retail sales use category, and will be one of the 12 tenants in the commercial building, occupying 7% of the entire premises; therefore, it will not be the primary use of the premises.

The proposed Cannabis Outlet is allowed in the IL-3-1 zone with a CUP pursuant to SDMC sections 131.0622 and 141.0504. The proposed project will promote the policies of the General Plan and the Community Plan because the Cannabis Outlet will supply jobs and encourage/facilitate commerce within the San Diego region. Therefore, the proposed Cannabis Outlet is a compatible use at this location with a CUP, it is consistent with the Community Plan land use policies and will not adversely affect the applicable land use plan.

2. The proposed development will not be detrimental to the public health, safety, and welfare.

The project proposes interior improvements to an existing tenant space, including entry/exit areas, waiting areas, lobby, cannabis retail sales floor, employee break room, manager's office, janitor's closet, restrooms, storage room, express room, vault/fulfillment room, product transfer corridor, and vendor receiving area. Construction of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors.

The proposed development will not be detrimental to the public's health, safety, and welfare because the discretionary permit controlling the development and continued use of this site contains specific regulatory conditions of approval. These regulations, which are implemented and enforced through the permit, are specifically intended to reduce, mitigate and/or prevent all adverse impacts to the public and community at large.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, one additional Cannabis Outlet may be approved in Council District 9. Cannabis Outlets require compliance with SDMC section 141.0504, which requires a 1,000-foot separation, measured in accordance with SDMC sections 141.0504 and 113.0225, from resource and population-based city parks, other Cannabis Outlets, churches, child care centers, playgrounds, libraries owned and operated by the City of San Diego, minor-oriented facilities, residential care facilities, and schools including private or public institutions of learning providing instruction in kindergarten grades 1 to 12. There is also a minimum distance requirement of 100 feet from a residentially zoned property or lot. City staff has reviewed the 100/1,000-foot radius map and the 100/1,000-foot radius map spreadsheet submitted by the applicant identifying all the existing surrounding uses, measured uses in accordance with SDMC section 113.0225, and determined that the proposed Cannabis Outlet complies with the minimum separation requirements between uses and residentially zoned lots or premises.

Public improvements include the removal of the two existing driveways and the installation of two 24-foot wide City standard driveways, providing for accessible pathways for pedestrians adjacent to the site on Gateway Center Way, as well as the reconstruction of sidewalk with standard concrete sidewalk, to the satisfaction of the City Engineer.

The discretionary permit controlling the development of this site contains specific regulatory conditions of approval. These regulations, which are implemented and enforced through the permit, are specifically intended to reduce, mitigate and/or prevent all adverse impacts to the public and community at large. Based on the above analysis, project features and conditions of approval, the proposed development will not be detrimental to the public health, safety, and welfare.

The proposed Cannabis Outlet is subject to specific operational and security requirements and restrictions as set forth in SDMC section 141.0504(b) through (m), which have also been incorporated as conditions in the CUP including prohibition of consultation by medical professionals on-site; prohibition of the use of specified vending machines except by a responsible person (as defined by the SDMC); provision of interior and exterior lighting, operable cameras, alarms, security guard; restriction of hours of operation to between 7:00 a.m. and 9:00 p.m. daily; maintenance of area and adjacent public sidewalks free of litter and graffiti, and removal of graffiti within 24 hours; restriction of signage to business name, two-color signs, and alphabetic characters; and signage advertising cannabis may not be visible from the public right-of-way. Cannabis Outlets must also comply with Chapter 4, Article 2, Division 15 which provides guidelines for lawful operation. The CUP is valid for five years, however, may be revoked if the use violates the terms, conditions, lawful requirements, or provision of the permit.

Construction of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors. Furthermore, this project has been reviewed pursuant to the California Environmental Quality Act, and project is within the scope of Negative Declaration 660383, adopted on August 18, 2021, which determined that the project would not have a significant effect on the environment. Based on the above analysis, the proposed development would not be detrimental to the public health, safety, and welfare.

3. The proposed development will comply with the regulations of the Land Development Code including any allowable deviations pursuant to the Land Development Code.

The project proposes to operate a 2,996-square-foot Cannabis Outlet within an existing 42,530-square-foot commercial building, located at 995 Gateway Center Way. The project proposes interior improvements to an existing tenant space, including entry/exit areas, waiting areas, lobby, cannabis retail sales floor, employee break room, manager's office, janitor's closet, restrooms, storage room, express room, vault/fulfillment room, product transfer corridor, vendor receiving area. Building improvements of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors.

The project is required to provide 15 parking spaces for the Cannabis Outlet use and maintain a minimum of 155 off-street parking for all uses on the premises, totaling 170 parking spaces required at the site. The project proposes to reconfigure the existing parking lot to satisfy this requirement.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, there remains capacity for one additional Cannabis Outlet to be approved in Council District 9. Cannabis Outlets require compliance with SDMC section 141.0504, which requires a 1,000-foot separation, measured in accordance with SDMC sections 141.0504 and 113.0225, from resource and population-based city parks, other Cannabis Outlets, churches, child care centers, playgrounds, libraries owned and operated by the City of San Diego, minor-oriented facilities, residential care facilities, and schools including private or public institutions of learning providing instruction in kindergarten grades 1 to 12. There is also a minimum distance requirement of 100 feet from a residentially zoned property or lot. City staff has reviewed the 100/1,000-foot radius map and the 100/1,000-foot radius map spreadsheet submitted by the applicant identifying all the existing surrounding uses, measured uses in accordance with SDMC section 113.0225, and determined that the proposed Cannabis Outlet complies with the minimum separation requirements between uses and residentially zoned lots or premises.

Iglesia Del Nazareno, 3535 Market Street: a church as defined in SDMC section 113.0103, Iglesia Del Nazareno is within the 1,000-radius of the proposed CO. This church is

approximately 854 feet from the project site measured property line to property line. The proposed CO is located on top of a hillside with a slope gradient between 142 to 165 feet high, which is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet (Attachment 7). Per SDMC section 113.0225(c), when measuring distance between uses, natural topographical barriers and constructed barriers such as freeways or flood control channels that would impede direct physical access between the uses can be taken into consideration. In such case, the distance is measured as the most direct route around the barrier in a manner that establishes direct access. A direct public route to the church from the proposed Cannabis Outlet would be greater than 1,500 feet. Therefore, the proposed project complies with the minimum separation requirements.

Dennis V. Allen Neighborhood Park, 800 Boundary Street: This is a population-based city park as defined in the Recreation Element of the City of San Diego General Plan. It was surveyed at 1,014 feet from the project site, measured horizontally in a straight line between the two closest points of property line to property line pursuant to SDMC section 113.0225 (Attachment 7). Therefore, the proposed CO complies with the minimum separation requirements.

Mount Hope Cemetery, 3751 Market Street: Although it is shown as a “resource-based park” on page 19 of the City’s Parks Master Plan (PMP), this cemetery is not a City park; and Park Planning Staff have acknowledged that this represents a mapping error in the PMP. Mount Hope Cemetery does not meet the PMP’s definition of a “Resource-Based Regional Park” as shown on page 21 of the document, which is “Areas of habitat and resource protection, with compatible recreation”. The PMP designates areas such as Mission Bay, Balboa Park, Liberty Station Park, Presidio Park, Chicano Park, and Torrey Pines Golf Course as resource-based parks.

Conversely, other cemeteries such as the El Camino Memorial Park (5600 Carroll Canyon Road), Holy Cross Cemetery (4470 Hilltop Drive), Mount Olivet Cemetery (2127 Iris Avenue), and Miramar National Cemetery (5795 Nobel Drive) are not shown as resource-based parks in the PMP. The intent to define Mount Hope in particular, or cemeteries in general, as resource-based parks is not addressed in the PMP. However, it can be argued that the proposed Cannabis Outlet must be at least 1,000 feet from Mount Hope until such time as the error in the PMP map can be corrected. Therefore, the below analysis treats it as a park.

The proposed cannabis outlet meets the required separation distance to Mount Hope Cemetery due to topography as allowed by the Municipal Code. The proposed outlet is located on top of a hillside with a slope gradient between 142 to 165 feet high. This hillside is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet. Pursuant to SDMC 113.0225(c), when measuring distance between uses, natural topographical barriers that would impede direct physical access between the uses can be taken into consideration. The shortest resulting walking distance is over 1,500 feet.

The permits for the project include various conditions and corresponding exhibits of approval relevant to achieving compliance with the SDMC relative to parking, signage, lighting, security measures, hours of operation, and site maintenance. No variances or deviations are requested as part of this application. Therefore, the proposed development will comply with the regulations of the Land Development Code.

4. The proposed use is appropriate at the proposed location.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, there remains capacity for one additional Cannabis Outlet to be approved in Council District 9.

Council District 9 contains very few parcels of land that are zoned to allow Cannabis Outlets. The project site and immediate area generally bounded by Interstate 15, Market Street, and Gateway Center Way may be the only available space left in District 9. It would be difficult to achieve the Municipal Code's number of four cannabis outlets allowed per Council District if a cannabis outlet is not able to locate in this area.

The site is currently improved with a three-story commercial building constructed in 1989. The existing uses of the proposed tenant spaces are offices; other existing uses on site include medical, research, and professional offices; surrounding uses include retail, medical clinics, and light industrial businesses.

Finding #A.1 above, hereinafter incorporated by reference, describes how the project meets the land use and employment goals of both the General and Community plans.

Finding #A.2 above, hereinafter incorporated by reference, describes how the project will contain several operational restrictions that ensure the public health, safety, and welfare.

Finding #A.3 above, hereinafter incorporated by reference, describes how the project meets the requirements of the IL-3-1 zone and the required operational conditions and separation distances of SDMC sections 141.0504 and 113.0225.

The proposed Cannabis Outlet is consistent with the underlying IL-3-1 Zone and Community Plan land use designation and objectives of encouraging a range of commercial goods and services, and with a CUP, is a compatible use with the surrounding development. Therefore, based on the above analysis, the proposed use is appropriate at the proposed location.

The above findings are supported by the minutes, maps and exhibits, all of which are incorporated herein by this reference.

BE IT FURTHER RESOLVED that, based on these findings adopted by the Hearing Officer, Conditional Use Permit No. 3172940 is hereby GRANTED by the Hearing Officer to the referenced Owner/Permittee, in the form, exhibits, terms and conditions as set forth in Permit No. 3172940, a copy of which is attached hereto and made a part hereof.

Travis Cleveland
Development Project Manager
Development Services

Adopted on: November 16, 2022

IO No.: 24009343

DRAFT

RECORDING REQUESTED BY
 CITY OF SAN DIEGO
 DEVELOPMENT SERVICES
 PERMIT INTAKE, MAIL STATION
 501

WHEN RECORDED MAIL TO
PROJECT MANAGEMENT
PERMIT CLERK
MAIL STATION 501

INTERNAL ORDER NUMBER: 24009343

SPACE ABOVE THIS LINE FOR RECORDER'S USE

CONDITIONAL USE PERMIT NO. 3172940
GATEWAY CANNABIS OUTLET CUP - PROJECT NO. PRJ-1067659
 HEARING OFFICER

This Conditional Use Permit No. 3172940 ("Permit") is granted by the Hearing Officer of the City of San Diego to Gateway SMP LLC, a California Limited Liability Company, Owner, and Prime Harvest LLC, a California Limited Liability Company, Permittee, pursuant to San Diego Municipal Code [SDMC] section 126.0305. The 4.10-acre site is located at 995 Gateway Center Way in the IL-3-1 Zone, the Airport Influence Area (SDIA Lindbergh Field – Review Area 1), the FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), the Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), the Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and the Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area. The project site is legally described as:

LOTS 19 AND 20 OF GATEWAY CENTER EAST UNIT NO. 1, IN THE CITY OF SAN DIEGO, COUNTY OF SAN DIEGO, STATE OF CALIFORNIA, ACCORDING TO MAP THEREOF NO. 11512, FILED IN THE OFFICE OF THE COUNTY RECORDER OF SAN DIEGO COUNTY, MAY 14, 1986.

Subject to the terms and conditions set forth in this Permit, permission is granted to Owner and Permittee to operate a Cannabis Outlet, described and identified by size, dimension, quantity, type, and location on the approved exhibits [Exhibit "A"] dated November 16, 2022, on file in the Development Services Department.

The project shall include:

- a. Operation of a 2,996-square-foot Cannabis Outlet in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building;
- b. Landscaping (planting, irrigation and landscape related improvements);
- c. Off-street parking; and

- d. Public and private accessory improvements determined by the Development Services Department to be consistent with the land use and development standards for this site in accordance with the adopted community plan, the California Environmental Quality Act [CEQA] and the CEQA Guidelines, the City Engineer's requirements, zoning regulations, conditions of this Permit, and any other applicable regulations of the SDMC.

STANDARD REQUIREMENTS:

1. **Utilization date:** This permit must be utilized within thirty-six (36) months after the date on which all rights of appeal have expired. If this permit is not utilized in accordance with Chapter 12, Article 6, Division 1 of the SDMC within the 36-month period, this permit shall be void unless an Extension of Time has been granted. Any such Extension of Time must meet all SDMC requirements and applicable guidelines in effect at the time the extension is considered by the appropriate decision maker. This Conditional Use Permit (CUP) must be utilized by December 1, 2025.

2. **Expiration Date:** This Conditional Use Permit (CUP) and corresponding use of this site shall expire on November 16, 2027.

This expiration date can be extended by filing for a CUP amendment pursuant to SDMC 126.0114(c), 126.0114(d), and 141.0504(n). To allow the use to continue to operate while an amendment is processed, an amendment application must be deemed complete by the close of business on the expiration date. Otherwise, this permit will expire, and all operation of the use must cease.

An amendment application should be filed at least 90 days before expiration to allow time to be deemed complete.

3. The continued utilization of this CUP is contingent upon (but not limited to) the following, with non-compliance with any of the following being cause to revoke this permit:
 - a. A valid license at this location granted by the California Department of Cannabis Control (DCC) for the proposed cannabis business activities. Once initially obtained, this license must not be allowed to lapse while the associated business is in operation. The issuance of this CUP does not guarantee that the DCC will grant a license for this location.
 - b. Compliance with Chapter 4, Article 2, Division 15 of the San Diego Municipal Code, including payment of any fees enacted pursuant to SDMC 42.1506.
 - c. Timely payment of all Cannabis Business Tax owed pursuant to Chapter 3, Article 4, Division 1 of the San Diego Municipal Code.
 - d. Possession of a valid Business Tax Certificate issued by the City of San Diego for all cannabis businesses operating at this location.
 - e. Continued compliance with all Permit Conditions herein.
 - f. Continued compliance with all other applicable federal, state, and local laws.

4. No permit for the construction, occupancy, or operation of any facility or improvement described herein shall be granted, nor shall any activity authorized by this Permit be conducted on the premises until:
 - a. The Owner/Permittee signs and returns the Permit to the Development Services Department; and
 - b. The Permit is recorded in the Office of the San Diego County Recorder.
5. While this Permit is in effect, the subject property shall be used only for the purposes and under the terms and conditions set forth in this Permit unless otherwise authorized by the appropriate City decision maker.
6. This Permit is a covenant running with the subject property and all of the requirements and conditions of this Permit and related documents shall be binding upon the Owner/Permittee and any successor(s) in interest.
7. The continued use of this Permit shall be subject to the regulations of this and any other applicable governmental agency.
8. Issuance of this Permit by the City of San Diego does not authorize the Owner/Permittee for this Permit to violate any Federal, State or City laws, ordinances, regulations or policies including, but not limited to, the Endangered Species Act of 1973 [ESA] and any amendments thereto (16 U.S.C. section 1531 et seq.).
9. The Owner/Permittee shall secure all necessary building permits. The Owner/Permittee is informed that to secure these permits, substantial building modifications and site improvements may be required to comply with applicable building, fire, mechanical, and plumbing codes, and State and Federal disability access laws.
10. Construction plans shall be in substantial conformity to Exhibit "A." Changes, modifications, or alterations to the construction plans are prohibited unless appropriate application(s) or amendment(s) to this Permit have been granted.
11. All of the conditions contained in this Permit have been considered and were determined necessary to make the findings required for approval of this Permit. The Permit holder is required to comply with each and every condition in order to maintain the entitlements that are granted by this Permit.

If any condition of this Permit, on a legal challenge by the Owner/Permittee of this Permit, is found or held by a court of competent jurisdiction to be invalid, unenforceable, or unreasonable, this Permit shall be void. However, in such an event, the Owner/Permittee shall have the right, by paying applicable processing fees, to bring a request for a new permit without the "invalid" condition(s) back to the discretionary body which approved the Permit for a determination by that body as to whether all of the findings necessary for the issuance of the proposed permit can still be made in the absence of the "invalid" condition(s). Such hearing shall be a hearing de novo, and the

discretionary body shall have the absolute right to approve, disapprove, or modify the proposed permit and the condition(s) contained therein.

12. The Owner/Permittee shall defend, indemnify, and hold harmless the City, its agents, officers, and employees from any and all claims, actions, proceedings, damages, judgments, or costs, including attorney's fees, against the City or its agents, officers, or employees, relating to the issuance of this permit including, but not limited to, any action to attack, set aside, void, challenge, or annul this development approval and any environmental document or decision. The City will promptly notify Owner/Permittee of any claim, action, or proceeding and, if the City should fail to cooperate fully in the defense, the Owner/Permittee shall not thereafter be responsible to defend, indemnify, and hold harmless the City or its agents, officers, and employees. The City may elect to conduct its own defense, participate in its own defense, or obtain independent legal counsel in defense of any claim related to this indemnification. In the event of such election, Owner/Permittee shall pay all of the costs related thereto, including without limitation reasonable attorney's fees and costs. In the event of a disagreement between the City and Owner/Permittee regarding litigation issues, the City shall have the authority to control the litigation and make litigation related decisions, including, but not limited to, settlement or other disposition of the matter. However, the Owner/Permittee shall not be required to pay or perform any settlement unless such settlement is approved by Owner/Permittee.

13. Prior to the commencement of operations granted by this Permit, the Owner/Permittee shall be granted occupancy for this cannabis use through a building permit, consistent with all California Codes and Regulations in effect at the time of building permit, satisfactory to the Building Official.

CLIMATE ACTION PLAN REQUIREMENTS:

14. Owner/Permittee shall comply with the Climate Action Plan (CAP) Consistency Checklist stamped as Exhibit "A." Prior to issuance of any construction permit, all CAP strategies shall be noted within the first three (3) sheets of the construction plans under the heading "Climate Action Plan Requirements" and shall be enforced and implemented to the satisfaction of the Development Services Department.

ENGINEERING REQUIREMENTS:

15. Prior to the issuance of any construction permit, the Owner/Permittee shall obtain an Encroachment Maintenance and Removal Agreement (EMRA) for any landscape and irrigation located within the City's Right-Of-Way, satisfactory to the City Engineer.

16. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of the existing driveway and the installation of a new City standard driveway, Gateway Center Way, satisfactory to the City Engineer.

LANDSCAPE REQUIREMENTS:

17. Prior to issuance of any construction permit for grading, the Owner/Permittee shall submit complete construction documents for the revegetation and hydro-seeding of all disturbed land in

accordance with the City of San Diego Landscape Standards, Storm Water Design Manual, and to the satisfaction of the Development Services Department. All plans shall be in substantial conformance to this permit (including Environmental conditions) and Exhibit "A," on file in the Development Services Department.

18. Prior to issuance of any construction permit for public improvements, the Owner/Permittee shall submit complete landscape construction documents for right-of-way improvements to the Development Services Department for approval. Improvement plans shall show, label, and dimension a 40-square-foot area around each tree which is unencumbered by utilities. Driveways, utilities, drains, water and sewer laterals shall be designed so as not to prohibit the placement of street trees.

19. Prior to issuance of any construction permit for building (including shell), the Owner/Permittee shall submit complete landscape and irrigation construction documents, which are consistent with the Landscape Standards, to the Development Services Department for approval. The construction documents shall be in substantial conformance with Exhibit "A," Landscape Development Plan, on file in the Development Services Department. Construction plans shall provide a 40-square-foot area around each tree that is unencumbered by hardscape and utilities unless otherwise approved per SDMC 142.0403(b)6.

20. The Brush Management Program shall consist of a standard Zone One of 35-ft. in width, and a Zone Two of 65-ft. in width, extending out from the structure towards the native/naturalized vegetation, consistent with SDMC 142.0412.

21. The Owner/Permittee shall be responsible for the maintenance of all landscape improvements shown on the approved plans, including the right-of-way, unless long-term maintenance of said landscaping will be the responsibility of another entity approved by the Development Services Department. All required landscape shall be maintained consistent with the City's Landscape Standards in a disease, weed, and litter free condition at all times. Severe pruning or "topping" of trees is not permitted.

22. If any required landscape (including existing or new plantings, hardscape, landscape features, etc.) indicated on the approved construction documents is damaged or removed during demolition or construction, the Owner/Permittee shall repair and/or replace in kind, and in an equivalent size per the approved documents to the satisfaction of the Development Services Department within 30 days of damage or Final Inspection.

PLANNING/DESIGN REQUIREMENTS:

23. Lighting shall be provided to illuminate the interior, facade, and the immediate surrounding area of the cannabis outlet, including any accessory uses, parking lots, and adjoining sidewalks. Lighting shall be hooded or oriented to deflect light away from adjacent properties.

24. Security shall be provided at the cannabis outlet which shall include operable cameras, alarms, and a security guard. The security guard shall be licensed by the State of California and be present

on the premises during business hours. The security guard shall only be engaged in activities related to providing security for the facility, except on an incidental basis.

25. The Owner/Permittee shall provide a sufficient odor absorbing ventilation and system capable of minimizing excessive or offensive odors emanating outside of the permitted cannabis outlet to the satisfaction of the Development Services Department.

26. Signage: Primary signs shall be posted on the outside of the cannabis outlet and shall only contain the name of the business, which shall contain only alphabetic characters, and shall be limited to two colors. Secondary signs advertising cannabis, window signs and any display visible from the public right-of-way, are not permitted. No marketing or advertising for cannabis or cannabis products shall be displayed visible from the public right-of-way. All cannabis licensees, and any person acting on behalf of a licensee, must comply with the State of California statutes and regulations governing commercial cannabis advertising and/or promoting.

27. The name and emergency contact phone number of the designated responsible managing operator shall be posted in a location visible from outside the cannabis outlet in character size at least two inches in height.

28. The cannabis outlet shall operate only between the hours of 7:00 a.m. and 9:00 p.m., seven days a week.

29. The use of vending machines which allow access to cannabis and cannabis products except by a responsible person, as defined in San Diego Municipal Code Section 42.1502, is prohibited. For purposes of this Section, a vending machine is any device which allows access to cannabis and cannabis products without a human intermediary.

30. An annual operating permit shall be obtained as required pursuant to San Diego Municipal Code Chapter 4, Article 2, Division 15.

31. Deliveries shall be permitted as an accessory use only from the cannabis outlet with a valid Conditional Use Permit unless otherwise allowed pursuant to state law.

32. The cannabis outlet, adjacent public sidewalks, and areas under the control of the cannabis outlet, shall be maintained free of litter and graffiti at all times.

33. The Owner/Permittee shall provide daily removal of trash, litter, and debris of the premises. Graffiti shall be removed from the premises within 24 hours.

34. Consultations by medical professionals shall not be a permitted accessory use at the cannabis outlet.

TRANSPORTATION REQUIREMENTS:

35. All automobile, motorcycle and bicycle parking spaces must be constructed in accordance with the requirements of the SDMC. All on-site parking stalls and aisle widths shall be in compliance with

requirements of the City's Land Development Code and shall not be converted and/or utilized for any other purpose, unless otherwise authorized in writing by the appropriate City decision maker in accordance with the SDMC.

36. The Owner/Permittee will provide the following Vehicle Miles Traveled (VMT) reduction measures:

- a. Provide one on-site bicycle repair station in the location shown in Exhibit A.
- b. Provide short-term bicycle parking spaces that are available to the public, at least 10% beyond the minimum requirements. The project is required to have 2 short-term bicycle parking spaces. Additional short-term bicycle spaces are being provided in excess of the minimum requirement. Three short-term spaces (1 additional for VMT Reduction Measures) are being proposed and their location is shown in Exhibit A.
- c. Provide long-term bicycle parking spaces that are available to the public, at least 10% beyond the minimum requirements. The project is required to have 1 long-term bicycle parking space. Additional long-term bicycle spaces (lockers) are being provided in excess of the minimum requirement. Four long-term bicycle parking spaces (3 additional for VMT Reduction Measures) are being proposed and their location is shown in Exhibit A.

These improvements shall be completed and operational prior to first occupancy.

INFORMATION ONLY:

- The issuance of this discretionary permit alone does not allow the immediate commencement or continued operation of the proposed use on site. Any operation allowed by this discretionary permit may only begin or recommence after all conditions listed on this permit are fully completed and all required ministerial permits have been issued and received final inspection.
- Any party on whom fees, dedications, reservations, or other exactions have been imposed as conditions of approval of this Permit, may protest the imposition within ninety days of the approval of this development permit by filing a written protest with the City Clerk pursuant to California Government Code-section 66020.
- This development may be subject to impact fees at the time of construction permit issuance.
- Cannabis businesses that operate or provide services within the City of San Diego are liable for a monthly gross receipts tax. As referenced in San Diego Municipal Code Section [34.0103 \(b\)](#), taxable activities include but are not limited to, transporting, manufacturing, cultivating, packaging, or retail sales of cannabis and any ancillary products in the City. For additional information, contact the Office of the City Treasurer at (619) 615-1580.

APPROVED by the Hearing Officer of the City of San Diego on November 16, 2022 and Resolution Number XXXX.

Permit Type/PTS Approval No.: Conditional Use Permit No. 3172940
Date of Approval: November 16, 2022

AUTHENTICATED BY THE CITY OF SAN DIEGO DEVELOPMENT SERVICES DEPARTMENT

Travis Cleveland
Development Project Manager

**NOTE: Notary acknowledgment
must be attached per Civil Code
section 1189 et seq.**

The undersigned Owner/Permittee, by execution hereof, agrees to each and every condition of
this Permit and promises to perform each and every obligation of Owner/Permittee hereunder.

Gateway SMP LLC
A California Limited Liability Company
Owner

By _____
NAME
TITLE

Prime Harvest, LLC
A California Limited Liability Company
Permittee

By _____
NAME
TITLE

**NOTE: Notary acknowledgments
must be attached per Civil Code
section 1189 et seq.**

NOTICE

The Parcels that have no site addresses on the Summary Of Owners List & 100/1000-FOOT RADIUS MAP SPREADSHEET may be unimproved/vacant property or a public agency.

SUMMARY OF OWNERS

#	PARCEL NUMBER	OWNER NAME	SITE ADDRESS	CITY	STATE	ZIP	MAILING ADDRESS	CITY	STATE	ZIP	USE DESCRIPTION
1	545-071-08-00	875 34TH STREET L L C		SAN DIEGO	CA	92102	875 34TH ST	SAN DIEGO	CA	92102	VACANT
2	545-071-09-00	875 34TH STREET L L C		SAN DIEGO	CA	92102	875 34TH ST	SAN DIEGO	CA	92102	VACANT
3	545-071-10-00	NORBY MICHAEL J	3433 PICKWICK ST	SAN DIEGO	CA	92102	3960 W POINT LOMA BLVD #H368	SAN DIEGO	CA	92110	INDUSTRIAL
4	545-071-11-00	NORBY MICHAEL J	3443 PICKWICK AVE	SAN DIEGO	CA	92102	3960 W POINT LOMA BLVD #H-368	SAN DIEGO	CA	92110	INDUSTRIAL
5	545-071-12-00	ROSS REVOCABLE TRUST 09-19-07	3451 PICKWICK AVE	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	INDUSTRIAL
6	545-071-13-00	ROSS REVOCABLE TRUST 09-19-07	PICKWICK AVE	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	INDUSTRIAL
7	545-071-14-00	SAN DIEGO AIR FREIGHT SERVICES INC	3471 PICKWICK ST	SAN DIEGO	CA	92102	3471 PICKWICK ST	SAN DIEGO	CA	92102	INDUSTRIAL
8	545-071-15-00	875 34TH STREET LLC	3485 PICKWICK ST	SAN DIEGO	CA	92102	875 34TH ST	SAN DIEGO	CA	92102	INDUSTRIAL
9	545-071-16-00	ROSS REVOCABLE TRUST 09-19-07	35TH ST	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	VACANT
10	545-071-17-00	ROSS REVOCABLE TRUST 09-19-07	35TH ST	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	VACANT
11	545-071-18-00	PROM SARAH J	E ST	SAN DIEGO	CA	92102	2259 GALVESTON ST	SAN DIEGO	CA	92110	VACANT
12	545-071-19-00	PROM SARAH J	E ST	SAN DIEGO	CA	92102	2259 GALVESTON ST	SAN DIEGO	CA	92110	VACANT
13	545-071-20-00	YOUNG LESLIE K	3504 E ST	SAN DIEGO	CA	92102	8147 CANDIES CREEK RIDGE RD NW #13	CHARLESTON	TN	37310	VACANT
14	545-071-21-00	ROSS REVOCABLE TRUST 09-19-07	3496 E ST	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	COMMERCIAL
15	545-071-22-00	ROSS REVOCABLE TRUST 09-19-07	3488 E ST	SAN DIEGO	CA	92102	14633 PRESILLA DR	JAMUL	CA	91935	RESID. SINGLE FAMILY
16	545-071-23-00	RAND RICHARD B	3474 E ST	SAN DIEGO	CA	92102	4758 POCAHONTAS AVE	SAN DIEGO	CA	92117	INDUSTRIAL
17	545-071-24-00	RAND RICHARD B	3462 E ST	SAN DIEGO	CA	92102	4758 POCAHONTAS AVE	SAN DIEGO	CA	92117	INDUSTRIAL
18	545-071-25-00	SUNSET TOWERS E STREET L C	3454 E ST	SAN DIEGO	CA	92102	5288 S COMMERCE DR #B150	MURRAY	UT	84107	INDUSTRIAL
19	545-071-26-00	SUNSET TOWERS E STREET L C	3442 E ST	SAN DIEGO	CA	92102	5288 S COMMERCE DR #B150	MURRAY	UT	84107	INDUSTRIAL
20	545-071-27-00	SUNSET TOWERS E STREET L C	3432 E ST	SAN DIEGO	CA	92102	5288 S COMMERCE DR #B150	MURRAY	UT	84107	INDUSTRIAL
21	545-071-28-00	ORANGE CITY HOLDINGS L L C	3420 E ST	SAN DIEGO	CA	92102	3420 E ST	SAN DIEGO	CA	92102	AUTOMOTIVE USES
22	545-071-29-00	ORANGE CITY HOLDINGS L L C	3420 E ST	SAN DIEGO	CA	92102	3420 E ST	SAN DIEGO	CA	92102	AUTOMOTIVE USES
23	545-071-30-00	ORANGE CITY HOLDINGS L L C	3410 E ST	SAN DIEGO	CA	92102	3420 E ST	SAN DIEGO	CA	92102	AUTOMOTIVE USES
24	545-071-31-00	PROM SARAH J		SAN DIEGO	CA	92102	2259 GALVESTON ST	SAN DIEGO	CA	92110	VACANT
25	545-071-32-00	LAPOINTE INTER VIVOS TRUST 02-16-95	3428 PICKWICK AVE	SAN DIEGO	CA	92102	4083 RAFFEE DR	SAN DIEGO	CA	92117	INDUSTRIAL
26	545-072-01-00	3407 E STREET LLC	3407 E ST	SAN DIEGO	CA	92102	3407 E ST	SAN DIEGO	CA	92102	COMMERCIAL
27	545-072-02-00	MUSSEN MARK E	3411 E ST	SAN DIEGO	CA	92102	1246 CONCORD ST	SAN DIEGO	CA	92106	COMMERCIAL
28	545-072-04-00	KUVELAS JAMES D & JACK D	3475 E ST	SAN DIEGO	CA	92102	231 CALLE FLORECITA	ESCONDIDO	CA	92029	INDUSTRIAL
29	545-072-05-00	KUVELAS JAMES D & JACK D	E ST	SAN DIEGO	CA	92102	231 CALLE FLORECITA	ESCONDIDO	CA	92029	INDUSTRIAL
30	545-072-06-00	KUVELAS JAMES D & JACK D	E ST	SAN DIEGO	CA	92102	231 CALLE FLORECITA	ESCONDIDO	CA	92029	INDUSTRIAL
31	545-072-07-00	YOUNG LESLIE K	3517 E ST	SAN DIEGO	CA	92102	8147 CANDIES CREEK RIDGE RD NW #13	CHARLESTON	TN	37310	RESID. SINGLE FAMILY
32	545-072-08-00	YOUNG LESLIE K	3515 E ST	SAN DIEGO	CA	92102	8147 CANDIES CREEK RIDGE RD NW #13	CHARLESTON	TN	37310	RESID. SINGLE FAMILY
33	545-151-27-00	STATE OF CALIFORNIA		SAN DIEGO	CA	92102		SAN DIEGO	CA	92102	NO VALUE
34	545-151-38-00	3380 MARKET LP	3380 MARKET ST	SAN DIEGO	CA	92102	14092 BALBOA BLVD	SYLMAR	CA	91342	INDUSTRIAL
35	545-156-01-00	SAN DIEGO GAS & ELECTRIC CO	735 33RD ST	SAN DIEGO	CA	92102		SAN DIEGO	CA	92102	NO VALUE
36	546-030-05-00	STROM FAMILY TRUST 03-12-99	3540 ISLAND AVE	SAN DIEGO	CA	92102	1567 WOODY HILLS DR	EL CAJON	CA	92019	RESID. MULTIPLE FAMILY
37	546-030-06-00	GILBERT JUAN C & FLOR G	3554 ISLAND AVE	SAN DIEGO	CA	92102	3554 ISLAND AVE	SAN DIEGO	CA	92102	RESID. SINGLE FAMILY
38	546-030-07-00	MCINERNEY VICTOR	3560 ISLAND AVE	SAN DIEGO	CA	92102	2540 CLAIREMONT DR #308	SAN DIEGO	CA	92117	RESID. MULTIPLE FAMILY
39	546-030-12-00	MORALES IRMA	3582 ISLAND AVE	SAN DIEGO	CA	92102	3582 ISLAND AVE	SAN DIEGO	CA	92102	RESID. SINGLE FAMILY
40	546-030-13-00	BURRIEL PAULINE	3590 ISLAND AVE	SAN DIEGO	CA	92102	3590 ISLAND AVE	SAN DIEGO	CA	92102	RESID. SINGLE FAMILY
41	546-030-15-00	CITY OF SAN DIEGO		SAN DIEGO	CA	92102		SAN DIEGO	CA	92102	NO VALUE
42	546-030-16-00	GENERAL BOARD OF THE CHURCH OF THE NAZARENE KANSAS C	ISLAND AVE	SAN DIEGO	CA	92102	P O BOX 2537	NATIONAL CITY	CA	91951	CHURCH
43	546-030-17-00	GENERAL BOARD OF THE CHURCH OF THE NAZARENE KANSAS C	3595 MARKET ST	SAN DIEGO	CA	92102	P O BOX 2537	NATIONAL CITY	CA	91951	CHURCH
44	546-040-04-00	HILLSIDE APTS L L C	3625 FEDERAL BLVD	SAN DIEGO	CA	92102	716 ORPHEUS AVE	ENCINITAS	CA	92024	COMMERCIAL
45	546-040-12-00	CROFT MATTHEW C & LAUREN N	3715 FEDERAL BLVD	SAN DIEGO	CA	92102	4804 34TH ST	SAN DIEGO	CA	92116	RESID. SINGLE FAMILY
46	546-040-17-00	PEARSON KYLE D	FEDERAL BLVD	SAN DIEGO	CA	92102	716 ORPHEUS AVE	ENCINITAS	CA	92024	VACANT
47	546-040-18-00	FU FAMILY TRUST A 08-08-91	3685 FEDERAL BLVD	SAN DIEGO	CA	92102	3685 W FEDERAL BLVD	SAN DIEGO	CA	92102	RESID. SINGLE FAMILY
48	546-140-11-00	CITY OF SAN DIEGO		SAN DIEGO	CA	92102		SAN DIEGO	CA	92102	NO VALUE
49	546-140-12-00	CITY OF SAN DIEGO		SAN DIEGO	CA	92102		SAN DIEGO	CA	92102	NO VALUE
50	546-440-06-00	SAN DIEGO BLOOD BANK	3636 GATEWAY CENTER AVE #100	SAN DIEGO	CA	92102	3636 GATEWAY CENTER AVE #100	SAN DIEGO	CA	92102	INDUSTRIAL
51	546-440-11-00	A B L E CAPP PROPERTIES L L C	789 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	4195 NORFOLK TER	SAN DIEGO	CA	92116	INDUSTRIAL
52	546-440-21-00	W F P-GATEWAY L P	960 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	P O BOX 12440	SAN DIEGO	CA	92112	INDUSTRIAL
53	546-440-22-00	GATEWAY SAN DIEGO LLC	720 GATEWAY CENTER DR	SAN DIEGO	CA	92102	675 GATEWAY CENTER DR #A	SAN DIEGO	CA	92102	INDUSTRIAL
54	546-440-23-00	ARMADA 7 HOLDINGS INC	770 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	716 ARMADA TER	SAN DIEGO	CA	92106	INDUSTRIAL
55	546-440-24-00	FAMILY HEALTH CENTERS OF SAN DIEGO INC	823 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	823 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	INDUSTRIAL
56	546-440-25-00	GATEWAY SMP L L C	995 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	5710 LA JOLLA MESA DR	LA JOLLA	CA	92037	OFFICE
57	546-440-28-00	LIA ASSOCIATES LLC	955 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	300 LANG BLVD	GRAND ISLAND	NY	14072	COMMERCIAL
58	546-440-29-00	WHITE BYRON F 2001 REVOCABLE TRUST 08-08-01	3676 MARKET ST	SAN DIEGO	CA	92102	4901 MORENA BLVD #119	SAN DIEGO	CA	92117	COMMERCIAL
59	546-440-30-00	COSTCO WHOLESALE CORPORATION	650 GATEWAY CENTER DR	SAN DIEGO	CA	92102	999 LAKE DR	ISSAQUAH	WA	98027	COMMERCIAL
60	546-440-31-00	C R H LIMITED CO L L C	885 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	1617 N WATERFRONT PKY #400	WICHITA	KS	67206	INDUSTRIAL

61	546-440-32-00	GATEWAY KNITTING LTD	675 GATEWAY CENTER DR	SAN DIEGO	CA	92102	P O BOX 12440	SAN DIEGO	CA	92112	INDUSTRIAL
----	---------------	----------------------	-----------------------	-----------	----	-------	---------------	-----------	----	-------	------------

100 & 1000-FOOT RADIUS MAP SPREADSHEET

100FT RESIDENT LIST

ATTACHMENT 1

NO RESIDENTS OR RESIDENTIALLY ZONED PARCELS WITHIN 100FT								
#	USE DESCRIPTION	SITE ADDRESS	CITY	STATE	ZIP	PARCEL NUMBER	OWNER NAME	NOTES
1	INDUSTRIAL	960 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-21-00	W F P-GATEWAY L P	
2	OFFICE	995 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-25-00	GATEWAY SMP L L C	
3	COMMERCIAL	955 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-28-00	LIA ASSOCIATES LLC	
4	COMMERCIAL	650 GATEWAY CENTER DR	SAN DIEGO	CA	92102	546-440-30-00	COSTCO WHOLESALE CORPORATION	

THERE IS ONE CONSIDERATION POINT FOUND WITHIN 1,000FT. PLEASE SEE NOTES AND CONSIDERATION POINT MARKED BELOW.								
#	Use Description	Site Address	City	State	Zip	Parcel Number	Owner/Business Name	Notes
1	VACANT		SAN DIEGO	CA	92102	545-071-08-00	875 34TH STREET L L C	
2	VACANT		SAN DIEGO	CA	92102	545-071-09-00	875 34TH STREET L L C	
3	INDUSTRIAL	3433 PICKWICK ST	SAN DIEGO	CA	92102	545-071-10-00	YOO PATRICK Y	
4	INDUSTRIAL	3443 PICKWICK ST	SAN DIEGO	CA	92102	545-071-11-00	JUAN C VILLEGAS	
5	INDUSTRIAL	3451 PICKWICK AVE	SAN DIEGO	CA	92102	545-071-12-00	VIC ROSS MASONRY INC	
6	INDUSTRIAL	PICKWICK AVE	SAN DIEGO	CA	92102	545-071-13-00	ROSS REVOCABLE TRUST 09-19-07	
7	INDUSTRIAL	3471 PICKWICK ST	SAN DIEGO	CA	92102	545-071-14-00	SAN DIEGO AIR FREIGHT SERVICES INC	
8	INDUSTRIAL	3485 PICKWICK ST	SAN DIEGO	CA	92102	545-071-15-00	SOS ROOTER PLUMBING SVC	
9	VACANT	35TH ST	SAN DIEGO	CA	92102	545-071-16-00	ROSS REVOCABLE TRUST 09-19-07	
10	VACANT	35TH ST	SAN DIEGO	CA	92102	545-071-17-00	ROSS REVOCABLE TRUST 09-19-07	
11	VACANT	E ST	SAN DIEGO	CA	92102	545-071-18-00	PROM SARAH J	
12	VACANT	E ST	SAN DIEGO	CA	92102	545-071-19-00	PROM SARAH J	
13	VACANT	3504 E ST	SAN DIEGO	CA	92102	545-071-20-00	YOUNG LESLIE K	
14	COMMERCIAL	3496 E ST	SAN DIEGO	CA	92102	545-071-21-00	ROSS REVOCABLE TRUST 09-19-07	
15	RESID. SINGLE FAMILY	3488 E ST	SAN DIEGO	CA	92102	545-071-22-00	ROSS REVOCABLE TRUST 09-19-07	
16	INDUSTRIAL	3474 E ST	SAN DIEGO	CA	92102	545-071-23-00	RAND RICHARD B	
17	INDUSTRIAL	3462 E ST	SAN DIEGO	CA	92102	545-071-24-00	RAND RICHARD B	
18	INDUSTRIAL	3454 E ST	SAN DIEGO	CA	92102	545-071-25-00	MYRIAD INDUSTRIES	
19	INDUSTRIAL	3442 E ST	SAN DIEGO	CA	92102	545-071-26-00	SUNSET TOWERS E STREET L C	
20	INDUSTRIAL	3432 E ST	SAN DIEGO	CA	92102	545-071-27-00	E. P. WILSON CO.	
21	AUTOMOTIVE USES	3420 E ST	SAN DIEGO	CA	92102	545-071-28-00	WESTECH METAL FABRICATION INC	
22	AUTOMOTIVE USES	3420 E ST	SAN DIEGO	CA	92102	545-071-29-00	ORANGE CITY HOLDINGS L L C	
23	AUTOMOTIVE USES	3410 E ST	SAN DIEGO	CA	92102	545-071-30-00	ORANGE CITY HOLDINGS L L C	
24	VACANT		SAN DIEGO	CA	92102	545-071-31-00	PROM SARAH J	
25	INDUSTRIAL	3428 PICKWICK ST	SAN DIEGO	CA	92102	545-071-32-00	NEON SOURCE	
26	COMMERCIAL	3407 E ST	SAN DIEGO	CA	92102	545-072-01-00	ELSCO INTERNATIONAL INC	
27	COMMERCIAL	3411 E ST	SAN DIEGO	CA	92102	545-072-02-00	ANTONIO JAIME	
28	COMMERCIAL	3413 E ST	SAN DIEGO	CA	92102	545-072-02-00	ANTONIO JAIME	
29	INDUSTRIAL	3475 E ST	SAN DIEGO	CA	92102	545-072-04-00	KUVELAS JAMES D & JACK D	
30	INDUSTRIAL	E ST	SAN DIEGO	CA	92102	545-072-05-00	KUVELAS JAMES D & JACK D	
31	INDUSTRIAL	E ST	SAN DIEGO	CA	92102	545-072-06-00	KUVELAS JAMES D & JACK D	
32	NO VALUE		SAN DIEGO	CA	92102	545-151-27-00	STATE OF CALIFORNIA	
33	INDUSTRIAL	3380 MARKET ST	SAN DIEGO	CA	92102	545-151-38-00	3380 MARKET LP	
34	NO VALUE	735 33RD ST	SAN DIEGO	CA	92102	545-156-01-00	SAN DIEGO GAS & ELECTRIC CO/METRO YARD	
35	NO VALUE		SAN DIEGO	CA	92102	546-030-15-00	CITY OF SAN DIEGO	
36	CHURCH	3535 MARKET ST	SAN DIEGO	CA	92102	546-030-16-00	CASA DEL ALFARERO IGLESIA DEL NAZARENO	~2500ft
37	CHURCH	3595 MARKET ST	SAN DIEGO	CA	92102	546-030-17-00	GENERAL BOARD OF THE CHURCH OF THE NAZARENE KANSAS C	~2500ft
The Casa Del Alfarero Iglesia Del Nazareno Churh is within 1,000ft when measuring from parcel to parcel in a straight line. The walking distance is more than 2,500ft when walking from door to door using public walkways and roadways.								
38	COMMERCIAL	3625 FEDERAL BLVD	SAN DIEGO	CA	92102	546-040-04-00	HILLSIDE APTS L L C	
39	RESID. SINGLE FAMILY	3715 FEDERAL BLVD	SAN DIEGO	CA	92102	546-040-12-00	CROFT MATTHEW C & LAUREN N	
40	VACANT	FEDERAL BLVD	SAN DIEGO	CA	92102	546-040-17-00	PEARSON KYLE D	
41	NO VALUE	3751 MARKET ST	SAN DIEGO	CA	92102	546-140-11-00	CITY OF SAN DIEGO/MT HOPE CEMETERY	
42	NO VALUE	3751 MARKET ST	SAN DIEGO	CA	92102	546-140-12-00	CITY OF SAN DIEGO/MT HOPE CEMETERY	
43	INDUSTRIAL	3636 GATEWAY CENTER AVE STE 100	SAN DIEGO	CA	92102	546-440-06-00	SAN DIEGO BLOOD BANK	
44	INDUSTRIAL	3636 GATEWAY CENTER AVE STE 101	SAN DIEGO	CA	92102	546-440-06-00	DHL	
45	INDUSTRIAL	789 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-11-00	OOPSY DAISY FINE ART FOR KIDS	
46	INDUSTRIAL	960 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-21-00	COMMERCIAL PRESS RR DONNELLEY	
47	INDUSTRIAL	720 GATEWAY CENTER DR STE A	SAN DIEGO	CA	92102	546-440-22-00	BAYVIEW COMMUNITY DEVELOPMENT	
48	INDUSTRIAL	720 GATEWAY CENTER DR STE B	SAN DIEGO	CA	92102	546-440-22-00	GATEWAY SAN DIEGO LLC	
49	INDUSTRIAL	720 GATEWAY CENTER DR STE C	SAN DIEGO	CA	92102	546-440-22-00	GATEWAY SAN DIEGO LLC	
50	INDUSTRIAL	930 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-23-00	LIFE DECK COATING INSTALLATIONS	
51	INDUSTRIAL	770 GATEWAY CENTER DR	SAN DIEGO	CA	92102	546-440-23-00	LIFE DECK COATING INSTALLATIONS	
52	INDUSTRIAL	823 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-24-00	FAMILY HEALTH CENTERS OF SAN DIEGO INC	
53	OFFICE	995 GATEWAY CENTER WAY STE 101	SAN DIEGO	CA	92102	546-440-25-00	DAVITA	
54	OFFICE	995 GATEWAY CENTER WAY STE 105	SAN DIEGO	CA	92102	546-440-25-00	NANCY JONES-SOTO, M.D., A MEDICAL CORPORATION	
55	OFFICE	995 GATEWAY CENTER WAY STE 106	SAN DIEGO	CA	92102	546-440-25-00	GATEWAY SMP L L C	
56	OFFICE	995 GATEWAY CENTER WAY STE 107	SAN DIEGO	CA	92102	546-440-25-00	SANDS HYPERBARIC CORPORATION	
57	OFFICE	995 GATEWAY CENTER WAY STE 108	SAN DIEGO	CA	92102	546-440-25-00	ALEXANDER SALLOUM, MD	
58	OFFICE	995 GATEWAY CENTER WAY STE 202	SAN DIEGO	CA	92102	546-440-25-00	CLINICA MEDICAL DE LA MORA INC	
59	OFFICE	995 GATEWAY CENTER WAY STE 207	SAN DIEGO	CA	92102	546-440-25-00	SAN DIEGO ACCESS CARE / VEIN CENTER OF DEL MAR	
60	OFFICE	995 GATEWAY CENTER WAY STE 208	SAN DIEGO	CA	92102	546-440-25-00	GATEWAY SMP L L C	
61	OFFICE	995 GATEWAY CENTER WAY STE 300	SAN DIEGO	CA	92102	546-440-25-00	MARCUS L. BYRD	
62	OFFICE	995 GATEWAY CENTER WAY STE 302	SAN DIEGO	CA	92102	546-440-25-00	GATEWAY SMP L L C	
63	OFFICE	995 GATEWAY CENTER WAY STE 303	SAN DIEGO	CA	92102	546-440-25-00	GATEWAY SMP L L C	
64	OFFICE	995 GATEWAY CENTER WAY STE 308	SAN DIEGO	CA	92102	546-440-25-00	AT YOUR SERVICE PRODUCTIONS, INC.	
65	COMMERCIAL	955 GATEWAY CENTER WAY	SAN DIEGO	CA	92102	546-440-28-00	R R DONNELLEY	
66	COMMERCIAL	3676 MARKET ST	SAN DIEGO	CA	92102	546-440-29-00	WHITE BYRON F 2001 REVOCABLE TRUST 08-08-01	
67	COMMERCIAL	620 GATEWAY CENTER DR	SAN DIEGO	CA	92102	546-440-29-00	WHITE BYRON F 2001 REVOCABLE TRUST 08-08-01	
68	COMMERCIAL	650 GATEWAY CENTER DR	SAN DIEGO	CA	92102	546-440-30-00	COSTCO WHOLESALE CORPORATION	
69	INDUSTRIAL	885 GATEWAY CENTER WAY STE 101	SAN DIEGO	CA	92102	546-440-31-00	CULLIGAN WATER CONDITIONING	
70	INDUSTRIAL	885 GATEWAY CENTER WAY STE 102	SAN DIEGO	CA	92102	546-440-31-00	ALSCO INC	
71	INDUSTRIAL	885 GATEWAY CENTER WAY STE 103	SAN DIEGO	CA	92102	546-440-31-00	CAMPESINOS UNIDOS, INC.	
72	INDUSTRIAL	885 GATEWAY CENTER WAY STE 201	SAN DIEGO	CA	92102	546-440-31-00	QUALITY CABINET & FIXTURE COMPANY	
73	INDUSTRIAL	675 GATEWAY CENTER DR	SAN DIEGO	CA	92102	546-440-32-00	XTERRA WETSUITS	
74	INDUSTRIAL	650 GATEWAY CENTER WAY STE A	SAN DIEGO	CA	92102	546-440-32-00	PACIFIC ENERGY SERVICES LLC	
75	INDUSTRIAL	650 GATEWAY CENTER WAY STE B	SAN DIEGO	CA	92102	546-440-32-00	WEST COAST BEVERAGE	
76	INDUSTRIAL	650 GATEWAY CENTER WAY STE D	SAN DIEGO	CA	92102	546-440-32-00	COMPLIANCE WEST USA	
77	INDUSTRIAL	650 GATEWAY CENTER WAY STE G	SAN DIEGO	CA	92102	546-440-32-00	WESCRAFT INC	
78	INDUSTRIAL	650 GATEWAY CENTER WAY STE I	SAN DIEGO	CA	92102	546-440-32-00	ELECTRORECYCLE INC	

79	INDUSTRIAL	610 GATEWAY CENTER WAY STE A	SAN DIEGO	CA	92102	546-440-32-00	ST MARYS PHARMACIES INC	
80	INDUSTRIAL	610 GATEWAY CENTER WAY STE E	SAN DIEGO	CA	92102	546-440-32-00	BAJA PRINTING, INC.	
81	INDUSTRIAL	610 GATEWAY CENTER WAY STE G	SAN DIEGO	CA	92102	546-440-32-00	GEORGE AWAD	
82	INDUSTRIAL	610 GATEWAY CENTER WAY STE I	SAN DIEGO	CA	92102	546-440-32-00	GATEWAY KNITTING LTD	
83	INDUSTRIAL	610 GATEWAY CENTER WAY STE J	SAN DIEGO	CA	92102	546-440-32-00	LEADER BIKE, LLC	
84	INDUSTRIAL	610 GATEWAY CENTER WAY STE K	SAN DIEGO	CA	92102	546-440-32-00	COMPLETE CAMPAIGNS.COM, LLC	
85	INDUSTRIAL	610 GATEWAY CENTER WAY STE L	SAN DIEGO	CA	92102	546-440-32-00	THE LIGHTHOUSE	

	City of San Diego Development Services (619) 446-5000	Affidavit for Cannabis Outlet or Cannabis Production Facility for Conditional Use Permit (CUP)	FORM DS-190 March 2020
---	---	---	--

The purpose of this affidavit is for the property owner, authorized agent, or business owner of the Cannabis Outlet (Outlet) and Cannabis Production Facility (Facility) to affirm that all uses within 1,000 feet from the subject property line have been identified, including residential zones within 100 feet, as defined in San Diego Municipal Code (SDMC), Sections [113.0103](#), [141.0504](#), and [141.1004](#).

The proposed Outlet and Facility location must be 100 feet from any residential zone and not within 1,000 feet of the property line of the following:

- | | |
|--|---|
| 1. Resource and population-based city park | 6. Minor-oriented facility |
| 2. Church | 7. Residential Care Facility |
| 3. Child care center | 8. Schools |
| 4. Playground | 9. Other Cannabis Outlets |
| 5. City library | (applicable to Outlet CUP applications only). |

GENERAL INFORMATION

Project Name: 995 Gateway Center CO	Project No.: <i>For City Use Only</i>
---	---------------------------------------

Project Address:
995 Gateway Center Way, Suites 107 & 108, San Diego, CA 92102

Date Information Verified by Owner or Authorized Agent:
06/07/2022

DECLARATION: *The property owner, authorized agent, or business owner of the Outlet and Facility must complete the following section and sign their name where indicated.*

We are aware that the business described above is subject to the Cannabis Outlet or Cannabis Production Facility requirements regulated by SDMC Section [141.0504](#) (Outlet) and Section [141.1004](#) (Facility), and [Chapter 4, Article 2, Division 15](#). We hereby affirm under penalty of perjury that the proposed business location is not within 1,000 feet, measured in accordance with SDMC Section [113.0225](#) of the property line of any resource and population-based city park, church, child care center, playground, library owned and operated by the City of San Diego, minor-oriented facility, residential care facility, and other Cannabis Outlets (applicable to Outlet CUP applications only), or schools; and is 100 feet from any residential zone as identified on the 1000-foot radius map and spreadsheet submitted with the Conditional Use Permit application.

Property Owner or Authorized Agent Name: *Check one* Owner Agent Telephone No.:

Mailing Address: City: State: Zip Code:


Signature: Date:

Business Owner Name: Telephone No.:
Prime Harvest, LLC (Contact: Duane Alexander) **duane@primeharvestinc.com / 702-350-9699**

Mailing Address: City: State: Zip Code:
1210 Olive St., Ramona CA 92065

Signature:  Date: **8/1/2022**


1000-FOOT VICINITY/AREA MAP







RADIUS-AREA MAP

- Subject Area
- 1000' 100FT Radi
- Within Radi



ONE SET OF MAPS



CHANGES				
BLK	OLD	NEW	YR	CUT
440		1-23	87	4.3
	12&13	2.4	'88	23.98
	19&20	2.5	'88	24.79
	1	20&27	'89	16.11
	17&18	2.8	'89	20.21
	26&27	29&30	'96	14.21
	14.15&16	31	'97	15.90
	2-5	32	'98	14.30

545
7

545
15

541
62
SHT I

541
63


5

ZAMORA
6-11-96


3

THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.


14



540
59



HWY 94



8/22/2000 RC

CHANGES

BLK	OLD	NEW	CUT
071	540-64 ALL	1-30	
072	545-070 ALL	1-11	75 10553
071	PICK-UP	31	82 1315
071	12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35	AG-061	88 1132
072	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35	156-01	91 1929
072	9	HWY OP	93 1254
071	4, 5, & 6	32	01 1559

THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.

MAP 1210 - ORANGE PARK
 MAP 419 - HAFFENDEN'S SUNNYDALE
 ROS 15102

Delph
 11-21-79
 SAN DIEGO COUNTY
 ASSESSOR'S MAP
 BOOK 545 PAGE 07

545-080 & 151-155


545-15
SHT. 1 OF 2

1" = 100'

BLK. 3
POR. 1
M419

POR. 2
SE. COR. LOT 2

CHANGES				
BLK	OLD	NEW	YR	CUT
151	3	25	26	68 3002
155	5	6	12	72 4503
151	9,10	2	27-29	
	080-1	30	80	1311
151	052-01	31		
151	053-03	32		
	-152-01	130-44		
	-153-01	130-45	83	10083
	-154-01	130-43		
	-155-1-4	130-46		
	-155-7-12	130-37		
	124-8	338-130		
	112 M 2	55, 56	83	145
	30	32	34	35 86 2089
	-130-55			
	28, 34, 35	7, 36	37	87 1521
	29	ALLEY		
	CLOS.	SAME	87	5536
	36	38	39	87 1746
	PICK-UP	40	88	1666
	POR	060-16	41	89 2037
	31, 37	POR	-156-01	91 1939
	40 (4)	HWY	OP	93 1352
	29	HWY	OP	




MAP 10501 - THE DELLS UNIT NO. 2
 MAP 1172 - DELLS PK
 MAP 419 - HAFFENDENS SUNNYDALE
 MAP 291 - MCLARENS H STREET ADD
 MAP 167 - CHOATES ADD POR P L 1151
 MM 36 - PUEBLO LANDS
 ROS 15102

MAS
9-21-79

SAN DIEGO COUNTY
 ASSESSOR'S MAP
 BOOK 545, PAGE 15 SHT. 1 OF 2

THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.

03





8/20/2010 AJR

CHANGES

DATE	DESCRIPTION	BY	DATE
06-19			
15%			
1932			
5545			
5538			

1" OPEN SPACE

545-06
-072
-151




74M
12-6-90

THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.

1/1/91



541
62
SHT. 1



CHANGES

BLK	OLD	NEW	YR	CUT	
DAO	2	SAME YR	75	3177	CANC.
	4-5-7-13	4-12	75	10554	
	2	13-14-16	86	1593	
	13	15-16	86	2418	
	14-16	PICK-UP	87	43	
	PICK-UP	17	87	1084	
	5	18-8 HWY. OP	89	1376	CANC.
	17	SAME 2 HWY. OP	89	4602	
	6-8	19-21 HWY. OP	89	2042	CANC.

dy
2-14-75



12/3/2002 SM

CHANGES				
BLK	OLD	NEW	YR	CUT
140	8	9.10	67	3580
140	6,7,9	11&12	83	3238
140	10	SAME & AC. CHNG.	97	5539
	11&12	SAME & ST OP	03	4781

SAN DIEGO COUNTY
 ASSESSOR'S MAP
 BOOK 546 PAGE 14


THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.

MM 36 - PUEBLO LANDS
 ROS 15246



1/27/00 MAS

CHANGES				
BLK	OLD	NEW	YR	CUT
440		1-23	87	4.3
	12&13	2.4	'88	2.398
	19&20	2.5	'88	2.479
	1	2.0	'87	1.611
	17&18	2.8	'89	2.021
	26&27	2.9	'30	1.421
	14,15&16	3.1	'97	1.590
	2-5	3.2	'98	1.430




THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE DATA SHOWN. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL SUBDIVISION OR BUILDING ORDINANCES.

MAP 11512 - GATEWAY CENTER EAST UNIT NO. 1

SAN DIEGO COUNTY ASSESSORS MAP BOOK 546 PAGE 44.

ZAMORA 6-11-96

Separation Analysis - Iglesia Del Nazareno



Project Site

~854 feet

Church

2B

95 Gateway Center Way,
San Diego, CA 92102

Project Site

142 to 165 feet high


~1,584 ft

~2,600 ft



ATTACHMENT 7






Project Site

Measure distance
Click on the map to add to your path
Total distance: 1,211.30 ft (369.20 m)




Separation Analysis – Dennis V. Allen Park





Separation Analysis - Mount Hope Cemetery



Even if Mount Hope was a park, it meets the separation distance

1,541 feet
>
1,000 feet



	City of San Diego Development Services 1222 First Ave., MS 302 San Diego, CA 92101 (619) 446-5000	<h1 style="text-align: center;">Ownership Disclosure Statement</h1>	FORM
			DS-318
			October 2017

Approval Type: Check appropriate box for type of approval(s) requested: Neighborhood Use Permit Coastal Development Permit
 Neighborhood Development Permit Site Development Permit Planned Development Permit Conditional Use Permit Variance
 Tentative Map Vesting Tentative Map Map Waiver Land Use Plan Amendment • Other _____

Project Title: 995 Gateway Center CO **Project No. For City Use Only:** _____

Project Address: 995 Gateway Center Way, Suites 107 & 108, SD, CA 92102

Specify Form of Ownership/Legal Status (please check):

Corporation Limited Liability -or- General – What State? _____ Corporate Identification No. _____
 Partnership Individual

By signing the Ownership Disclosure Statement, the owner(s) acknowledge that an application for a permit, map or other matter will be filed with the City of San Diego on the subject property with the intent to record an encumbrance against the property. Please list below the owner(s), applicant(s), and other financially interested persons of the above referenced property. A financially interested party includes any individual, firm, co-partnership, joint venture, association, social club, fraternal organization, corporation, estate, trust, receiver or syndicate with a financial interest in the application. If the applicant includes a corporation or partnership, include the names, titles, addresses of all individuals owning more than 10% of the shares. If a publicly-owned corporation, include the names, titles, and addresses of the corporate officers. (A separate page may be attached if necessary.) If any person is a nonprofit organization or a trust, list the names and addresses of **ANY** person serving as an officer or director of the nonprofit organization or as trustee or beneficiary of the nonprofit organization. A signature is required of at least one of the property owners. Attach additional pages if needed. Note: The applicant is responsible for notifying the Project Manager of any changes in ownership during the time the application is being processed or considered. Changes in ownership are to be given to the Project Manager at least thirty days prior to any public hearing on the subject property. Failure to provide accurate and current ownership information could result in a delay in the hearing process.

Property Owner

Name of Individual: Ali Ehsan Owner Tenant/Lessee Successor Agency

Street Address: 5710 La Jolla Mesa Dr

City: La Jolla State: CA Zip: 92037

Phone No.: 858-242-5670 Fax No.: _____ Email: ali@aliehsan.com / mraliehsan@yahoo.com

Signature:  Date: 6/30/2022

Additional pages Attached: Yes No

Applicant

Name of Individual: Duane Alexander Owner Tenant/Lessee Successor Agency

Street Address: 1210 Olive St.

City: Ramona State: CA Zip: 92065

Phone No.: _____ Fax No.: _____ Email: duane@primeharvestinc.com

Signature:  Date: 8/1/2022

Additional pages Attached: Yes No

Other Financially Interested Persons

Name of Individual: _____ Owner Tenant/Lessee Successor Agency

Street Address: _____

City: _____ State: _____ Zip: _____

Phone No.: _____ Fax No.: _____ Email: _____

Signature: _____ Date: _____

Additional pages Attached: Yes No

	City of San Diego Development Services 1222 First Ave., MS 302 San Diego, CA 92101 (619) 446-5000	FORM DS-318 October 2017
---	---	---

Approval Type: Check appropriate box for type of approval(s) requested: Neighborhood Use Permit Coastal Development Permit
 Neighborhood Development Permit Site Development Permit Planned Development Permit Conditional Use Permit Variance
 Tentative Map Vesting Tentative Map Map Waiver Land Use Plan Amendment • Other _____

Project Title: 995 Gateway Center CO **Project No. For City Use Only:** _____

Project Address: 995 Gateway Center Way, Suites 107 & 108, SD, CA 92102

Specify Form of Ownership/Legal Status (please check):

Corporation Limited Liability -or- General – What State? _____ Corporate Identification No. _____
 Partnership Individual

By signing the Ownership Disclosure Statement, the owner(s) acknowledge that an application for a permit, map or other matter will be filed with the City of San Diego on the subject property with the intent to record an encumbrance against the property. Please list below the owner(s), applicant(s), and other financially interested persons of the above referenced property. A financially interested party includes any individual, firm, co-partnership, joint venture, association, social club, fraternal organization, corporation, estate, trust, receiver or syndicate with a financial interest in the application. If the applicant includes a corporation or partnership, include the names, titles, addresses of all individuals owning more than 10% of the shares. If a publicly-owned corporation, include the names, titles, and addresses of the corporate officers. (A separate page may be attached if necessary.) If any person is a nonprofit organization or a trust, list the names and addresses of **ANY** person serving as an officer or director of the nonprofit organization or as trustee or beneficiary of the nonprofit organization. A signature is required of at least one of the property owners. Attach additional pages if needed. Note: The applicant is responsible for notifying the Project Manager of any changes in ownership during the time the application is being processed or considered. Changes in ownership are to be given to the Project Manager at least thirty days prior to any public hearing on the subject property. Failure to provide accurate and current ownership information could result in a delay in the hearing process.

Property Owner

Name of Individual: Mohammad Ehsan Owner Tenant/Lessee Successor Agency

Street Address: 5710 La Jolla Mesa Dr

City: La Jolla State: CA Zip: 92037

Phone No.: 619-988-1037 Fax No.: _____ Email: moreehsan@gmail.com

Signature:  Date: 6/30/2022

Additional pages Attached: Yes No

Applicant

Name of Individual: _____ Owner Tenant/Lessee Successor Agency

Street Address: _____

City: _____ State: _____ Zip: _____

Phone No.: _____ Fax No.: _____ Email: _____

Signature: _____ Date: _____

Additional pages Attached: Yes No

Other Financially Interested Persons

Name of Individual: _____ Owner Tenant/Lessee Successor Agency

Street Address: _____

City: _____ State: _____ Zip: _____

Phone No.: _____ Fax No.: _____ Email: _____

Signature: _____ Date: _____

Additional pages Attached: Yes No

	City of San Diego Development Services 1222 First Ave., MS 302 San Diego, CA 92101 (619) 446-5000	<h1 style="text-align: center;">Ownership Disclosure Statement</h1>	FORM
			DS-318
			October 2017

Approval Type: Check appropriate box for type of approval(s) requested: Neighborhood Use Permit Coastal Development Permit
 Neighborhood Development Permit Site Development Permit Planned Development Permit Conditional Use Permit Variance
 Tentative Map Vesting Tentative Map Map Waiver Land Use Plan Amendment • Other _____

Project Title: 995 Gateway Center CO **Project No. For City Use Only:** _____

Project Address: 995 Gateway Center Way, Suites 107 & 108, SD, CA 92102

Specify Form of Ownership/Legal Status (please check):

Corporation Limited Liability -or- General – What State? _____ Corporate Identification No. _____
 Partnership Individual

By signing the Ownership Disclosure Statement, the owner(s) acknowledge that an application for a permit, map or other matter will be filed with the City of San Diego on the subject property with the intent to record an encumbrance against the property. Please list below the owner(s), applicant(s), and other financially interested persons of the above referenced property. A financially interested party includes any individual, firm, co-partnership, joint venture, association, social club, fraternal organization, corporation, estate, trust, receiver or syndicate with a financial interest in the application. If the applicant includes a corporation or partnership, include the names, titles, addresses of all individuals owning more than 10% of the shares. If a publicly-owned corporation, include the names, titles, and addresses of the corporate officers. (A separate page may be attached if necessary.) If any person is a nonprofit organization or a trust, list the names and addresses of **ANY** person serving as an officer or director of the nonprofit organization or as trustee or beneficiary of the nonprofit organization. A signature is required of at least one of the property owners. Attach additional pages if needed. Note: The applicant is responsible for notifying the Project Manager of any changes in ownership during the time the application is being processed or considered. Changes in ownership are to be given to the Project Manager at least thirty days prior to any public hearing on the subject property. Failure to provide accurate and current ownership information could result in a delay in the hearing process.

Property Owner

Name of Individual: Patrick Ehsan Owner Tenant/Lessee Successor Agency

Street Address: 5710 La Jolla Mesa Dr

City: La Jolla State: CA Zip: 92037

Phone No.: 510-326-5611 Fax No.: _____ Email: patehsan@yahoo.com

Signature: DocuSigned by: PATRICK EHSAN Date: 6/30/2022
B0CD4570037C44C...

Additional pages Attached: Yes No

Applicant

Name of Individual: _____ Owner Tenant/Lessee Successor Agency

Street Address: _____

City: _____ State: _____ Zip: _____

Phone No.: _____ Fax No.: _____ Email: _____

Signature: _____ Date: _____

Additional pages Attached: Yes No

Other Financially Interested Persons

Name of Individual: _____ Owner Tenant/Lessee Successor Agency

Street Address: _____

City: _____ State: _____ Zip: _____

Phone No.: _____ Fax No.: _____ Email: _____

Signature: _____ Date: _____

Additional pages Attached: Yes No

995 Gateway Center Way, Suites 107 & 108, San Diego, CA 92102

Conditional Use Permit Cannabis Outlet(CO)



2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 619-940-5814 313-595-5814

CONSULTANTS

10-07-2022



995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065

GENERAL PROJECT INFORMATION 995 Gateway Center Way - C

PROJECT SCOPE OF WORK: 1. CUP for new Cannabis Outlet (CO)

PROJECT INFORMATION 995 Gateway Center Way - CO

PROJECT ADDRESS: 995 Gateway Center Way, Suites 107 & 108
 San Diego, CA 92102

ASSESSORS PARCEL NUMBER: 546-440-25-00

LEGAL DESCRIPTION: Lot: 19,20 Tract No: 11512 Map Ref: 011512 Abbreviated Description: LOT:19,20 CITY:SAN DIEGO SUBD: GATEWAY CENTER EAST UNIT #1 TR#:11512 TR 11512 LOT 20*LOT 19 & MAP REF:011512City/Muni/Twp: SAN DIEGO

YEAR BUILT: 1989

EXISTING OCCUPANCY CLASSIFICATION: B - Business

PROPOSED OCCUPANCY CLASSIFICATION: M Mercantile / B - Business

EXISTING USE: Medical Commercial Office

PROPOSED USE: Cannabis Outlet / Office

CONSTRUCTION TYPE: TYPE II - B - Sprinklered

EXISTING NUMBER OF STORIES: 3

PROPOSED NUMBER OF STORIES: 3 (No Change)

BUILDING HEIGHT: 45'-4" (No Change)

LOT AREA: 178,443.2 sf 4.10 ACRES

GROSS FLOOR AREA

GROSS FLOOR AREA, SUITES 107 & 108 (First Floor): 2,995.6 sf (Project Suite, Proposed CO)

GROSS FLOOR AREA (First Floor, Remainder): 10,298.8 sf (Not Part of Project Scope)

GROSS FLOOR AREA (Second Floor): 14,456.0 sf (Not Part of Project Scope)

GROSS FLOOR AREA (Third Floor): 14,779.6 sf (Not Part of Project Scope)

TOTAL BUILDING GROSS FLOOR AREA: 42,529.9 sf

ZONING INFORMATION 995 Gateway Center Way - CO

BASE ZONE: IL-3-1 - Industrial Light (mix of light industrial, office and commercial uses)

Overlay Zones: Airport Influence Area - SDIA Lindbergh Field Area 1, Airport FAA Part 77 Noticing Area - SDIA Lindbergh Field 200 ft, Airport ALUCP - Noise 65-70 SDIA Lindbergh Field, Airport Environs Overlay (AEOZ), Fire - Brush Management 100 ft. Foot Setback, Fire - Brush Zone 300 ft Buffer, and Fire - Very High Fire Hazard Severity Zone, San Diego Unified School District (SDUSD), Diamond Business Improvement District (BID), Southeastern Community Plan Area. Council Dist. 9.

GEOLOGICAL HAZARD CATEGORY: S2

NUMBER OF BUILDINGS: 1

SETBACKS:

FRONT:	10'-0" (Min)	20'-0" (std.)	
STREET:	15'-0" (max)	20'-0" (std.)	
SIDE:	10'-0" (min)	25'-0" (abutting residential)	
REAR:	0'-0" (min)	15'-0" (std.)	25'-0" (abutting residential)

MAX. STRUCTURE HEIGHT: (Unlimited, except as limited by Overlay Zones)

MIN. LOT COVERAGE: 35% 62,455.1 sf

ACTUAL LOT COVERAGE: 24% 42,529.9 sf

MAXIMUM FLOOR AREA RATIO: 2.0 356,886.4 sf

ACTUAL FLOOR AREA RATIO: 0.2 42,529.9 sf

PARKING CALCULATION 2

Prime Harvest, LLC
 995 Gateway Center Way, Suites 107 & 108, San Diego, CA 92102

Uses	Area	Ratio	Parking Stalls		
Cannabis Outlet (First Floor, Project Suite)	2,995.6 sf	5.00 Per 1,000 sf	15.0		
Commercial Office (First Floor Remainder, Previously Conforming):	10,298.8 sf	3.90 Per 1,000 sf	40.2		
Commercial Office (Second Floor, Previously Conforming):	14,456.0 sf	3.90 Per 1,000 sf	56.4		
Commercial Office (Third Floor, Previously Conforming):	14,779.6 sf	3.90 Per 1,000 sf	57.7		
Total Parking Required			169.3		
Total Building Gross Floor Area	42,529.9 sf				
* Per SDMC Sec. 142.0530 - Table 142-05E					
Required Carpool/ZOV/Electric Vehicle Parking (On site)		Ratio	Req. Parking		
* Per SDMC Sec. 142.0530 - Table 142-05G(d)(1)(B)(ii)	15	10 to 25	1.0		
Total Carpool/ZOV/Electric Vehicle Parking*			1.0		
Required Motorcycle Spaces (On site)		Ratio	Req. Parking		
2% Min. of Req. Automobile Parking (Min. Req. = 2)	15	0.02 Per 1,000 S.F.	0.3		
Total Motorcycle Spaces Required *			2.0		
Required Bicycle Spaces (Short Term)		Ratio	Bicycle Spaces		
5% of Req. Automobile parking or 10% per 1,000 sf of Building Area whichever is more. (Min. Req. = 2)	2,995.6 sf	0.10 Per 1,000 S.F.	0.3		
Total Short term Bicycle Spaces Required			2.0		
Total Short term Bicycle Spaces Proposed			3.0		
Required Bicycle Spaces (Long Term)		Ratio	Parking Stalls		
5% of Req. Automobile Parking (Min. Req. = 1)	15	0.05	0.7		
Total Long term Bicycle Spaces Required			1.0		
Total Long term Bicycle Spaces Proposed			4.0		
EXISTING PARKING	Number / Area	Ratio	Parking Stalls		
Standard Parking Spaces (Previously Conforming)	42,529.9 sf	3.90 Per 1,000 S.F.	61		
Compact Parking Spaces (Previously Conforming)	166	Varies	96		
Accessible Spaces (Previously Conforming)	166	Varies	9		
TOTAL EXISTING PARKING (On Site)			166		
PROPOSED PARKING (Cannabis Outlet)	Number / Area	Ratio	Parking Stalls		
Parking Spaces (Proposed Cannabis Outlet, On Site)	2,995.6 sf	5.00 Per 1,000 S.F.	12		
Parking Spaces (Existing Previously Conforming Medical Offices, On Site)	39,534.3 sf	3.90 Per 1,000 S.F.	155		
Carpool/ZOV/Electric Vehicle Parking (Proposed Cannabis Outlet, On Site)	15	10 to 25	2		
Accessible Parking Spaces (Proposed Cannabis Outlet, On Site)	15	1-25 (Table 11B-208.2)	1		
Motorcycle Parking (On site)	15	2 (Min)	2		
Bicycle Parking (On site, short/long term)	15	Varies	7		
TOTAL PARKING - On Site			179		
PARKING SUMMARY	Standard Parking	Compact Parking	Accessible Spaces	Carpool/ZEV/EV Parking Spaces	Totals
995 Gateway Center Way, San Diego, CA 92102	61	101	6	2 (1 EV Accessible)	170
* Per SDMC Sec. 142.0530 - Table 142-05E					

SHEET INDEX

#	SHEET NAME
G001	Cover Sheet
G002	Conditions for Cannabis Outlet
G003	Abbreviations / General Notes
G004	Existing Approved Site Plan - Exhibit (Reference Only)
G005	Existing Approved Irrigation Plan - Exhibit (Reference Only)
G006	Storm Water Requirements Applicability Checklist
	Topography Survey
A100	Site Plan - Existing
A102	Site Plan - Proposed
A102a	Site Plan - ROW Improvements
A103	First Floor Plan - Existing / Demolition
A104	Second Floor Plan - Existing
A105	Third Floor Plan - Existing
A106	Roof Plan - Existing
A107	First Floor Plan - Proposed
A108	First Floor Accessibility Plan - Proposed
A109	First Floor Egress Plan - Proposed
A110	First Floor Security Plan - Proposed
A111	First Floor Lighting Plan - Proposed
A201	Exterior Elevations - Existing
A202	Exterior Elevations - Existing
A401	Enlarged Accessible Parking Plan - Proposed
	LANDSCAPE
BM-1	Landscape Development Plan / Brush Management Plan
BM-2	Brush Management Notes, Photo Inventory Plan

VMT REDUCTION MEASURES

Per SDMC Section 143.1103(b)(1), development in Mobility Zone 3 shall include VMT Reduction Measures totaling at least 8 points.

The measures are provided as follows:

- Providing on-site bicycle repair station. (1.5 points)
- Providing short-term bicycle parking spaces that are available to the public, at least 10% beyond the minimum requirements. (1.5 points)
- Providing long-term bicycle parking spaces at least 10% beyond minimum requirements. (6 points)

Total VMT Reduction Measure Points: 9 points

APPLICABLE CODES

- City of San Diego Municipal Code
- 2019 California Building Code
- 2019 California Green Code
- 2019 California Plumbing Code
- 2019 California Electrical Code
- 2019 California Mechanical Code

PROJECT TEAM

PROPERTY OWNER:
 GATEWAY SMP LLC
 6950 Amber Ln., Carlsbad, CA 92009

APPLICANT:
 Prime Harvest, LLC
 1210 Olive St., Ramona, CA 92065
 Phone #: 702-350-9699
 email: duane@primeharvestinc.com

DESIGN FIRM:
 TECHNE
 Project Contact: Abhay Schweitzer - Assoc. AIA
 2934 Lincoln Ave., San Diego, CA 92104
 Phone #: 619-940-5814
 email: abhay@techne-us.com

ARCHITECT OF RECORD:
 Michael Rene Morton, AIA - C-19371
 Phone #: 619-857-8144
 m.morton.blueskydesign@gmail.com

SURVEYOR:
 San Diego Land Surveying & Engineering, Inc.
 Project Contact: Robert J. Bateman P.L.S. No. 7046
 9665 Chesapeake Dr., Suite 445, San Diego, CA 92123
 Phone #: 858-565-8362
 email: RBateman@sdlse.com

LANDSCAPE ARCHITECT:
 Sam Wade Landscape Architect
 2204 Garnet Ave., Ste 205, San Diego, CA 92109
 email: sam@samwadelandscapearchitect.com

TRAFFIC ENGINEER:
 Linscott, Law & Greenspan, Engineers
 Contact: John Boorman, P.E.
 4542 Ruffner Street, Suite 100, San Diego, CA 92111
 Phone: 858-300-8800

RADIUS REPORT & PUBLIC NOTICE PACKAGE:
 Title Pro Information Systems
 Contact: Sean Wilson
 13520 Scarsdale Way San Diego, CA 92128
 Phone: 760-295-3951


SCOPE OF WORK

The project consists of the conversion of an existing suite with an approximate area of 2,995.6 sf into a Cannabis Outlet in an existing multi-story commercial building with an approximate area of 42,530 sf.

- Tenant Improvements to Include:
 - First floor reconfiguration of approximately 2,995 sf to convert into proposed Cannabis Outlet
- Site Improvements to include
 - Partial re-stripping of parking lot
 - Landscape
 - Lighting
 - Security

* Conditional Use Permit (CUP) Requested

VICINITY MAP



MARK	DATE	DESCRIPTION
D1	08.02.22	Completeness Review - 1st Submittal
D2	10.07.22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION

PROJECT NO: 2215
 CAD DWG FILE: 0001-0004 COVER SHEET DWG
 DRAWN BY: A.S., S.V., D.C., J.A.
 CH'D BY: A.S., M.M.

COPYRIGHT: Used Government LLC. The TECHNE logo is the property of TECHNE and is used under license. All other rights are reserved. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.


SHEET TITLE

COVER SHEET



2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 o 619-940-5814 m 313-595-5814

CONSULTANTS



10-07-2022



995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065

CONDITIONS FOR CANNABIS OUTLET (CO) CUP:

PLANNING/DESIGN REQUIREMENTS:

SIGNAGE LIMITATION

- All signage shall be limited to two colors and typeface.
- Pole signs are prohibited.

POSSIBLE FUTURE USES

- Possible future uses include any use permitted in the IL-3-1 zone.

CONSULTATION BY MEDICAL PROFESSIONALS

- Consultations by medical professionals shall not be a permitted accessory use at a cannabis outlet.

LIGHTING

- Lighting shall be provided to illuminate the interior, façade, and the immediate surrounding area of the cannabis outlet, including any accessory uses, parking lots, and adjoining sidewalks. Lighting shall be hooded or oriented to deflect light away from adjacent properties.
- All exterior lighting shall be hooded or oriented so as to deflect light away from adjacent properties.

SECURITY

- Security shall be provided at the cannabis outlet which shall include operable cameras, alarms, and a security guard. The security guard shall be licensed by the State of California and be present on the premises during business hours. The security guard shall only be engaged in activities related to providing security for the facility, except on an incidental basis.
- NOT USED

SIGNAGE

- Primary signs shall be posted on the outside of the cannabis outlet and shall only contain the name of the business, which shall contain only alphabetic characters, and shall be limited to two colors. Secondary signs advertising cannabis, window signs and any display visible from the public right-of-way are not permitted.
- A permit shall be obtained as required pursuant to Chapter 4, Article 2, Division 15.

EMERGENCY CONTACT

- The name and emergency contact phone number of an operator or manager shall be posted in a location visible from outside the cannabis outlet in character size at least two inches in height.

OPERATING HOURS

- The cannabis outlet shall operate only between the hours of 7:00 a.m. and 9:00 p.m., seven days a week.

VENDING MACHINES

- The use of vending machines which allow access to cannabis and cannabis products except by a responsible person, as defined in San Diego Municipal Code Section 42.1502, is prohibited. For purposes of this Section, a vending machine is any device which allows access to cannabis and cannabis products without a human intermediary.
- For the purpose of this section, a vending machine is any device that allows access to medical cannabis without a human intermediary.

CONDITIONS FOR CANNABIS OUTLET (CO) CUP

- A Conditional Use Permit for a cannabis outlet shall expire no later than five years from the date of issuance.
- Deliveries shall be permitted as an accessory use only from cannabis outlets with a valid Conditional Use Permit unless otherwise allowed pursuant to state law under the Compassionate Use Act of 1996.
- The cannabis outlet, adjacent public sidewalks, and areas under the control of the cannabis outlet, shall be maintained free of litter and graffiti at all times.
- The cannabis outlet shall provide daily removal of trash, litter, and debris. Graffiti shall be removed from the premises within 24 hours.
- The Owner/Permittee shall install a combination of full-height bullet resistant glass, plastic or laminate shield and bullet resistant armor panels or solid grouted masonry block walls, designed by a licensed professional, at the reception area.
- The Owner/Permittee shall install full-height bullet resistant armor panels or solid grouted masonry block walls, designed by a licensed professional, at all walls adjoining common areas and other tenants, and vault room.
- The Owner/Permittee shall provide a sufficient odor absorbing ventilation and exhaust system capable of minimizing excessive or offensive odors emanating outside of the permitted CO to the satisfaction of the Development Services Department.
- An extension of time for a Conditional Use Permit granted to a cannabis outlet shall comply with the requirements of Section 126.0111, with the following exceptions: (1) The extension shall be for no more than five years. (2) A decision on an application for an extension of time shall be made in accordance with Process Two. Appeals of a decision to approve an extension of time shall be made to the Planning Commission. (Cont.)
- (3) The separation requirements in Section 141.0504(a) shall not be considered in making the findings required in Section 126.0111(g) when a specified use in Section 141.0504(a) has located within the required distance after the approval date of the initial Conditional Use Permit. (4) A change in zoning after the approval date of the initial Conditional Use Permit shall not be considered in making the findings required in Section 126.0111(g).
- Prior to the issuance of any building permit, the Owner/Permittee shall obtain an Encroachment Maintenance Removal Agreement for the landscape and irrigation located within the City's right-of-way, satisfactory to the City Engineer.
- Prior to the issuance of any building permits, the Owner/Permittee shall assure by permit and bond the reconstruction of the existing driveway and the installation of a new 24-foot wide City standard driveway, Gateway Center Way, satisfactory to the City Engineer.
- Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of sidewalk, with the standard concrete sidewalk along the property frontage on Gateway Center Way, satisfactory to the City Engineer.
- Prior to the issuance of any construction permit the Owner/Permittee shall submit a Water Pollution Control Plan (WPCP). The WPCP shall be prepared in accordance with the guidelines in Part 2 Construction BMP Standards Chapter 4 of the City's Storm Water Standards.

4

01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
10/20/2022 4:42:57 PM		

PROJECT NO: 2215

CAD DWG FILE: 0001-0004 COVER SHEET DWG

DRAWN BY: A.S., S.V., D.C., J.A.

CHK'D BY: A.S., M.M.

COPYRIGHT: Ideal Environment LLC (the TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written consent of TECHNE.

SHEET TITLE

CONDITIONS FOR
 CANNABIS OUTLET

ABBREVIATIONS

Table of abbreviations and their corresponding full names, organized in columns. Includes terms like 'AB: Anchor Bolt, Anchor Board', 'AC: Air Conditioning, Alternating Current', 'AD: Access Door, Area Drain', etc.

Project General Notes

- 1. These drawings and specifications are the property and the copyright of TECHNE. No use, copies or alterations of this material is allowed unless the written permission of TECHNE, is granted prior to use, except for the temporary use to construct the said work described in the project title block. No rights, ownership privileges or reuse of information contained herein is conveyed, allowed or transferred to any party.
2. Before commencing any work on the site the General Contractor shall verify locations of all site dimensions and site conditions. These include but are not limited to property lines, required setback lines to all new or existing building walls, easements (if any), existing grade conditions, finish floor elevations, existing site utilities, and any other new or existing site items which could affect in any way the construction of the building. Flag or otherwise mark all property lines, easements (if any), underground utilities or any other items as needed.
3. All conditions or dimensions on these plans shall be verified in the field by the General Contractor with actual site conditions. Written dimensions shall take precedence over scaled dimensions and shall be verified on the job site. On-site verification of all dimensions and conditions shall be the sole responsibility of the General Contractor and Subcontractors.
4. These drawings have been prepared from the latest information available on existing conditions. Minor variations may occur in the actual construction. Any discrepancy or area of confusion between field conditions and these drawings shall be brought with the attention of TECHNE prior to proceeding with work in question. Do not proceed with work in question until TECHNE issues written directions.
5. In case of conflict within the drawings, the General Contractor or Sub-Contract shall seek clarification from TECHNE and shall not proceed until written clarification has been issued.
6. Neither the Owner nor TECHNE shall enforce safety measures or regulations. They are the General Contractor's sole responsibility.
7. The General Contractor and Subcontractor's work shall be in accordance with all applicable Federal, state, and local building codes and agency standards.

Mechanical (U.N.O by Mechanical Engineer Drawings)

- 44. All mechanical and electrical systems shall be installed in accordance with approved plans and governing codes. Electrical and mechanical systems shall be tested and approved to be in proper working condition to the satisfaction of the building inspector before the issuance of the certificate of occupancy.
45. All thermostats shall be of the automatic changeover type to sequence heating or cooling. Set point ranges shall be as follows: Fahrenheit between 65 and 78 degrees Fahrenheit. Adjustable temperature differential shall be one and one-half degrees Fahrenheit.
46. Equipment shall have the capacity of terminating all cooling at a temperature of not more than 78 degrees Fahrenheit.
47. At least one automatic space temperature control device shall be provided for each zone.
48. All ductwork shall be constructed, erected and tested in accordance with the most restrictive of local regulation procedures. Refer to the standards adopted by the Sheet Metal and Air Conditioning Contractors National Association as detailed in the ASHRAE handbook of fundamentals.
49. Provide bathroom ventilation of not less than 5 air changes per hour.
49.1. Exhaust fans which terminate outside the building shall be provided in every bathroom that contains a shower or tub. Unless functioning as part of a whole house ventilation system, fans must be controlled by a humidistat which can be adjusted between 50 and 80 percent.
50. Attic and/or under-floor installation of HVAC units must comply with the latest edition of the California Mechanical Code.
51. All circuit breaker switched 120V AC light circuits or convince outlets, must use only type GFCI or AFCI circuit breakers.
52. Electrical outlets located in wet areas, bathrooms and laundry rooms, at the exterior or within 6'-0" of the kitchen sink, shall be provided with ground fault interrupter switch (GFI).
53. Wiring in plenums shall be in conduit or conform to Articles 300-21 and 300-22, NEC.
54. All plumbing fixtures shall be water conserving and comply with the 2019 CGBC Sec 4.303.1.
55. Multiple Shower Heads: Per 2019 CGBC Sec 4.303.1.3.2, when a shower is served by more than one showerhead, the combined flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi, or the shower shall be designed to only allow one shower outlet to be in operation at a time. Handheld showers are considered showerheads.
56. Per 2019 CGBC Sec 4.303.2, plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall be installed in accordance with the California Plumbing Code (CPC) and Table 1701.1 of the CPC.
57. Automatic irrigation system controllers for landscaping provided by the builder and installed at the time of final inspection shall comply with the following:
57.1. Controllers shall be weather- or soil moisture-based controllers that automatically adjust irrigation in response to changes in plants' needs as weather conditions change.
57.2. Weather-based controllers without integral rain sensors or communication systems that account for local rainfall shall have a separate wired or wireless rain sensor.
58. Per 2019 Green Code Sec 4.503, any installed gas fireplace shall be a direct-vent sealed-combustion type. Any installed woodstove or pellet stove shall comply with U.S. EPA New Source Performance Standards (NSPS) emission limits, where applicable and shall give permanent label indicating they are certified to meet the emission limit. Woodstoves, pellet stoves and fireplaces shall also comply with applicable local ordinances.
59. Per 2019 Green Code Sec 4.506.1 Each bathroom shall be mechanically vented and shall comply with the following:
59.1. Fans shall be ENERGY STAR compliant and be ducted to terminate outside the building.
59.2. Unless functioning as a component of a whole house ventilation system, fans must be controlled by a humidity control.
59.2.1. Humidity controls shall be capable of adjustment between a relative humidity of 50 to 80 percent. A humidity control may utilize manual and automatic means of adjustment.
59.2.2. A humidity control may be a separate component to the exhaust fan and is not required to be integral (i.e., built-in).
60. Toilets: All water closets shall have an effective flush volume of not more than 1.28 gallons per flush. Tank type water closets shall be certified to the performance criteria of the U.S. EPA Water Sense Specification for Tank-type Toilets.
61. Shower Heads: Single shower heads shall have a maximum flow rate of not more than 2.0 gallons per minute at 80 psi.
62. Faucets: Residential vanity faucets shall have a maximum flow rate of 1.2 gallons per minute at 60psi and a minimum flow rate of not less than 0.8 gallons per minute at 20psi.
63. Faucets in Common Use Areas: Faucets in common and public use areas (outside of dwellings or sleeping units) in residential buildings must have a maximum flow rate of 0.5 gallons per minute at 60psi.
64. Kitchen Faucets: Kitchen faucets shall have a maximum flow rate of 1.8 gallons per minute at 60psi. Kitchen faucets may temporarily increase the flow rate to a maximum of 2.2 gallons at 60 psi but must default to a maximum flow rate of 1.8 gallons per minute at 60psi.
65. Plumbing Fixture Certification: A plumbing fixture certification must be completed and signed by either a licensed general contractor, or a plumbing contractor, or the building owner certifying the flow rate of the fixtures installed. A copy of the certification can be obtained from the Development Services Department of the City of San Diego.
66. Joints and Openings: Joints and openings, Annular spaces around pipes, electric cables, conduits, or other openings in exterior walls shall be protected against the passage of rodents by closing such openings with cement mortar, concrete masonry or similar method acceptable to the enforcing agency. (CGBCS 2019 Section 4.406.1)
67. Construction Waste: Recycle and/or salvage for reuse a minimum of 65 percent of the non-hazardous construction and demolition waste in accordance with w/ther Section 4.408.2, 4.408.3 or 4.408.4, or meet a more stringent local construction and demolition waste management ordinance per CGBCS 2019 Section 4.408.1 and City of San Diego Ordinance.
68. Maintenance Manual: Before final inspection, a complete operation and maintenance manual shall be provided to the building occupant or owner. Contractor or owner shall submit an affidavit that confirms the delivery of such. (CGBCS 2019 Section 4.410.1)
69. Duct Openings: Duct openings and other related air distribution component openings shall be covered during construction. (CGBCS 2019 Section 4.504.1)
70. VOC: Adhesives, sealants and caulks shall be compliant with VOC limits set in Section 4.504.2.2 and Table 4.504.3 of the CGBCS 2019 (CalGreen).
71. VOC: Paints, stains and other coatings shall be compliant with VOC limits set in Section 4.504.2.2 and Table 4.504.3 of the CGBCS 2019 (CalGreen).
72. Aerosol: Aerosol paints and coatings shall be compliant with product weighted MRI limits for VOC and other toxic compounds as specified in Section 4.504.2.3 of the CGBCS 2019 (CalGreen).
73. A certification shall be completed and signed by either the general contractor or subcontractor, or the building owner certifying that the paint, stain and adhesives, complies with the requirements of the California Green Building Standards Code.
74. Carpet, Carpet and carpet systems shall be compliant with VOC limits: CGBCS 2019 Section 4.504.3. A letter shall be provided by the contractor or subcontractor and/or the building owner certifying what material used complies with the California Green Building Standards Code.
75. Resilient Flooring: Eighty percent of the floor area receiving resilient flooring shall comply with one or more of the following:
75.1. VOC: emission limits defined in the Collaborative for High Performance Schools (CHPS) High Performance Criteria Database.
75.2. Products compliant with CHPS criteria certified under the Greenguard Children & School Program.
75.3. Certification under the Resilient Floor Covering Institute (RFCI) FloorScore program.
75.4. Meet the California Department of Public Health "Standard Method for Testing and Evaluation of Volatile Organic Chemical Emissions from Indoor Sources Using Environmental Chambers, Version 1.1, February 2010 (also known as Specification 01350)".
76. Hardwood plywood, particleboard, medium density fiberboard (MDF), composite wood product used on the interior or exterior of the building shall meet the requirements for formaldehyde as specified in ARB's Air Toxic Control Measures for Composite wood as specified in section 4.504.5 and table 4.504.4 of CalGreen.
77. A certification completed and signed by the general contractor, subcontractor or building owner certifying that the resilient flooring, composite wood product, plywood, particle

board etc comply with the VOC limits and formaldehyde limits specified in the notes above and the California Green Building Standards Code.

- The following notes apply, unless indicated otherwise.
A. Existing Conditions:
1. Verify all existing conditions and dimensions before starting work. Report all discrepancies involving existing conditions to TECHNE prior to construction.
B. Submittals:
1. All submittals, shop drawings, product samples, etc. shall be reviewed and accepted by TECHNE prior to final submittal to fabricator or suppliers.
2. Submittals shall include, but not limited to the following:
- Concrete mixture, additives and reinforcement.
- Manufacturer engineered trusses.
- Fabricated steel.
- Specialty windows.
C. Construction Quality:
1. All construction shall be of the highest standards for materials and methods of installation.
2. All finish materials not selected shall be reviewed and accepted by TECHNE and the Owner.
3. All subcontractors are responsible for inspecting, correcting, and approving all workmanship conditions of all related prior trades, prior to beginning their own work.
4. Prior workmanship and materials not acceptable to subcontractors shall be brought to the attention of the Owner prior to commencing construction.
5. The contractor is responsible for maintaining a neat & tidy job site; only staging areas approved by the owner will be used.
6. Building materials with visible signs of water damage shall not be installed. Wall and floor framing shall not be enclosed when framing members exceed 19% moisture content.
7. The moisture content of building materials used in wall and floor framing shall be checked before enclosure. Moisture shall be verified by either a probe type of contact type moisture meter.
D. Substitutions:
1. No substitutions of specified materials shall be made without written notification to TECHNE and the Owner and their written acceptance of the substitution.
E. Clean Up:
1. The Contractor shall keep the premises free from accumulation of waste material and/or rubbish caused by their work. At the completion of each day's work, remove all rubbish from and about the building. All tools, scaffolding and surplus materials shall be stored, flagged, or removed, leaving the job site clean.
F. Fire:
1. Locations and classifications of extinguishers shall be in accordance with CFC 906 and California Code of Regulations (CCR), Title 19.
2. During construction, at least one existing fire extinguisher shall be provided on each floor level at each stairway, in all storage and construction sheds, in locations where flammable or combustible liquids are stored or used, and where other special hazards are present per CFC Section 3315.1.
3. Buildings undergoing construction, alteration, or demolition shall conform to CFC Chapter 33. Welding, cutting, and other hot work shall be in conformance with CFC Chapter 35.
4. Address identification shall be provided for all new and existing buildings in a location that is plainly visible and legible from the street or road fronting the property. Where access is by way of a private road and the building address cannot be viewed from the public way, an approved sign or means shall be used to identify the structure. Premises identification shall conform to CBC Section 501.2.
5. Wall, floor and ceiling finishes and materials shall not exceed the interior finish classification in CBC Table 803.9 and shall meet the flame propagation performance criteria of the California Code of Regulations, Title 19, Division 1. Decorative materials shall be properly treated by a product or process approved by the State Fire Marshal with the appropriate documentation provided to the City of San Diego.
6. Key boxes shall be provided for all high-rise buildings, pool enclosures, gates in the path of firefighter travel to structures, secured parking levels, doors giving access to alarm panels and/or annunciators, and any other structures or areas where access to an area is restricted.
7. Dumpsters and trash containers exceeding 1.5 cubic yards shall not be stored in buildings or placed within 5 feet of combustible walls, openings or combustible roof eave lines unless protected by an approved sprinkler system or located in a Type I or IIA structure separated by 10 feet from other structures. Containers larger than 1 cubic yard shall be non- or limited-combustible materials or similar protected or separated.CFC 304.3.
8. Exits, exit signs, fire alarm panels, hose cabinets, fire extinguisher location, and standpipe connections shall not be concealed by curtains, mirrors, or other decorative material.
9. Open flames, fire, and burning on all premises is prohibited except as specifically permitted by the City of San Diego and CFC 305.
10. The egress path shall remain free and clear of all obstructions at all times. No storage is permitted in any egress paths.
G. Draft Conditions:
1. Lighting shall be provided to illuminate the interior, facade and the immediate surrounding area of the cannabis outlet, including art accessory uses, parking lots, and adjoining sidewalks. Lighting shall be hooded or oriented to detect light away from adjacent properties.
2. Security shall be provided at the cannabis outlet which shall include operable cameras, alarms, and a security guard. The security guard shall only be engaged in activities related to providing security for the facility, except on an incidental basis.
3. Primary signs shall be posted on the outside of the cannabis outlet and shall only contain the name of the business, which shall contain only alphabetic characters, and shall be limited to two colors.
4. The name and emergency contact phone number of an operator or manager/owner shall be posted in a location visible from outside the cannabis outlet in character size at least two inches in height.
5. The cannabis outlet shall operate only between the hours of 7:00 a.m. and 9:00 p.m., seven days a week.
6. The use of vending machines which allow access to cannabis and cannabis products except by a responsible person as defined in San Diego Municipal Code Section 42.1502, is prohibited. For purposes of this Section, a vending machine is any device which allows access to cannabis and cannabis products without a human intermediary.
7. A permit shall be obtained as required pursuant to Chapter 4, Article 2, Division 15.
8. Conditional Use Permit for a cannabis outlet shall expire no later than five years from the date of issuance.
9. Deliveries shall be permitted as an accessory use only from cannabis outlets with a valid Conditional Use Permit unless otherwise allowed pursuant to state law under the Compassionate Use Act of 1996.
10. The cannabis outlet shall be adjacent public sidewalks, and areas under the control of the cannabis outlet, shall be maintained free of litter and graffiti at all times.
11. The cannabis outlet shall provide daily removal of trash and debris. Graffiti shall be removed from the premises within 24 hours.
12. Consultations by medical professionals shall not be a permitted accessory use at a cannabis outlet.



2934 Lincoln Ave., San Diego, CA 92104
techno-us.com sustainablearchitect.org
o 619-940-5814 m 313-595-5814

CONSULTANTS

- 1. All construction shall be of the highest standards for materials and methods of installation.
2. All finish materials not selected shall be reviewed and accepted by TECHNE and the Owner.
3. All subcontractors are responsible for inspecting, correcting, and approving all workmanship conditions of all related prior trades, prior to beginning their own work.
4. Prior workmanship and materials not acceptable to subcontractors shall be brought to the attention of the Owner prior to commencing construction.
5. The contractor is responsible for maintaining a neat & tidy job site; only staging areas approved by the owner will be used.
6. Building materials with visible signs of water damage shall not be installed. Wall and floor framing shall not be enclosed when framing members exceed 19% moisture content.
7. The moisture content of building materials used in wall and floor framing shall be checked before enclosure. Moisture shall be verified by either a probe type of contact type moisture meter.



995 Gateway Center Way, Suites 107 & 108, San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St., Ramona, CA 92065

Table with 2 columns: ID, Description. Row 1: 01, 08.07.22, Completeness Review - 1st Submittal. Row 2: 02, 10.07.22, Conditional Use Permit - 2nd Submittal.

MARK DATE DESCRIPTION

06/20/2023 4:52:27 PM

PROJECT NO: 2215

CAD DWG FILE: 0001-0004 COVER SHEET.DWG

DRAWN BY: A.S., S.V., D.C., J.A.

CHK'D BY: A.S., M.M.


COPYRIGHT: 1998 Environmental LLC dba TECHNE hereby reserves its copyright

SHEET TITLE

GENERAL NOTES

G003

ALL IDEAS, DESIGNS AND ARRANGEMENTS INDICATED ON THESE DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND ARE TO BE USED IN CONNECTION WITH THIS SPECIFIC PROJECT ONLY AND SHALL NOT BE USED, OTHERWISE WITHOUT THE EXPRESSED CONSENT OF THE ARCHITECT. THERE SHALL BE NO CHANGES OR DEVIATION FROM THE DRAWINGS OR ACCOMPANYING SPECIFICATION WITHOUT THE EXPRESSED CONSENT OF THE ARCHITECT.



PARKING :
 68 STANDARD SPACES
 88 COMPACT SPACES
 4 HANDICAP SPACES
160 TOTAL

AREA CALCULATIONS TYPE II-N
 A BASIC ALLOWABLE : 12 000 S.F.
 B INCREASE FOR AREA SEPARATIONS - 3 YARDS x 2 (100% INCREASE) 24 000 S.F.
 C MULTI - STORY x 2
48 000 S.F. 74 420 S.F.

* MAX. HEIGHT PER TABLE B-D - 2 STORY BUILDING WILL BE SPRINKLERED + 1 STORY 3 STORY
 * SHAFT ENCLOSURES 1 HR.

NOTE : SEE CIVIL DRAWINGS FOR HORIZ. CONTROL

Delawie/Bretton Wilkes Associates AIA
 Planning (619) 299-4444
 Architecture 2827 Freidlo Drive San Diego Ca 92110

Michael Moore AIA

GATEWAY MEDICAL CENTER
 Job No STGATE
 Sheet Title
SITE PLAN
 Sheet No. 10 of 70
A1

TECHNE
 DESIGN | DEVELOPMENT

2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitecture.org
 619-940-5814 313-595-5814

CONSULTANTS

10-07-2022

Michael Moore AIA

995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065

Date
 Revision

▲ JUNE 11, 1987

NO.	DATE	DESCRIPTION
01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION
 10/20/2022 4:52:57 PM


PROJECT NO: 2215
 CAD DWG FILE: 0001-0004 COVER SHEET.DWG
 DRAWN BY: A.S., S.V., D.C., J.A.
 CHK'D BY: A.S., M.M.

EXISTING APPROVED SITE PLAN - EXHIBIT (Reference Only)

1 EXISTING APPROVED SITE PLAN - EXHIBIT (Reference Only)
 NTS

CONSULTANTS

10-07-2022



995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



Date MAY 4, 1987

Revision

Δ JUNE 11, 1987

**GATEWAY
MEDICAL
CENTER**

Job No. STGATE

Sheet Title

**IRRIGATION
PLAN/NOTES**

Sheet No.

12

01 08.07.22 Completeness Review - 1st Submittal

02 10.07.22 Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION

PROJECT NO: 2215

CAD DWG FILE: 0005 IRRIGATION PLAN EXHIBIT - EXISTING DWG

DRAWN BY: A.S., S.V., D.C., J.A.

CHK'D BY: A.S., M.M.

COPYRIGHT: Techne Environmental LLC (the TECHNE) expressly reserves its copyright and other property rights in this document. This document shall not be reproduced, copied, stored or disclosed in any form or manner whatsoever without first obtaining the express written consent of Techne.

SHEET TITLE


EXISTING APPROVED
IRRIGATION PLAN -
EXHIBIT(Reference Only)

G005

SHEET 5 OF 24

IRRIGATION NOTES

- ALL END-UP TYPE SPRINKLER HEADS INSTALLED IN DRIVE OR DRIVEWAY AREAS SHALL BE INSTALLED SO THAT THE TOP OF THE SPRINKLER HEAD IS 2" ABOVE FINISHED GRADE.
- ALL END-UP TYPE SPRINKLER HEADS INSTALLED IN DRIVE AREAS SHALL BE INSTALLED SO THAT THE TOP OF THE SPRINKLER HEAD IS FLOOR WITH ADJACENT SIDEWALK OR CURB.
- ALL SPRINKLER HEADS SHALL BE SET PERPENDICULAR TO FINISH GRADE OF THE AREA TO BE IRRIGATED UNLESS OTHERWISE INDICATED ON THE PLANS.
- THE SPRINKLER SYSTEM DESIGN IS BASED ON THE HIGHEST OPERATING PRESSURE AND THE HIGHEST FLOW DEMAND SHOWN ON THE IRRIGATION DRAWINGS AT POINT OF CONNECTION. THE IRRIGATION CONTRACTOR SHALL VERIFY WATER PRESSURE PRIOR TO CONSTRUCTION. REPORT ANY DIFFERENCE BETWEEN THE WATER PRESSURE INDICATED ON THE DRAWINGS AND THE ACTUAL PRESSURE READING AT THE IRRIGATION POINT OF CONNECTION TO THE OWNER'S AUTHORIZED REPRESENTATIVE.
- THE POINT ELECTRICAL POWER OUTLET AT THE AUTOMATIC CONTROLLER LOCATION SHALL BE PROVIDED BY OTHERS. IT SHALL BE THE RESPONSIBILITY OF THE IRRIGATION CONTRACTOR TO MAKE THE FINAL RACK-UP FROM THE ELECTRICAL OUTLET TO THE AUTOMATIC CONTROLLER.
- ALL PIPING BETWEEN THE POINT OF CONNECTION AND BACKFLOW PREVENTER SHALL BE OF MATERIALS AND INSTALLATION METHODS REQUIRED BY THE LOCAL CODES.
- FINAL LOCATION OF THE AUTOMATIC CONTROLLER AND BACKFLOW PREVENTERS SHALL BE APPROVED BY THE OWNER'S AUTHORIZED REPRESENTATIVE.
- THIS DESIGN IS DIAGNOSTIC. ALL PIPING, VALVES, ETC. SHOWN WITHIN PAVED AREAS IS FOR DESIGN CLARIFICATION ONLY AND SHALL BE INSTALLED IN PLANTING AREAS WHERE POSSIBLE. AVOID ANY CONFLICTS BETWEEN THE SPRINKLER SYSTEM, PLANTING AND ARCHITECTURAL FEATURES.
- THE IRRIGATION CONTRACTOR SHALL FLUSH AND ADJUST ALL SPRINKLER HEADS FOR OPTIMUM PERFORMANCE AND TO PREVENT OVERSPRAY ONTO WALKS, ROADWAYS, AND/OR BUILDINGS AS MUCH AS POSSIBLE. THIS SHALL INCLUDE SELECTING THE BEST DESIGN OF IAC TO FIT THE EXISTING SITE CONDITIONS AND TO THROTTLE THE FLOW CONTROL AT EACH VALVE TO OBTAIN THE OPTIMUM OPERATING PRESSURE FOR EACH SYSTEM.




LOCATION OF RELOCATED MAINTENANCE DISTRICT CONTROLLER (REFER TO CIVIL DRAWINGS)

POINT OF CONNECTION (POC) AT 2" EXISTING METE. LOCATE BACKFLOW PREVENTER IN DRIVE AREA MIN OF 5' BEHIND HOW CURB
HD MAINTENANCE DISTRICT VALVE
EXISTING MAINTENANCE DISTRICT VALVES

LOCATION OF RELOCATED MAINTENANCE DISTRICT BACKFLOW PREVENTER (REFER TO CIVIL DRAWINGS)

WESTERN LANDSCAPE
CONST.
AS-BUILTS



- DO NOT WILLFULLY INSTALL THE SPRINKLER SYSTEM AS SHOWN ON THE DRAWINGS WHEN IT IS OBVIOUS IN THE FIELD THAT OBSTRUCTIONS, GRADE DIFFERENCES OR DIFFERENCES IN THE AREA DIMENSIONS EXIST THAT MIGHT NOT HAVE BEEN CONSIDERED IN THE ENGINEERING. SUCH OBSTRUCTIONS OR DIFFERENCES SHOULD BE BROUGHT TO THE ATTENTION OF THE OWNER'S AUTHORIZED REPRESENTATIVE. IN THE EVENT THIS NOTIFICATION IS NOT PERFORMED, THE IRRIGATION CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR ANY REVISIONS NECESSARY.
- INSTALL ALL MATERIALS AND EQUIPMENT AS SHOWN IN DETAILS. USE TAYLOR GAUGE OR TAYLOR PIPE DOPS ON ALL MALE PIPE THREADS ON ALL SPRINKLER SWING JOINT AND VALVE ASSEMBLIES.
- IT IS THE RESPONSIBILITY OF THE IRRIGATION CONTRACTOR TO FAMILIARIZE HIMSELF WITH ALL GRADE DIFFERENCES, LOCATION OF WALLS, RETAINING WALLS, ETC. HE SHALL COORDINATE HIS WORK WITH THE GENERAL CONTRACTOR AND OTHER SUB-CONSULTANTS FOR THE LOCATION AND THE INSTALLATION OF PIPE SLEEVES THROUGH WALLS, UNDER ROADWAYS, DRIVEWAYS, STRUCTURES, ETC.
- IN ADDITION TO THE CONTROL WIRE SLEEVES AND PIPE SLEEVES SHOWN ON THE DRAWINGS, THE IRRIGATION CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL CONTROL WIRE SLEEVES AND PIPE SLEEVES OF SUFFICIENT SIZE UNDER ALL PAVED AREAS. ALL PRESSURE PIPES AND CONTROL WIRES INSTALLED UNDER SIDEWALK AND PAVED AREAS SHALL BE INSTALLED IN SLEEVES. ALL NON-PRESSURE PIPES INSTALLED UNDER SIDEWALK AND PAVED AREAS SHALL BE INSTALLED IN SLEEVES.

- VALCON ANV-XS OR EQUAL, ANTI-DRAIN VALVE WITH EXCESS FLOW CONTROL SHALL BE MOUNTED IN RISER ON ALL IRRIGATION HEADS WITHIN MAINTENANCE ASSESSMENT AREA.
- REFER TO DWG. 21060-28 & 29-D FOR EXISTING IRRIGATION SYSTEM FOR MAINTENANCE ASSESSMENT DISTRICT.

SEE SHEET 1-1 FOR IRRIGATION LEGEND & DETAILS



FORM DS-560 September 2021 Stormwater Requirements Applicability Checklist

Project Address: 995 Gateway Center Way, Suites 107 & 108, San Diego, CA 92102 Project Number:

SECTION 1: Construction Stormwater Best Management Practices (BMP) Requirements

All construction sites are required to implement construction BMPs per the performance standards in the Stormwater Standards Manual. Some sites are also required to obtain coverage under the State Construction General Permit (CGP), administered by the California State Water Resources Control Board.

For all projects, complete Part A - If the project is required to submit a Stormwater Pollution Prevention Plan (SWPPP) or Water Pollution Control Plan (WPCP), continue to Part B.

PART A - Determine Construction Phase Stormwater Requirements

- 1. Is the project subject to California's statewide General National Pollutant Discharge Elimination System (NPDES) permit for Stormwater Discharges Associated with Construction Activities...
2. Does the project propose construction or demolition activity...
3. Does the project propose routine maintenance...
4. Does the project only include the following Permit types listed below...

Check one of the boxes below and continue to Part B

- Radio button options for SWPPP/WPCP requirements based on project characteristics.

1 More information on the City's construction BMP requirements as well as CGP requirements can be found at...

Visit our web site: sandiego.gov/dsd. Upon request, this information is available in alternative formats for persons with disabilities.

CLEAR FORM

P1

PART B - Determine Construction Site Priority

This prioritization must be completed within this form, noted on the plans, and included in the SWPPP or WPCP. The City reserves the right to adjust the priority of projects both before and after construction...

Complete Part B and continue to Section 2

- 1. ASBS
A. Projects located in the ASBS watershed.
2. High Priority
A. Projects that qualify as Risk Level 2 or Risk Level 3...
3. Medium Priority
A. Projects that are not located in an ASBS watershed...
4. Low Priority
A. Projects not subject to a Medium or High site priority designation...

Section 2: Construction Stormwater BMP Requirements

Additional information for determining the requirements is found in the Stormwater Standards Manual.

PART C - Determine if Not Subject to Permanent Stormwater Requirements

Projects that are considered maintenance or otherwise not categorized as "new development projects" or "redevelopment projects" according to the Stormwater Standards Manual are not subject to Permanent Stormwater BMPs.

- Checkboxes for "Yes" and "No" for various project categories like interior remodels, overhead utilities, and routine maintenance.

Visit our web site: sandiego.gov/dsd. Upon request, this information is available in alternative formats for persons with disabilities.

CLEAR FORM

P2

PART D - PDP Exempt Requirements

PDP Exempt projects are required to implement site design and source control BMPs.

- Checkboxes for "Yes" and "No" for PDP Exempt requirements.

- 1. Does the project ONLY include new or retrofitted sidewalks, bicycle lanes, or trails that...
2. Does the project ONLY include restocking or redeveloping existing paved alleys, streets or roads...
3. Does the project ONLY include restocking or redeveloping existing paved alleys, streets or roads...
4. Does the project ONLY include restocking or redeveloping existing paved alleys, streets or roads...

PART E - Determine if Project is a Priority Development Project (PDP)

Projects that match one of the definitions below are subject to additional requirements, including preparation of a Stormwater Quality Management Plan (SWQMP).

- Checkboxes for "Yes" and "No" for PDP requirements: 1. New development that creates 10,000 square feet or more of impervious surfaces... 2. Redevelopment project that creates and/or replaces 5,000 square feet or more of impervious surfaces... 3. New development or redevelopment of a restaurant... 4. New development or redevelopment on a hillside... 5. New development or redevelopment of a parking lot... 6. New development or redevelopment of streets, roads, highways, freeways, and driveways.

Visit our web site: sandiego.gov/dsd. Upon request, this information is available in alternative formats for persons with disabilities.

CLEAR FORM

P3

- 7. New development or redevelopment discharging directly to an environmentally sensitive area...
8. New development or redevelopment projects of retail gasoline outlet (RGO) that create and/or replaces 5,000 square feet of impervious surface...
9. New development or redevelopment projects of an automotive repair shop...
10. Other Pollutant Generating Project...
PART F - Select the appropriate category based on the outcomes of Part C through Part E.

Duane Alexander Name of Owner or Agent Title Date 8/1/2022

Visit our web site: sandiego.gov/dsd. Upon request, this information is available in alternative formats for persons with disabilities.

CLEAR FORM

P4



2934 Lincoln Ave., San Diego, CA 92104 techne-us.com sustainablearchitect.org 619-940-5814 313-595-5814

CONSULTANTS

10-07-2022



995 Gateway Center Way, Suites 107 & 108, San Diego CA 92102

APPLICANT

Prime Harvest, LLC 1210 Olive St., Ramona, CA 92065

Table with 3 columns: Date, Description, Status. Row 1: 08.02.22, Completeness Review - 1st Submittal, []

Table with 3 columns: Date, Description, Status. Row 1: 10.07.22, Conditional Use Permit - 2nd Submittal, []

Table with 2 columns: MASK DATE, DESCRIPTION. Row 1: 10/20/22 2:56:50 PM, []

PROJECT NO: 2215

CAD DWG FILE: 2008 - STORM WATER REQUIREMENTS APPLICABILITY

DRAWN BY: A.S., S.V., D.C., J.A.


CHKD BY: A.S., M.M.

COPYRIGHT: New Environment LLC (the TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SHEET TITLE

STORM WATER REQ. APPLICABILITY CHECKLIST

G006 SHEET 6 OF 24




EASEMENT NOTES:

- ① EASEMENTS FOR LANDSCAPING PURPOSES AS DEDICATED AND SHOWN ON MAP NO. 11512. PLOTTED HEREON.
- ② THE FACT THAT THE OWNERSHIP OF SAID LAND DOES NOT INCLUDE RIGHTS OF ACCESS TO OR FROM THE PUBLIC STREET OR HIGHWAY ABUTTING SAID LAND, SUCH RIGHTS HAVE BEEN RELINQUISHED OR SEVERED BY MAP NO. 11512, WHICH AFFECTS STATE HIGHWAY 15. SHOWN HEREON.
- ③ MATTERS CONTAINED IN A DOCUMENT ENTITLED "ENCROACHMENT REMOVAL AGREEMENT" RECORDED JULY 24, 1987 AS INSTRUMENT NO. 87-418562 OF OFFICIAL RECORDS. SHOWN HEREON.
- ④ AN EASEMENT GRANTED TO SAN DIEGO GAS & ELECTRIC COMPANY FOR PUBLIC UTILITIES, INGRESS AND EGRESS, RECORDED JANUARY 14, 1988 AS INSTRUMENT NO. 88-018022 OF OFFICIAL RECORDS. THE EXACT LOCATION AND EXTENT OF SAID EASEMENT IS NOT DISCLOSED OF RECORD AND THEREFORE COULD NOT BE PLOTTED.

LEGEND:

- FOUND 3/4" IRON PIPE WITH DISC STAMPED "L.S. 4512" EXCEPT AS NOTED
- FOUND LEAD AND DISC AS NOTED
- ⊠ VAULT
- ⊕ GAS METER/VALE
- ⊕ WATER METER
- ⊕ LIGHT POLE
- ⊕ BACK FLOW PREVENTION VALVE
- ⊕ FIRE DEPARTMENT CONNECTION
- TR TRASH RECEPTACLE
- GE GENERATOR ENCLOSURE
- HE HVAC ENCLOSURE
- SCO SEWER CLEANOUT
- SMH SEWER MANHOLE
- SDMH STORM DRAIN MANHOLE
- CS CONCRETE SURFACE
- DI DRAIN INLET
- LS LANDSCAPE AREA
- ⊕ FLAGPOLE
- ➔ TRAFFIC FLOW
- ♿ HANDICAPPED PARKING
- T TRASH ENCLOSURE
- ===== WALL
- CHAIN LINK FENCE
- GUARDRAIL
- ABUTTERS RIGHTS OF ACCESS RELINQUISHED PER MAP NO. 11512
- PROPERTY LINE



LEGAL DESCRIPTION:

LOTS 19 AND 20 OF GATEWAY CENTER EAST UNIT NO. 1, IN THE CITY OF SAN DIEGO, COUNTY OF SAN DIEGO, STATE OF CALIFORNIA, ACCORDING TO MAP THEREOF NO. 11512, FILED IN THE OFFICE OF THE COUNTY RECORDER OF SAN DIEGO COUNTY, MAY 14, 1986.


BASIS OF ELEVATION:

CITY OF SAN DIEGO VERTICAL CONTROL:
SOUTHWEST BRASS PLUG
HILLTOP DRIVE AND 39TH STREET
ELEVATION = 172.85 M.S.L. N.G.V.D. 1929 FEET



Robert J. Bateman
ROBERT J. BATEMAN, P.L.S. 7046

TOPOGRAPHY SURVEY		
For the exclusive use of: PRIME HARVEST, LLC 1210 OLIVE STREET RAMONA, CALIFORNIA 92065		
San Diego Land Surveying & Engineering, Inc. 7028 Convey Court, San Diego, CA 92111-1017 Phone: (658) 565-8562 Fax: (658) 565-4354		
Date: 01-28-2020	Revised: 07-05-2022	Revised:
Scale: 1"=30'	Drawn by: R.J.B.	Sheet 1 of 1 Sheet
Drawing: Gateway Center Way 995 TP	A.P.N. 560-440-25	



CONSULTANTS

10-05-2022



995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065

SITE PLAN LEGEND

- PROPERTY LINE
- OUTLINE OF EXISTING STRUCTURES
- AREA OF EXISTING LANDSCAPE
- AREA OF EXISTING ON SITE SIDEWALK & HARDSCAPE
- SITE DRAINAGE PATTERN
- VEHICULAR CIRCULATION
- ACCESSIBLE ROUTE

SITE PLAN NOTES

- A. The site plan is for informational and general site reference only. Refer to other construction documents for complete scope of work.
- B. Before commencing any site foundation or slab cutting or excavation, the contractor shall verify and mark locations of all site utilities, dimensions and conditions. These include but are not limited to property lines, setback location to all new or existing walls, easements (if any), existing site utilities, including water, sewer, gas and electrical lines and any other new or existing site items which could affect in any way the construction of the building. Flag or otherwise mark all locations of site property lines, easements (if any), underground utilities, and indicate utility type.
- C. The Contractor or subcontractor shall notify TECHNE if any conflicts or discrepancy occurs between the information on this plan and actual field conditions. Do not proceed with work in conflict with these drawing until written or verbal instructions are issued by TECHNE. Protect and mark all existing building structure including walls, beams, columns, area separation walls, and other items that are part of the existing structure and not part of the scope of the tenant improvement, and mark perimeter of construction zone.
- D. Coordinate with other tenants the temporary shutoff of any site utilities.
- E. No proposed improvement will block or alter the existing surface drainage flow pattern.
- F. The existing water and sewer services will remain.
- G. Refer to Topographic Survey for additional information.
- H. BUILDING ADDRESS: Building address numbers must be visible and legible from the street or road fronting the property, per FHP's Policy P-00-6 (JFC 901.4.4)
- I. TRANSIT STOP: Nearest transit stop is approximately 1,900' away from project.
- J. If the City Building Inspector determines non-compliance with any accessibility provisions, a complete and detailed revised plans clearly showing all existing non-complying conditions and the proposed modifications to meet current accessibility requirements (including site plan, floor plans, details, etc.) will be submitted to the department for review and approval.
- K. Visibility Triangles: No obstruction including solid walls in the visibility area shall exceed 3 feet in height. Plant material, other than trees, within the public right-of-way that is located within visibility areas shall not exceed 24 inches in height, measured from the top of the adjacent curb per San Diego Municipal Code diagram 113-0255.

SITE PLAN KEYNOTES

1. EXISTING CURB AND GUTTER
2. EXISTING WATER METERS
3. EXISTING FIRE DEPARTMENT CONNECTION
4. EXISTING PREVIOUSLY CONFORMING DRIVEWAY CURB CUT
5. ACCESSIBLE PATH OF TRAVEL FROM RIGHT-OF-WAY
6. EXISTING UTILITY RISER
7. EXISTING SDG&E TRANSFORMER BOX
8. EXISTING PAVED DRIVEWAY
9. EXISTING BACKFLOW PREVENTER DEVICE
10. ACCESSIBLE PATH OF TRAVEL TO REAR ENTRY FROM ACCESSIBLE PARKING SPACES
11. EXISTING STANDARD PARKING SPACES
12. EXISTING ACCESSIBLE PARKING
13. EXISTING COMPACT PARKING SPACES
14. EXISTING OFFSITE CONCRETE SIDEWALK
15. EXISTING LOT LINE
16. EXISTING TRASH ENCLOSURE
17. EXISTING GAS METER
18. EXISTING HVAC ENCLOSURE
19. EXISTING GENERATOR ENCLOSURE
20. EXISTING FIRE HYDRANT
21. EXISTING ASPHALT SURFACE PARKING LOT
22. EXISTING ON SITE WALKWAYS & HARDSCAPE
23. EXISTING ON SITE LIGHT, STANDARD
24. EXISTING ON SITE RAISED CURBS
25. EXISTING 10" PVC SEWER MAIN - 22167-7-D
26. EXISTING 12" ACP WATER MAIN - 22167-7-D
27. EXISTING 6" SEWER LATERAL, EXISTING SEWER LATERAL TO BE RETAINED.
28. EXISTING 2" WATER LATERAL, EXISTING WATER SERVICE TO BE RETAINED.
29. EXISTING 6" FIRE SERVICE LINE TO BE RETAINED
30. VISIBILITY TRIANGLE: 10' X 30'

EASEMENT NOTES

1. EASEMENTS FOR LANDSCAPING PURPOSES AS DEDICATED AND SHOWN ON MAP NO. 11512. PLOTTED HEREON.
2. THE FACT THAT THE OWNERSHIP OF SAID LAND DOES NOT INCLUDE RIGHTS OF ACCESS TO OR FROM THE PUBLIC STREET OR HIGHWAY ABUTTING SAID LAND, SUCH RIGHTS HAVE BEEN RELINQUISHED OR SEVERED BY MAP NO. 11512, WHICH AFFECTS STATE HIGHWAY 15, SHOWN HEREON.
3. MATTERS CONTAINED IN A DOCUMENT ENTITLED "ENCROACHMENT REMOVAL AGREEMENT" RECORDED JULY 24, 1987 AS INSTRUMENT NO. 87-416562 OF OFFICIAL RECORDS. SHOWN HEREON.


01	08.02.22	Completeness Review - 1st Submittal
02	10.05.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
------	------	-------------

PROJECT NO:	2215
CAD DWG FILE:	A101 SITE PLAN - EXISTING DWG
DRAWN BY:	A.S., S.V., D.C., J.A.
CHK'D BY:	A.S., M.M.
COPYRIGHT: Issue Environmental LLC (the TECHNE) expressly reserves its copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of the owner.	

SITE PLAN - EXISTING

A101



1 SITE PLAN - EXISTING
SCALE: 1/32" = 1'-0"



2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 619-940-5814 313-595-5814

CONSULTANTS

10-05-2022



995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065

SITE PLAN LEGEND

- PROPERTY LINE
- OUTLINE OF EXISTING STRUCTURES
- AREA OF PROPOSED CO (PROJECT SUITE) - TENANT IMPROVEMENT
- AREA OF EXISTING LANDSCAPE
- AREA OF EXISTING ON SITE SIDEWALK & HARDSCAPE
- AREA OF PROPOSED SIDEWALK (SDG-155) & DRIVEWAY (SDG-159)
- AREA OF PROPOSED LANDSCAPE WITH TREE
- SITE DRAINAGE PATTERN
- VEHICULAR CIRCULATION
- ACCESSIBLE ROUTE
- 21 PARKING SECURITY CAMERAS. REFER TO SHEET A110 FOR ADDITIONAL INTERIOR AND EXTERIOR SECURITY CAMERAS

SITE PLAN NOTES


- A. The site plan is for informational and general site reference only. Refer to other construction documents for complete scope of work.
- B. Before commencing any site foundation or slab cutting or excavation, the contractor shall verify and mark locations of all site utilities, dimensions and conditions. These include but are not limited to property lines, setback location to all new or existing walls, easements (if any), existing site utilities, including water, sewer, gas and electrical lines and any other new or existing site items which could affect in any way the construction of the building. Flag or otherwise mark all locations of site property lines, easements (if any), underground utilities, and indicate utility type.
- C. The Contractor or subcontractor shall notify TECHNE if any conflicts or discrepancy occurs between the information on this plan and actual field conditions. Do not proceed with work in conflict with these drawings until written or verbal instructions are issued by TECHNE.
- D. Protect and mark all existing building structure including walls, beams, columns, area separation walls, and other items that are part of the existing structure and not part of the scope of the tenant improvement, and mark perimeter of construction zone.
- E. Coordinate with other tenants the temporary shutoff of any site utilities.
- F. No proposed improvement will block or alter the existing surface drainage flow pattern.
- G. The existing water and sewer services will remain.
- H. Refer to Topographic Survey for additional information.
- I. BUILDING ADDRESS: Building address numbers must be visible and legible from the street or road fronting the property, per FHPS Policy P-00-6 (UFC 901.4.4).
- J. TRANSIT STOP: Nearest transit stop is approximately 1,900' away from project.
- K. If the City Building Inspector determines non-compliance with any accessibility provisions, a complete and detailed revised plans clearly showing all existing non-complying conditions and the proposed modifications to meet current accessibility requirements (including site plan, floor plans, details, etc.) will be submitted to the department for review and approval.
- L. Prior to the issuance of any building permit, the Owner/Permittee shall obtain an Encroachment Maintenance Removal Agreement for the landscape and irrigation located within the City's right-of-way, satisfactory to the City Engineer.
- M. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of the existing driveway and the installation of a new 24-foot wide City standard driveway, Gateway Center Way, satisfactory to the City Engineer.
- N. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of sidewalk, with standard concrete sidewalk along the property frontage on Gateway Center Way, satisfactory to the City Engineer.
- O. Prior to the issuance of any construction permit the Owner/Permittee shall submit a Water Pollution Control Plan (WPCP). The WPCP shall be prepared in accordance with the guidelines in Part 2 Construction BMP Standards Chapter 4 of the City's Storm Water Standards.
- P. Visibility Triangles: No obstruction including solid walls in the visibility area shall exceed 3 feet in height. Plant material, other than trees, within the public right-of-way that is located within visibility areas shall not exceed 24 inches in height, measured from the top of the adjacent curb per San Diego Municipal Code diagram 113-0255.

SITE PLAN KEYNOTES


1. EXISTING CURB AND GUTTER
2. EXISTING WATER METERS
3. EXISTING FIRE DEPARTMENT CONNECTION
4. PROPOSED NEW DRIVEWAY CURB CUT PER SDG-159
5. ACCESSIBLE PATH OF TRAVEL FROM RIGHT-OF-WAY
6. EXISTING UTILITY RISER
7. EXISTING SDG&E TRANSFORMER BOX
8. EXISTING PAVED DRIVEWAY
9. EXISTING BACKFLOW PREVENTER DEVICE
10. ACCESSIBLE PATH OF TRAVEL TO REAR ENTRY FROM ACCESSIBLE PARKING SPACES
11. EXISTING STANDARD PARKING SPACES
12. EXISTING ACCESSIBLE PARKING
13. EXISTING COMPACT PARKING SPACES
14. EXISTING OFFSITE CONCRETE SIDEWALK
15. EXISTING LOT LINE
16. EXISTING TRASH ENCLOSURE
17. EXISTING GAS METER
18. EXISTING HVAC ENCLOSURE
19. EXISTING GENERATOR ENCLOSURE
20. EXISTING FIRE HYDRANT (APPROXIMATELY 135 FT FROM PROPERTY)
21. EXISTING ASPHALT SURFACE PARKING LOT
22. EXISTING ON SITE SIDEWALK & HARDSCAPE
23. EXISTING ON SITE LIGHT, STANDARD
24. EXISTING ON SITE RAISED CURB
25. PROPOSED VAN ACCESSIBLE ELECTRIC VEHICLE CHARGING STATION
26. RE-STRIPED ACCESSIBLE PARKING (VARIES, SEE ENLARGED PLAN ON SHEET A402)
27. PROPOSED STRIPED STANDARD PARKING SPACES (8'-0" X 18'-0")
28. PROPOSED STRIPED MOTORCYCLE PARKING SPACES (3'-0" X 8'-0")
29. PROPOSED SHORT-TERM AND LONG-TERM BICYCLE PARKING SPACES
30. EXISTING 10" PVC SEWER MAIN - 22167-7-D
31. EXISTING 12" ACP WATER MAIN - 22167-7-D

EASEMENT NOTES

1. EASEMENTS FOR LANDSCAPING PURPOSES AS DEDICATED AND SHOWN ON MAP NO. 11512. PLOTTED HEREON.
2. THE FACT THAT THE OWNERSHIP OF SAID LAND DOES NOT INCLUDE RIGHTS OF ACCESS TO OR FROM THE PUBLIC STREET OR HIGHWAY ABUTTING SAID LAND, SUCH RIGHTS HAVE BEEN RELINQUISHED OR SEVERED BY MAP NO. 11512, WHICH AFFECTS STATE HIGHWAY 15. SHOWN HEREON.
3. MATTERS CONTAINED IN A DOCUMENT ENTITLED "ENCROACHMENT REMOVAL AGREEMENT" RECORDED JULY 24, 1987 AS INSTRUMENT NO. 87-416562 OF OFFICIAL RECORDS. SHOWN HEREON.



1 SITE PLAN - PROPOSED
 SCALE: 1/32" = 1'-0"



SITE PLAN KEYNOTES, CONT.

32. EXISTING 6" SEWER LATERAL, EXISTING SEWER LATERAL TO BE RETAINED.
33. EXISTING 2" WATER LATERAL, EXISTING WATER SERVICE TO BE RETAINED.
34. EXISTING 6" FIRE SERVICE LINE TO BE RETAINED
35. NEW LANDSCAPE ISLAND WITH TREE
36. PROPOSED ELECTRIC VEHICLE CHARGING STATION (EVCS)

01	08.02.22	Completeness Review - 1st Submittal
02	10.05.22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION
 10/05/2022 4:53:18 PM

PROJECT NO: 2215
 CAD DWG FILE: A102 SITE PLAN - PROPOSED.DWG
 DRAWN BY: A.S., S.V., D.C., J.A.
 CHK'D BY: A.S., M.M.

COPYRIGHT: TECHNE Environmental LLC (a TECHNE) expressly reserves its copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SHEET TITLE

SITE PLAN - PROPOSED

A102

CONSULTANTS

10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065

SITE PLAN LEGEND



SITE PLAN NOTES

- A. The site plan is for informational and general site reference only. Refer to other construction documents for complete scope of work.
- B. Before commencing any site foundation or slab cutting or excavation, the contractor shall verify and mark locations of all site utilities, dimensions and conditions. These include but are not limited to property lines, setback location to all new or existing walls, easements (if any), existing site utilities, including water, sewer, gas and electrical lines and any other new or existing site items which could affect in any way the construction of the building. Flag or otherwise mark all locations of site property lines, easements (if any), underground utilities, and indicate utility type.
- C. The Contractor or subcontractor shall notify TECHNE if any conflicts or discrepancy occurs between the information on this plan and actual field conditions. Do not proceed with work in conflict with these drawing until written or verbal instructions are issued by TECHNE.
- D. Protect and mark all existing building structure including walls, beams, columns, area separation walls, and other items that are part of the existing structure and not part of the scope of the tenant improvement, and mark perimeter of construction zone.
- E. Coordinate with other tenants the temporary shutoff of any site utilities.
- F. No proposed improvement will block or alter the existing surface drainage flow pattern.
- G. The existing water and sewer services will remain.
- H. Refer to Topographic Survey for additional information.
- I. BUILDING ADDRESS: Building address numbers must be visible and legible from the street or road fronting the property, per FHPS Policy P-00-6 (UFC 901.4.4)
- J. TRANSIT STOP: Nearest transit stop is approximately 1,900' away from project.
- K. If the City Building Inspector determines non-compliance with any accessibility provisions, a complete and detailed revised plans clearly showing all existing non-complying conditions and the proposed modifications to meet current accessibility requirements (including site plan, floor plans, details, etc.) will be submitted to the department for review and approval. Prior to the issuance of any building permit, the Owner/Permittee shall obtain an Encroachment Maintenance Removal Agreement for the landscape and irrigation located within the City's right-of-way, satisfactory to the City Engineer.
- L. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of the existing driveway and the installation of a new 24-foot wide City standard driveway, Gateway Center Way, satisfactory to the City Engineer.
- M. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of sidewalk, with standard concrete sidewalk along the property frontage on Gateway Center Way, satisfactory to the City Engineer.
- N. Prior to the issuance of any construction permit the Owner/Permittee shall submit a Water Pollution Control Plan (WPCP). The WPCP shall be prepared in accordance with the guidelines in Part 2 Construction BMP Standards Chapter 4 of the City's Storm Water Standards.
- O. Visibility Triangles: No obstruction including solid walls in the visibility area shall exceed 3 feet in height. Plant material, other than trees, within the public right-of-way that is located within visibility areas shall not exceed 24 inches in height, measured from the top of the adjacent curb per San Diego Municipal Code diagram 113-0255.

SITE PLAN KEYNOTES

- 1. PROPOSED CONCRETE DRIVEWAY - TYPE A WITH CONTIGUOUS SIDEWALK PER SAN DIEGO STANDARD DRAWINGS SDG-159
- 2. PROPOSED SIDEWALK PER SDG-155
- 3. PROPOSED CURB AND GUTTER PER SDG-151
- 4. PROPOSED SIDEWALK JOINT PER SDG-156
- 5. PROPOSED CONTIGUOUS SIDE WALK 2:1 TRANSITION
- 6. EXISTING CURB & GUTTER
- 7. EXISTING LANDSCAPE IN RIGHT-OF-WAY
- 8. OUTLINE OF EXISTING SIDEWALK
- 9. EXISTING SIDEWALK UNDERDRAIN TO REMAIN
- 10. EXISTING MANHOLE TO REMAIN
- 11. EXISTING STORM DRAIN MANHOLE TO REMAIN
- 12. 10'x10' VISIBILITY TRIANGLE
- 13. EXISTING ACCESSIBLE WALKING SURFACE FROM ROW TO BUILDING'S ENTRY
- 14. EXISTING WATER METER
- 15. EXISTING FIRE DEPARTMENT CONNECTION
- 16. FOUND LEAD AND DISC STAMPED "L.S. 8380"
- 17. FOUND LEAD AND DISC STAMPED "L.S. 4611"
- 18. EXISTING 10" PVC SEWER MAIN - 22167-7-D
- 19. EXISTING 12" ACP WATER MAIN - 22167-7-D

MARK	DATE	DESCRIPTION
01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

PROJECT NO: 2215

CAD DWG FILE: A:\SDA SITE PLAN - ROW IMPROVEMENTS.DWG

DRAWN BY: A.S., S.V., D.C., J.A.


CHK'D BY: A.S., M.M.

COPYRIGHT: Used Environment LLC (the TECHNE) expressly reserves its copyright and other property rights in this document. This document may not be reproduced, copied, changed or disseminated in any form or manner whatsoever without first obtaining the express written approval of TECHNE.


SHEET TITLE

SITE PLAN - ROW IMPROVEMENTS

A102a



1 SITE PLAN - ROW IMPROVEMENTS
SCALE 3/16" = 1'-0"



CONSULTANTS


10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 FIRST FLOOR PLAN - EXISTING / DEMOLITION
SCALE: 1/8" = 1'-0"



DEMOLITION GENERAL NOTES

- TECHNE shall be notified immediately when any discrepancy with Architectural or Structural drawings are found at the project site. All drawings may have to be modified upon removal of existing construction. Do not proceed with work in question until TECHNE issues directions.
- Contractor shall verify layout of existing structure, property boundaries, location of site utilities - underground and overhead, and field conditions as shown on the plans prior to demolition.
- Before start of demolition contractor shall verify with the owner any item to be saved (5), covered, or stored, verify storage locations with owner before demolition commences. Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Any outdoor structures or landscaping marked to be saved, shall be protected, fenced and/or covered to avoid damage.
- All demolition material shall be transported off site and properly disposed at city-approved locations by the contractor.
- Contractor to verify Dumpster location with owner before demolition commences.
- Contractor shall also refer to floor plans and other construction plans for new work to be incorporated into the project and to proceed with demolition accordingly.
- Carefully remove structure as shown on plan. Remove all materials carefully to avoid damage to adjacent surfaces.
- Contractor shall notify TECHNE and owner if any removed wood showing evidence of active water leaks, termites or dry rot.
- Prepare existing window and door framing openings (to remain) to receive new window units. Coordinate work with proposed floor plans, elevations and door & window schedules.
- When demolition is complete, the structure and site shall be broom clean and ready to receive new work.

- Remove all existing landscape and tree roots within 3 feet of the outline of new structure. If the removal of tree roots produces potentially unstable trees, the contractor shall immediately contact a tree specialist to make a recommendation.
- Demolition of openings in roof and exterior walls shall be covered each night with plastic tarps and secured to prevent water and dust from entering the building.
- Existing floors shall be covered during construction. Openings shall be taped and sealed to walls at edges of construction zone to minimize dust. Temporary wall shall be built and sealed as if needed or shown on plans.
- Should any portion of the structure being removed produce unstable or unsafe conditions the contractor shall provide shoring and bracing.
- Existing FAU & Water Heater shall be turned off to and/or salvaged units removed and stored for re-use. Existing natural gas service shall be turned off and lines temporarily capped at residence.
- Electrical service shall be turned off at residence and provisions for temporary power made during construction.
- Contractor shall verify in the field the condition of all foundations, stem walls, sill attachments, pier-footing conditions and attachment to framing. Deficiencies, cracks or other structural issues in foundations or footings or lack thereof shall be brought to the attention of TECHNE and structural engineer.
- Existing framing and floor surfaces may be out of plumb and not level. They shall be inspected and made plumb and leveled by the contractor. Wood framing adjacent to soil may be encountered and modifications and/or protection measures shall be taken.
- Elevation changes between door openings and adjacent grade shall be verified in the field and if discrepancies exist between field conditions and plans exist, notify TECHNE to make modifications and/or other corrective measures.

FLOOR PLAN LEGEND

- EXISTING WALL TO REMAIN
- EXISTING NON-BEARING, NON-SHEARWALL WALL TO BE REMOVED
- EXISTING DOOR TO REMAIN
- EXISTING DOOR TO BE REMOVED
- EXISTING MISC. ITEM TO BE REMOVED
- EXISTING STRUCTURAL COLUMN TO REMAIN

DEMOLITION PLAN KEYNOTES

- EXISTING DOOR TO REMAIN.
- EXISTING INTERIOR NON-BEARING, NON-SHEARWALL WALL TO REMAIN.
- REMOVE EXISTING INTERIOR NON-BEARING, NON-SHEARWALL WALL.
- REMOVE EXISTING DOOR.
- REMOVE EXISTING WALL AND PREPARE OPENING FOR NEW DOOR.
- REMOVE EXISTING WALL AND PREPARE OPENING FOR NEW WINDOW.
- REMOVE EXISTING WINDOW.
- REMOVE AND RELOCATE EXISTING PLUMBING FIXTURES.
- REMOVE EXISTING PLUMBING FIXTURES.
- CAP EXISTING FLOOR DRAIN.

FLOOR PLAN NOTES

- The General Contractor or Sub-Contractor shall verify all conditions or dimensions on these plans in the field with actual site conditions.
 - Written dimensions shall take precedence over scaled dimensions and shall be verified on the job site. On-site verification of all dimensions and conditions shall be the sole responsibility of the General Contractor and Sub-Contractors.
 - The Contractor or sub-contractor shall notify TECHNE if any conflicts or discrepancy occurs between this information on this plan and actual field conditions.
 - Any discrepancies with this drawing affecting project layout shall be brought to the attention of TECHNE. Do not proceed with work until written or verbal instructions are issued by TECHNE.
- DIMENSIONS**
- EXTERIOR WALL DIMENSIONS TO FACE OF FINISH (U.N.O.)
 - INTERIOR WALL DIMENSIONS TO CENTER LINE OF STUD (U.N.O.)
 - CLEARANCE DIMENSIONS ARE TO FACE OF FINISH MATERIALS, NOTED WITH CLR.

01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
	02/20/22 8:10:14 AM	

PROJECT NO:	2215
CAD DWG FILE:	A103 FIRST FLOOR PLAN - EXISTING DWG
DRAWN BY:	A.S., S.V., D.C., J.A.
CHK'D BY:	A.S., M.M.

COPYRIGHT: Issue Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written consent of TECHNE.

SHEET TITLE

FIRST FLOOR PLAN - EXISTING / DEMOLITION

A103


10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 SECOND FLOOR PLAN - EXISTING
SCALE: 1/8" = 1'-0"



DEMOLITION GENERAL NOTES

- TECHNE shall be notified immediately when any discrepancy with Architectural or Structural drawings are found at the project site. All drawings may have to be modified upon removal of existing construction. Do not proceed with work in question until TECHNE issues directions.
- Contractor shall verify layout of existing structure, property boundaries, location of site utilities - underground and overhead, and field conditions as shown on the plans prior to demolition.
- Before start of demolition contractor shall verify with the owner any item to be saved (S), covered, or stored, verify storage locations with owner before demolition commences. Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Any outdoor structures or landscaping marked to be saved, shall be protected, fenced and/or covered to avoid damage.
- All demolition material shall be transported off site and properly disposed at city-approved locations by the contractor.
- Contractor to verify Dumpster location with owner before demolition commences.
- Contractor shall also refer to floor plans and other construction plans for new work to be incorporated into the project and to proceed with demolition accordingly.
- Carefully remove structure as shown on plan. Remove all materials carefully to avoid damage to adjacent surfaces.
- Contractor shall notify TECHNE and owner if any removed wood showing evidence of active water leaks, termites or dry rot.
- Prepare existing window and door framing openings (to remain) to receive new window units. Coordinate work with proposed floor plans, elevations and door & window schedules.
- When demolition is complete, the structure and site shall be broom clean and ready to receive new work.

- Remove all existing landscape and tree roots within 3 feet of the outline of new structure. If the removal of tree roots produces potentially unstable trees, the contractor shall immediately contact a tree specialist to make a recommendation.
- Demolition of openings in roof and exterior walls shall be covered each night with plastic tarps and secured to prevent water and dust from entering the building.
- Existing floors shall be covered during construction. Openings shall be taped and sealed to walls at edges of construction zone to minimize dust. Temporary wall shall be built and sealed as if needed or shown on plans.
- Should any portion of the structure being removed produce unstable of unsafe conditions the contractor shall provide shoring and bracing.
- Existing FAU & Water Heater shall be turned off to and/or salvaged units removed and stored for re-use. Existing natural gas service shall be turned off and lines temporarily capped at residence.
- Electrical service shall be turned off at residence and provisions for temporary power made during construction.
- Contractor shall verify in the field the condition of all foundations, stem walls, sill attachments, pier-footing conditions and attachment to framing. Deficiencies, cracks or other structural issues in foundations or footings or lack thereof shall be brought to the attention of TECHNE and structural engineer.
- Existing framing and floor surfaces may be out of plumb and not level. They shall be inspected and made plumb and leveled by the contractor. Wood framing adjacent to soil may be encountered and modifications and/or protection measures shall be taken.
- Elevation changes between door openings and adjacent grade shall be verified in the field and if discrepancies exist between field conditions and plans exist, notify TECHNE to make modifications and/or other corrective measures.

FLOOR PLAN LEGEND

- EXISTING WALL TO REMAIN
- EXISTING DOOR TO REMAIN
- EXISTING MISC. ITEM TO REMAIN
- EXISTING STRUCTURAL COLUMN TO REMAIN

FLOOR PLAN NOTES

- The General Contractor or Sub-Contractor shall verify all conditions or dimensions on these plans in the field with actual site conditions.
 - Written dimensions shall take precedence over scaled dimensions and shall be verified on the job site. On-site verification of all dimensions and conditions shall be the sole responsibility of the General Contractor and Sub-Contractors.
 - The Contractor or sub-contractor shall notify TECHNE if any conflicts or discrepancy occurs between this information on this plan and actual field conditions.
 - Any discrepancies with this drawing affecting project layout shall be brought to the attention of TECHNE. Do not proceed with work until written or verbal instructions are issued by TECHNE.
- DIMENSIONS**
- EXTERIOR WALL DIMENSIONS TO FACE OF FINISH (U.N.O.)
 - INTERIOR WALL DIMENSIONS TO CENTER LINE OF STUD (U.N.O.)
 - CLEARANCE DIMENSIONS ARE TO FACE OF FINISH MATERIALS, NOTED WITH CLR.

01	08.07.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
	08/02/22 14:44 PM	

PROJECT NO: 2215

CAD DWG FILE: A104 SECOND FLOOR PLAN - EXISTING DWG

DRAWN BY: A.S., S.V., D.C., J.A.

CHK'D BY: A.S., M.M.

COPYRIGHT: Ideal Environment LLC (dba TECHNE) expressly reserves its copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SECOND FLOOR PLAN - EXISTING

CONSULTANTS


10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 THIRD FLOOR PLAN - EXISTING
SCALE: 1/8" = 1'-0"



DEMOLITION GENERAL NOTES

- TECHNE shall be notified immediately when any discrepancy with Architectural or Structural drawings are found at the project site. All drawings may have to be modified upon removal of existing construction. Do not proceed with work in question until TECHNE issues directions.
- Contractor shall verify layout of existing structure, property boundaries, location of site utilities - underground and overhead, and field conditions as shown on the plans prior to demolition.
- Before start of demolition contractor shall verify with the owner any item to be saved (S), covered, or stored, verify storage locations with owner before demolition commences. Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Contractor to pay for and replace any item not intended for demolition but damaged during construction.
- Any outdoor structures or landscaping marked to be saved, shall be protected, fenced and/or covered to avoid damage.
- All demolition material shall be transported off site and properly disposed at city-approved locations by the contractor.
- Contractor to verify Dumpster location with owner before demolition commences.
- Contractor shall also refer to floor plans and other construction plans for new work to be incorporated into the project and to proceed with demolition accordingly.
- Carefully remove structure as shown on plan. Remove all materials carefully to avoid damage to adjacent surfaces.
- Contractor shall notify TECHNE and owner if any removed wood showing evidence of active water leaks, termites or dry rot.
- Prepare existing window and door framing openings (to remain) to receive new window units. Coordinate work with proposed floor plans, elevations and door & window schedules.
- When demolition is complete, the structure and site shall be broom clean and ready to receive new work.
- Remove all existing landscape and tree roots within 3 feet of the outline of new structure. If the removal of tree roots produces potentially unstable trees, the contractor shall immediately contact a tree specialist to make a recommendation.
- Demolition of openings in roof and exterior walls shall be covered each night with plastic tarps and secured to prevent water and dust from entering the building.
- Existing floors shall be covered during construction. Openings shall be taped and sealed to walls at edges of construction zone to minimize dust. Temporary wall shall be built and sealed as if needed or shown on plans.
- Should any portion of the structure being removed produce unstable of unsafe conditions the contractor shall provide shoring and bracing.
- Existing FAU & Water Heater shall be turned off to and/or salvaged units removed and stored for re-use. Existing natural gas service shall be turned off and lines temporarily capped at residence.
- Electrical service shall be turned off at residence and provisions for temporary power made during construction.
- Contractor shall verify in the field the condition of all foundations, stem walls, sill attachments, pier-footing conditions and attachment to framing. Deficiencies, cracks or other structural issues in foundations or footings or lack thereof shall be brought to the attention of TECHNE and structural engineer.
- Existing framing and floor surfaces may be out of plumb and not level. They shall be inspected and made plumb and leveled by the contractor. Wood framing adjacent to soil may be encountered and modifications and/or protection measures shall be taken.
- Elevation changes between door openings and adjacent grade shall be verified in the field and if discrepancies exist between field conditions and plans exist, notify TECHNE to make modifications and/or other corrective measures.

FLOOR PLAN LEGEND

- EXISTING WALL TO REMAIN
- EXISTING DOOR TO REMAIN
- EXISTING MISC. ITEM TO REMAIN
- EXISTING STRUCTURAL COLUMN TO REMAIN

FLOOR PLAN NOTES

- The General Contractor or Sub-Contractor shall verify all conditions or dimensions on these plans in the field with actual site conditions.
 - Written dimensions shall take precedence over scaled dimensions and shall be verified on the job site. On-site verification of all dimensions and conditions shall be the sole responsibility of the General Contractor and Sub-Contractors.
 - The Contractor or sub-contractor shall notify TECHNE if any conflicts or discrepancy occurs between this information on this plan and actual field conditions.
 - Any discrepancies with this drawing affecting project layout shall be brought to the attention of TECHNE. Do not proceed with work until written or verbal instructions are issued by TECHNE.
- DIMENSIONS**
- EXTERIOR WALL DIMENSIONS TO FACE OF FINISH (U.N.O.)
 - INTERIOR WALL DIMENSIONS TO CENTER LINE OF STUD (U.N.O.)
 - CLEARANCE DIMENSIONS ARE TO FACE OF FINISH MATERIALS, NOTED WITH CLR.

01	08.07.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
02/2022	2/25/24 PM	

PROJECT NO:	2215
CAD DWG FILE:	A108 THIRD FLOOR PLAN- EXISTING DWG
DRAWN BY:	A.S., S.V., D.C., J.A.
CHK'D BY:	A.S., M.M.

COPYRIGHT: Issue Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

THIRD FLOOR PLAN - EXISTING

CONSULTANTS


10-07-2022



995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065




ROOF PLAN LEGEND

- ROOF SLOPE INDICATOR
- OUTLINE OF WALLS BELOW
- EXISTING ROOF DRAIN
- EXISTING MECHANICAL EQUIPMENT
- EXISTING MECHANICAL EQUIPMENT
- EXISTING PHOTOVOLTAIC PANELS

ROOF PLAN NOTES

1. EXISTING ROOFTOP EQUIPMENT TO REMAIN

1 ROOF PLAN - EXISTING
SCALE: 1/8" = 1'-0"



01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION

PROJECT NO: 2215
CAD DWG FILE: A 106 ROOF PLAN - EXISTING.DWG
DRAWN BY: A.S., S.V., D.C., J.A.
CHK'D BY: A.S., M.M.

COPYRIGHT: Haver Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or processed in any form or manner whatsoever without first obtaining the express written approval of Haver.

SHEET TITLE
ROOF PLAN - EXISTING

CONSULTANTS



10-07-2022



995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



FLOOR PLAN NOTES

- The General Contractor or Sub-Contractor shall verify all conditions or dimensions on these plans in the field with actual site conditions.
- Written dimensions shall take precedence over scaled dimensions and shall be verified on the job site. On-site verification of all dimensions and conditions shall be the sole responsibility of the General Contractor and Sub-Contractors.
- The Contractor or sub-contractor shall notify TECHNE if any conflicts or discrepancy occurs between this information on this plan and actual field conditions.
- Any discrepancies with this drawing affecting project layout shall be brought to the attention of TECHNE. Do not proceed with work until written or verbal instructions are issued by TECHNE.

DIMENSIONS

- EXTERIOR WALL DIMENSIONS TO FACE OF FINISH (U.N.O.)
- INTERIOR WALL DIMENSIONS TO CENTER LINE OF STUD (U.N.O.)
- CLEARANCE DIMENSIONS ARE TO FACE OF FINISH MATERIALS, NOTED WITH CLR.

ODOR SUPPRESSION MEASURES

- The Owner/Permittee shall provide a sufficient odor absorbing ventilation and exhaust system capable of minimizing excessive or offensive odors emanating outside of the permitted CO to the satisfaction of the Development Services Department.
- The project will implement a strategy of filtering any exhaust air through a carbon scrubber to mitigate odor and will also design the HVAC system with negative and positive pressure rooms, as appropriate, to control the flow of air and to prevent it from escaping the building. The carbon scrubber (filtering system) shall be Air Box 4+ Stealth Edition 3,500 CFM 12" Flange or similar as specified by a qualified licensed design professional.

FLOOR PLAN LEGEND

	EXISTING NON-STRUCTURAL INTERIOR WALL
	PROPOSED NON-STRUCTURAL INTERIOR WALL: 3/8" Light Gauge Steel Stud @ 24" O.C. with 1 layer of 1/2" gypsum board each side.
	PROPOSED NON-STRUCTURAL INTERIOR WALL: 6" Light Gauge Steel Stud @ 24" O.C. with 1 layer of 1/2" gypsum board each side.
	DOOR SYMBOL
	WINDOW SYMBOL
	FIRE EXTINGUISHER CABINET

01	18.07.22	Completeness Review - 1st Submittal
02	20.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
PROJECT NO: 2215		
CAD DWG FILE: A107 FIRST FLOOR PLAN - PROPOSED - C.DWG		
DRAWN BY: A.S., S.V., D.C., J.A.		
CHK'D BY: A.S., M.M.		

COPYRIGHT: Ideal Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.


SHEET TITLE
FIRST FLOOR PLAN - PROPOSED

10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 FIRST FLOOR ACCESSIBILITY PLAN - PROPOSED
SCALE: 1/8" = 1'-0"

ACCESSIBILITY PLAN LEGEND



- 1. Reach ranges shall comply with CBC Sec 11B-308
- 2. Unobstructed forward reach:
 - 2.1. High forward reach shall be a maximum of 48 inches and low forward reach shall be a minimum of 15 inches above finished floor.
- 3. Obstructed high reach:
 - 3.1. Where reach depth is a maximum 20 inches, high forward reach shall be a maximum of 48 inches above finished floor.
 - 3.2. Where reach depth exceeds 20 inches, high forward reach maximum shall be 44 inches and reach depth maximum shall be 25 inches.
 - 3.3. Clear floor space extending underneath obstruction elements for a distance not less than required reach depth over obstruction.
- 4. Where a parallel approach is allowed, unobstructed side reach shall be per CBC figure 11B-308.3.1
 - 4.1. High side reach shall be a maximum of 48 inches and minimum of 15 inches above finished floor.
- 5. Where parallel approach is allowed, obstructed side reach shall be per CBC Figure 11B-308.3.2
 - 5.1. Height of obstruction 34 inches maximum.
 - 5.2. Depth of obstruction 24 inches maximum.
 - 5.3. Where reach depth is a maximum of 10 inches, high side reach maximum shall be 48 inches.
 - 5.4. Where reach depth exceeds 10 inches, high side reach maximum shall be 46 inches and reach depth maximum shall be 24 inches.

ACCESSIBILITY NOTES

- 1. At least one accessible route shall be provided within the site from accessible parking spaces and accessible passenger drop-off and loading zones; public streets and sidewalks; and public transportation stops to the accessible building or facility entrance they serve. Where more than one route is provided, all routes must be accessible. (CBC Sec. 11B-206.2.1)
- 2. At least one accessible route shall connect accessible buildings, accessible facilities, accessible elements, and accessible spaces that are on the same site. (CBC Sec. 11B-206.2.2)
- 3. At least one accessible route shall connect accessible building or facility entrances with all accessible spaces and elements within the building or facility, including mezzanines, which are otherwise connected by a circulation path unless exempted by CBC 2019 Section 11B-206.2.3 Exceptions 1 through 7. (CBC Sec. 11B-206.2.4)
- 4. Handles, pulls, latches, locks, and other operable parts on doors and gates shall comply with CBC Section 11B-309.4. Operable parts of such hardware shall be 34 inches (864 mm) minimum and 44 inches (1118 mm) maximum above the finish floor or ground. Where sliding doors are in the fully open position, operating hardware shall be exposed and usable from both sides. (CBC Sec. 11B-404.2.7)
- 5. Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum. (CBC Sec. 11B-309.4)
- 6. Door openings shall provide a clear width of 32 inches (813 mm) minimum. Clear openings of doorways with swinging doors shall be measured between the face of the door and the stop, with the door open 90 degrees. Openings more than 24 inches (610 mm) deep shall provide a clear opening of 36 inches (914 mm) minimum. There shall be no projections into the required clear opening width not exceed 4 inches (102 mm). (CBC Sec. 11B-404.2.3)
- 7. Minimum maneuvering clearances at doors and gates shall comply with CBC Section 11B-404.2.4, Figure 11B-404.2.4.1 and Table 11B-404.2.4.1.1. Maneuvering clearances shall extend the full width of the doorway and the required latch side or hinge side clearance. (CBC Sec. 11B-404.2.4)
- 8. Floor or ground surface within required maneuvering clearances shall be stable, firm, and slip resistant in compliance with CBC Section 11B-302. Changes in level are not permitted. (CBC Sec. 11B-404.2.4.4)
- 9. Maneuvering clearances for forward approach shall be provided when any obstruction within 18 inches (457 mm) of the latch side at an interior doorway, or within 24 inches (610 mm) of the latch side of an exterior doorway, projects more than 8 inches (203 mm) beyond the face of the door or gate. (CBC Sec. 11B-404.2.4.3 and Fig. 11B-404.2.4.3)
- 10. Thresholds, if provided at doorways, shall be as follows: Changes in level of 1/4 inch (6.4 mm) high maximum shall be permitted to be vertical and without edge treatment (CBC Sec. 11B-303.2) and changes in level between 1/4 inch (6.4 mm) high minimum and 1/2 inch (12.7 mm) high maximum shall be beveled with a slope not steeper than 1:2 (CBC Sec. 11B-303.3)
- 11. Swinging door and gate surfaces within 10 inches (254 mm) of the finish floor or ground measured vertically shall have a smooth surface on the push side extending the full width of the door or gate. Parts creating horizontal or vertical joints in these surfaces shall be within 1/16 inch (1.6 mm) of the same plane as the other and be free of sharp or abrasive edges. Cavities created by added kick plates shall be capped. (CBC Sec. 11B-404.2.10)
- 12. The force for pushing or pulling open a door or gate shall be as follows: Interior hinged doors and gates: 5 pounds (22.2 N) maximum; Sliding or folding doors: 5 pounds (22.2 N) maximum; Required fire doors: the minimum opening force allowable by the appropriate administrative authority, not to exceed 15 pounds (66.7 N); Exterior hinged doors: 5 pounds (22.2 N) maximum. These forces do not apply to the force required to retract latch bolts or disengage other devices that hold the door or gate in a closed position. (CBC Sec. 11B-404.2.9)
- 13. Except as provided in CBC Sections 11B-403.5.2 and 11B-403.5.3, the clear width of walking surfaces shall be 36 inches (914 mm) minimum. (CBC Sec. 11B-403.5.1)
- 14. Employee workstations shall be on an accessible route complying with Division 4. Spaces and elements within employee workstations shall only be required to comply with CBC Sections 11B-207.1.1, 11B-215.3, 11B-302, 11B-303, 11B-308.1.1, 11B-308.1.2, and 11B-404.2.3 unless exempted by other parts of this code. Common use circulation paths within employee workstations shall comply with Section 11B-206.2.8. (CBC Sec. 11B-203.9)
- 15. The clear width shall be permitted to be reduced to 32 inches (813 mm) minimum for a length of 24 inches (610 mm) maximum provided that reduced width segments are separated by segments that are 48 inches (1219 mm) long minimum and 36 inches (914 mm) wide minimum. (CBC Sec. 11B-403.5.1, exception 1)
- 16. Exterior Exit doors shall have a sign posted above stating: THIS DOOR TO REMAIN UNLOCKED WHILE BUSINESS IS OCCUPIED.
- 17. PROVIDE PANIC HARDWARE AT EXIT DOORS WHERE NOTED.
- 18. Means of egress doors shall be readily distinguishable from the adjacent construction & finishes such that the doors are easily recognized. Mirrors or similar reflecting materials shall not be used on means of egress doors. Means of egress doors shall not be concealed by curtains, drapes, decorations or similar materials. (CBC Sec. 1010.1)
- 19. Gates used as a component in a means of egress shall conform to the applicable requirements for doors. (CBC Sec. 1010.2)
- 20. Door closers and gate closers shall be adjusted so that from an open position of 90 degrees, the time required to move the door to a position of 12 degrees from the latch is 5 seconds minimum. (CBC Sec. 11B-404.2.8.1)

EGRESS & ACCESSIBILITY NOTES

- ACCESSIBLE ROUTE - Accessible routes shall comply with CBC Section 11B-402. Walking surfaces shall provide clearances complying with CBC Section 11B-403.5. The running slope of walking surfaces shall not be steeper than 1:20. The cross slope of walking surfaces shall not be steeper than 1:48 per CBC Section 11B-403.3. Except as provided in CBC Sections 11B-403.5.2 and 11B-403.5.3, the clear width of walking surfaces shall be 36 inches (914 mm) minimum. The clear width for walking surfaces in corridors serving an occupant load of 10 or more shall be 44 inches (1118 mm) minimum. The clear width for sidewalks and walks shall be 48 inches (1219 mm) minimum.
- MEANS OF EGRESS - A continuous and unobstructed path of vertical and horizontal egress travel from any occupied portion of a building or structure to a public way. A means of egress consists of three separate and distinct parts: the exit access, the exit and the exit discharge. Means of Egress shall comply with CBC Chapter 10.
- DESIGN OCCUPANT LOAD - The number of occupants whom means egress facilities shall be provided. Where occupants from accessory area egress through a primary space, the calculated occupant load for the primary space shall include the total occupant load of the primary space plus the number of occupants egressing through it from the accessory area.
- MINIMUM EGRESS WIDTH - The total width of means of egress in inches (mm) shall not be less than the total occupant load served by the means of egress multiplied by 0.3 inches (7.62 mm) per occupant for stairways and by 0.2 inches (5.08 mm) per occupant for other egress components. Multiple means of egress shall be sized such that the loss of any one means of egress shall not reduce the available capacity to less than 50 percent of the required capacity. The maximum capacity required from any story of a building shall be maintained to the termination of the means of egress. (CBC Sec. 1005.1)
- DOOR ENCROACHMENT - Doors, when fully opened, and handrails shall not reduce the required means of egress width by more than 7 inches (178 mm). Doors in any position shall not reduce the required width by more than one-half. Other nonstructural projections such as trim and similar decorative features shall be permitted to project into the required width a maximum of 1 1/2 inches (38 mm) on each side. (CBC Sec. 1005.7)
- EGRESS - Egress doors must be readily operable from egress side without use of a key or any special knowledge or effort. (CBC Sec. 1010.1.9) Unlatching any door or leaf shall not require more than one operation. (CBC Sec. 1010.1.9.6)
- EXIT SIGNS - Exit signs shall be internally and externally illuminated at all times. Externally illuminated exit signs shall be connected to an emergency power system (batteries, unit equipment or an on-site generator) that will automatically illuminate the exit signs for a duration of not less than 90 minutes in case of primary loss. (CBC Sec. 1013.1, 1013.3, 1013.6.3)
- EGRESS ILLUMINATION - The means of egress, including the exit discharge, shall be illuminated to a level of not less than 1 footcandle (11 lux) at the walking surface at all times the building space served by the means of egress is occupied. (CBC Sec. 1008.2.1)
- ILLUMINATION EMERGENCY POWER - The power supply for means of egress illumination shall normally be provided by the premises' electrical supply. (CBC Sec. 1008.3)
- In the event of power supply failure in buildings that require two or more means of egress, an emergency electrical system shall automatically illuminate all of the following areas:
 - 1. Interior exit access stairways and ramps.
 - 2. Interior and exterior exit stairways and ramps.
 - 3. Exit passageways.
 - 4. Vestibules and areas on the level of discharge used for exit discharge in accordance with CBC Section 1028.1.
 - 5. Exterior landings as required by CBC Section 1010.1.6 for exit doorways that lead directly to the exit discharge. (CBC Sec. 1008.3.2)
- The emergency power system shall provide power for a duration of not less than 90 minutes and shall consist of storage batteries, unit equipment or an on-site generator. The installation of the emergency power system shall be in accordance with CBC Section 2702. (CBC Sec. 1008.3.4)
- ILLUMINATION LEVEL UNDER EMERGENCY POWER. Emergency lighting facilities shall be arranged to provide initial illumination that is at least an average of 1 footcandle (11 lux) and a minimum at any point of 0.1 footcandle (1 lux) measured along the path of egress at floor level. Illumination levels shall be permitted to decline to 0.6 footcandle (6 lux) average and a minimum at any point of 0.06 footcandle (0.6 lux) at the end of the emergency lighting time duration. A maximum-to-minimum illumination uniformity ratio of 40 to 1 shall not be exceeded. (CBC Sec. 1008.3.5)
- This facility will not utilize delayed egress components or systems.

01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
PROJECT NO:	2215	
CAD DWG FILE:	A10A 100 FIRST FLOOR EGRESS ACCESSIBILITY PLAN - 10/07/22.dwg	
DRAWN BY:	A.S., S.V., D.C., J.A.	
CHK'D BY:	A.S., M.M.	

COPYRIGHT: None Environment LLC (the TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written consent of TECHNE.

SHEET TITLE
FIRST FLOOR ACCESSIBILITY PLAN - PROPOSED
A108
SHEET 16 OF 24


10-07-2022



995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102


APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 FIRST FLOOR EGRESS PLAN - PROPOSED
SCALE: 1/8" = 1'-0"

EGRESS PLAN LEGEND



EGRESS PLAN KEYNOTES

- 1 TACTILE EXIT SIGN
- 2 WALL MOUNTED EMERGENCY EXIT SIGN

ACCESSIBILITY NOTES

1. At least one accessible route shall be provided within the site from accessible parking spaces and accessible passenger drop-off and loading zones; public streets and sidewalks; and public transportation stops to the accessible building or facility entrance they serve. Where more than one route is provided, all routes must be accessible. (CBC Sec. 11B-206.2.1)
2. At least one accessible route shall connect accessible buildings, accessible facilities, accessible elements, and accessible spaces that are on the same site. (CBC Sec. 11B-206.2.2)
3. At least one accessible route shall connect accessible building or facility entrances with all accessible spaces and elements within the building or facility, including mezzanines, which are otherwise connected by a circulation path unless exempted by CBC 2019 Section 11B-206.2.3 Exceptions 1 through 7. (CBC Sec. 11B-206.2.4)
4. Handles, pulls, latches, locks, and other operable parts on doors and gates shall comply with CBC Section 11B-309.4. Operable parts of such hardware shall be 34 inches (864 mm) minimum and 44 inches (1118 mm) maximum above the finish floor or ground. Where sliding doors are in the fully open position, operating hardware shall be exposed and usable from both sides. (CBC Sec. 11B-404.2.7)
5. Operable parts shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum. (CBC Sec. 11B-309.4)
6. Door openings shall provide a clear width of 32 inches (813 mm) minimum. Clear openings of doorways with swinging doors shall be measured between the face of the door and the stop, with the door open 90 degrees. Openings more than 24 inches (610 mm) deep shall provide a clear opening of 36 inches (914 mm) minimum. There shall be no projections into the required clear opening width lower than 34 inches (864 mm) above the finish floor or ground. Projections into the clear opening width between 34 inches (864 mm) and 80 inches (2032 mm) above the finish floor or ground shall not exceed 4 inches (102 mm). (CBC Sec. 11B-404.2.3)
7. Minimum maneuvering clearances at doors and gates shall comply with CBC Section 11B-404.2.4, Figure 11B-404.2.4.1 and Table 11B-404.2.4.1. Maneuvering clearances shall extend the full width of the doorway and the required latch side or hinge side clearance. (CBC Sec. 11B-404.2.4)
8. Floor or ground surface within required maneuvering clearances shall be stable, firm, and slip resistant in compliance with CBC Section 11B-302. Changes in level are not permitted. (CBC Sec. 11B-404.2.4)
9. Maneuvering clearances for forward approach shall be provided when an obstruction within 18 inches (457 mm) of the latch side at an interior doorway, or within 24 inches (610 mm) of the latch side of an exterior doorway, projects more than 8 inches (203 mm) beyond the face of the door or gate. (CBC Sec. 11B-404.2.4.3 and Fig. 11B-404.2.4.3)
10. Thresholds, if provided at doorways, shall be as follows: Changes in level of 1/4 inch (6.4 mm) high maximum shall be permitted to be vertical and without edge treatment (CBC Sec. 11B-303.2) and changes in level between 1/4 inch (6.4 mm) high minimum and 1/2 inch (12.7 mm) high maximum shall be beveled with a slope not steeper than 1:2 (CBC Sec. 11B-303.3)
11. Swinging door and gate surfaces within 10 inches (254 mm) of the finish floor or ground measured vertically shall have a smooth surface on the push side extending the full width of the door or gate. Parts creating horizontal or vertical joints in these surfaces shall be within 1/16 inch (1.6 mm) of the same plane as the other and be free of sharp or abrasive edges. Cavities created by added kick plates shall be capped. (CBC Sec. 11B-404.2.10)
12. The force for pushing or pulling open a door or gate shall be as follows: Interior hinged doors and gates: 5 pounds (22.2 N) maximum; Sliding or folding doors: 5 pounds (22.2 N) maximum; Required fire doors: the minimum opening force allowable by the appropriate administrative authority, not to exceed 15 pounds (66.7 N); Exterior hinged doors: 5 pounds (22.2 N) maximum. These forces do not apply to the force required to retract latch bolts or disengage other devices that hold the door or gate in a closed position. (CBC Sec. 11B-404.2.9)
13. Except as provided in CBC Sections 11B-403.5.2 and 11B-403.5.3, the clear width of walking surfaces shall be 36 inches (914 mm) minimum. (CBC Sec. 11B-403.5.1)
14. Employee workstations shall be on an accessible route complying with Division 4. Spaces and elements within employee workstations shall only be required to comply with CBC Sections 11B-207.1, 11B-215.3, 11B-302, 11B-303, 11B-308.1.1, 11B-308.1.2, and 11B-404.2.3 unless exempted by other parts of this code. Common use circulation paths within employee workstations shall comply with Section 11B-206.2.8. (CBC Sec. 11B-203.9)
15. The clear width shall be permitted to be reduced to 32 inches (813 mm) minimum for a length of 24 inches (610 mm) maximum provided that reduced width segments are separated by segments that are 48 inches (1219 mm) long minimum and 36 inches (914 mm) wide minimum. (CBC Sec. 11B-403.5.1, exception 1)
16. Exterior Exit doors shall have a sign posted above stating: THIS DOOR TO REMAIN UNLOCKED WHILE BUSINESS IS OCCUPIED.
17. PROVIDE PANIC HARDWARE AT EXIT DOORS WHERE NOTED.
18. Means of egress doors shall be readily distinguishable from the adjacent construction & finishes such that the doors are easily recognized. Mirrors or similar reflecting materials shall not be used on means of egress doors. Means of egress doors shall not be concealed by curtains, drapes, decorations or similar materials. (CBC Sec. 1010.1)
19. Gates used as a component in a means of egress shall conform to the applicable requirements for doors. (CBC Sec. 1010.2)
20. Door closers and gate closers shall be adjusted so that from an open position of 90 degrees, the time required to move the door to a position of 12 degrees from the latch is 5 seconds minimum. (CBC Sec. 11B-404.2.8.1)

EGRESS & ACCESSIBILITY NOTES

- ACCESSIBLE ROUTE - Accessible routes shall comply with CBC Section 11B-402. Walking surfaces shall provide clearances complying with CBC Section 11B-403.5. The running slope of walking surfaces shall not be steeper than 1:20. The cross slope of walking surfaces shall not be steeper than 1:48 per CBC Section 11B-403.3. Except as provided in CBC Sections 11B-403.5.2 and 11B-403.5.3, the clear width of walking surfaces shall be 36 inches (914 mm) minimum. The clear width of walking surfaces in corridors serving an occupant load of 10 or more shall be 44 inches (1118 mm) minimum. The clear width for sidewalks and walks shall be 48 inches (1219 mm) minimum.
- MEANS OF EGRESS - A continuous and unobstructed path of vertical and horizontal egress travel from any occupied portion of a building or structure to a public way. A means of egress consists of three separate and distinct parts: the exit access, the exit and the exit discharge. Means of Egress shall comply with CBC Chapter 10.
- ◇◇◇ DESIGN OCCUPANT LOAD - The number of occupants whom means egress facilities shall be provided. Where occupants from accessory area egress through a primary space, the calculated occupant load for the primary space shall include the total occupant load of the primary space plus the number of occupants egressing through it from the accessory area.
- MINIMUM EGRESS WIDTH - The total width of means of egress in inches (mm) shall not be less than the total occupant load served by the means of egress multiplied by 0.3 inches (7.62 mm) per occupant for stairways and by 0.2 inches (5.08 mm) per occupant for other egress components. Multiple means of egress shall be sized such that the loss of any one means of egress shall not reduce the available capacity to less than 50 percent of the required capacity. The maximum capacity required from any story of a building shall be maintained to the termination of the means of egress. (CBC Sec. 1005.1)
- DOOR ENCROACHMENT - Doors, when fully opened, and handrails shall not reduce the required means of egress width by more than 7 inches (178 mm). Doors in any position shall not reduce the required width by more than one-half. Other nonstructural projections such as trim and similar decorative features shall be permitted to project into the required width a maximum of 1/2 inches (38 mm) on each side. (CBC Sec. 1005.7)
- EGRESS - Egress doors must be readily operable from egress side without use of a key or any special knowledge or effort. (CBC Sec. 1010.1.9) Unlatching any door or leaf shall not require more than one operation. (CBC Sec. 1010.1.9.6)
- EXIT SIGNS - Exit signs shall be internally and externally illuminated at all times. Externally illuminated exit signs shall be connected to an emergency power system (batteries, unit equipment or an on-site generator) that will automatically illuminate the exit signs for a duration of not less than 90 minutes in case of primary loss. (CBC Sec. 1013.1, 1013.3, 1013.6.3)
- EGRESS ILLUMINATION - The means of egress, including the exit discharge, shall be illuminated to a level of not less than 1 footcandle (11 lux) at the walking surface at all times the building space served by the means of egress is occupied. (CBC Sec. 1008.2.1)
- ILLUMINATION EMERGENCY POWER - The power supply for means of egress illumination shall normally be provided by the premises' electrical supply. (CBC Sec. 1008.3)
- In the event of power supply failure in buildings that require two or more means of egress, an emergency electrical system shall automatically illuminate all of the following areas:
 1. Interior exit stairways and ramps.
 2. Interior and exterior exit stairways and ramps.
 3. Exit passageways.
 4. Vestibules and areas on the level of discharge used for exit discharge in accordance with CBC Section 1028.1.
 5. Exterior landings as required by CBC Section 1010.1.6 for exit doorways that lead directly to the exit discharge. (CBC Sec. 1008.3.2)
- The emergency power system shall provide power for a duration of not less than 90 minutes and shall consist of storage batteries, unit equipment or an on-site generator. The installation of the emergency power system shall be in accordance with CBC Section 2702. (CBC Sec. 1008.3.4)
- Illumination level under emergency power. Emergency lighting facilities shall be arranged to provide initial illumination that is at least an average of 1 footcandle (11 lux) and a minimum at any point of 0.1 footcandle (1 lux) measured along the path of egress at floor level. Illumination levels shall be permitted to decline to 0.6 footcandle (6 lux) average and a minimum at any point of 0.06 footcandle (0.6 lux) at the end of the emergency lighting time duration. A maximum-to-minimum illumination uniformity ratio of 40 to 1 shall not be exceeded. (CBC Sec. 1008.3.5)
- This facility will not utilize delayed egress components or systems.

D1	08.02.22	Completeness Review - 1st Submittal
D2	10.07.22	Conditional Use Permit - 2nd Submittal

MARK DATE	DESCRIPTION
PROJECT NO: 2215	

CAD DWG FILE: A:\BA\100\FIRST FLOOR EGRESS, ACCESSIBILITY PLAN - 20220722.dwg

DRAWN BY: A.S., S.V., D.C., J.A.

CHK'D BY: A.S., M.M.

COPYRIGHT: Techne US LLC (the TECHNE) expressly reserves its copyright and other proprietary rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of Techne US LLC.

SHEET TITLE

FIRST FLOOR
EGRESS PLAN -
PROPOSED

CONSULTANTS


10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 FIRST FLOOR SECURITY PLAN - PROPOSED
SCALE: 1/8" = 1'-0"



SECURITY PLAN LEGEND

- SECURITY CAMERA
- 30 - INTERIOR SECURITY CAMERAS
- 21 - EXTERIOR SECURITY CAMERAS
- *REFER TO SHEET A102 FOR PARKING SECURITY CAMERAS
- LEVEL 1 BULLET RESISTANT WALL
(Doors and windows located in bullet resistant walls shall also be bullet resistant)
- FULL HEIGHT BULLET RESISTANT GLASS, PLASTIC OR LAMINATE SHIELD OR BULLET RESISTANT ARMOR PANELS

SECURITY PLAN NOTES

1. REFER TO CONDITION USE PERMIT CONDITIONS FOR ADDITIONAL INFORMATION, SHEET G002.

01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
	10/07/2022 2:31:57 PM	
PROJECT NO: 2215		
CAD DWG FILE: A110 FIRST FLOOR SECURITY PLAN - PROPOSED.DWG		
DRAWN BY: A.S., S.V., D.C., J.A.		
CHK'D BY: A.S., M.M.		

COPYRIGHT: Ideal Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SHEET TITLE
**FIRST FLOOR
SECURITY PLAN -
PROPOSED**

A110

CONSULTANTS


10-07-2022




995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065



1 FIRST FLOOR LIGHTING PLAN - PROPOSED
 SCALE: 1/8" = 1'-0"



LIGHTING PLAN LEGEND

- RECESSED CAN LIGHT
- WALL MOUNTED LIGHT
- EMERGENCY EXIT SIGN

LIGHTING PLAN NOTES

- A. ALL PARKING AREAS SHALL BE ILLUMINATED
- B. ALL AREAS AROUND THE BUILDING SHALL BE ILLUMINATED
- C. LIGHTING SHALL BE SHIELD SO AS TO NOT ILLUMINATE ADJACENT PROPERTIES

D1	08.03.22	Completeness Review - 1st Submittal
D2	10.07.22	Conditional Use Permit - 2nd Submittal

MARK	DATE	DESCRIPTION
PROJECT NO: 2215		
CAD DWG FILE: A111 FIRST FLOOR LIGHTING PLAN - PROPOSED.DWG		
DRAWN BY: A.S., S.V., D.C., J.A.		
CHK'D BY: A.S., M.M.		

COPYRIGHT: Ideal Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SHEET TITLE
FIRST FLOOR LIGHTING PLAN - PROPOSED

A111



2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 619-940-5814 313-595-5814

CONSULTANTS


10-07-2022




995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065



1 NORTH ELEVATION - EXISTING
 SCALE: 1/8" = 1'-0"



2 EAST ELEVATION - EXISTING
 SCALE: 1/8" = 1'-0"

ELEVATION KEYNOTES

1. EXISTING STUCCO FINISH TO REMAIN.
2. EXISTING VISION GLASS TO REMAIN.
3. EXISTING SPANDREL GLASS TO REMAIN.
4. EXISTING EXIT DOOR TO REMAIN.
5. EXISTING EXPANSION JOINT TO REMAIN.
6. EXISTING ALUMINUM CLADDING TO REMAIN.

ELEVATION NOTES

Elevations shown are relative to mean sea level.

MARK	DATE	DESCRIPTION
01	08.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION

PROJECT NO: 2215

CAD DWG FILE: A201-A202 EXTERIOR ELEVATIONS - EXISTING DWG

DRAWN BY: A.S., S.V., D.C., J.A.

CHK D BY: A.S., M.M.

COPYRIGHT: Issue Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written consent of TECHNE.

SHEET TITLE

EXTERIOR ELEVATIONS - EXISTING

A201

TECHNE

DESIGN | DEVELOPMENT

2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 619-940-5814 313-595-5814

CONSULTANTS


10-07-2022




995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065



1 SOUTH ELEVATION - EXISTING
 SCALE: 1/8" = 1'-0"



2 WEST ELEVATION - EXISTING
 SCALE: 1/8" = 1'-0"

ELEVATION KEYNOTES

1. EXISTING STUCCO FINISH TO REMAIN.
2. EXISTING VISION GLASS TO REMAIN.
3. EXISTING SPANDREL GLASS TO REMAIN.
4. EXISTING STOREFRONT TO REMAIN.
5. EXISTING EXPANSION JOINT TO REMAIN.
6. EXISTING ALUMINUM CLADDING TO REMAIN.

ELEVATION NOTES

Elevations shown are relative to mean sea level.

01	10.03.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION
 10/07/2022 2:28:09 PM

PROJECT NO: 2215
 CAD DWG FILE: A201-A202 EXTERIOR ELEVATIONS - EXISTING DWG
 DRAWN BY: A.S., S.V., D.C., J.A.
 CHK'D BY: A.S., M.M.

COPYRIGHT: Ideal Government LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disposed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.

SHEET TITLE
 EXTERIOR
 ELEVATIONS -
 EXISTING

A202

CONSULTANTS


10-07-2022




995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065



1 ENLARGED ACCESSIBLE PARKING PLAN - PROPOSED
SCALE: 1/4" = 1'-0"



SITE PLAN NOTES

- A. The site plan is for informational and general site reference only. Refer to other construction documents for complete scope of work.
- B. Before commencing any site foundation or slab cutting or excavation, the contractor shall verify and mark locations of all site utilities, dimensions and conditions. These include but are not limited to property lines, setback location to all new or existing walls, easements (if any), existing site utilities, including water, sewer, gas and electrical lines and any other new or existing site items which could affect in any way the construction of the building. Flag or otherwise mark all locations of site property lines, easements (if any), underground utilities, and indicate utility type.
- C. The Contractor or subcontractor shall notify TECHNE if any conflicts or discrepancy occurs between the information on this plan and actual field conditions. Do not proceed with work in conflict with these drawing until written or verbal instructions are issued by TECHNE.
- D. Protect and mark all existing building structure including walls, beams, columns, area separation walls, and other items that are part of the existing structure and not part of the scope of the tenant improvement, and mark perimeter of construction zone.
- E. Coordinate with other tenants the temporary shutoff of any site utilities.
- F. No proposed improvement will block or alter the existing surface drainage flow pattern.
- G. The existing water and sewer services will remain.
- H. Refer to Topographic Survey for additional information.
- I. BUILDING ADDRESS: Building address numbers must be visible and legible from the street or road fronting the property, per FHFS Policy P-00-6 (UFC 901.4.4).
- J. TRANSIT STOP: Nearest transit stop is approximately 1,900' away from project.
- K. If the City Building Inspector determines non-compliance with any accessibility provisions, a complete and detailed revised plans clearly showing all existing non-complying conditions and the proposed modifications to meet current accessibility requirements (including site plan, floor plans, details, etc.) will be submitted to the department for review and approval.

SITE PLAN LEGEND

- OUTLINE OF EXISTING BUILDING
- AREA OF EXISTING HARDSCAPE
- AREA OF PROPOSED HARDSCAPE
- AREA OF EXISTING LANDSCAPE
- SITE DRAINAGE PATTERN
- VEHICULAR CIRCULATION
- ACCESSIBLE PATH OF TRAVEL

01	10.02.22	Completeness Review - 1st Submittal
02	10.07.22	Conditional Use Permit - 2nd Submittal
MARK DATE DESCRIPTION		
10/20/2022 4:53 11PM		
PROJECT NO: 2215		
CAD DWG FILE: A401 ENLARGED ACCESSIBLE PARKING PLAN.DWG		
DRAWN BY: A.S., S.V., D.C., J.A.		
CHK'D BY: A.S., M.M.		
COPYRIGHT: Invel Environment LLC (dba TECHNE) expressly reserves its common law copyright and other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner whatsoever without first obtaining the express written approval of TECHNE.		
SHEET TITLE		
ENLARGED ACCESSIBLE PARKING PLAN - PROPOSED		
A401		
SHEET	22	OF 24



2934 Lincoln Ave., San Diego, CA 92104
 techne-us.com sustainablearchitect.org
 O 619-940-5814 M 313-595-5814

CONSULTANTS



2204 Garnet Ave., Suite 305
 San Diego, CA 92101
 Tel. 619-270-6688
 samwade@samwade.com
 samwade@earthlink.net
 AZ Lic. #26705 | CA Lic. #3703

995 Gateway Center Way,
 Suites 107 & 108,
 San Diego CA 92102

APPLICANT

Prime Harvest, LLC
 1210 Olive St.,
 Ramona, CA 92065

SUMMARY OF LANDSCAPE CALCULATIONS
 Industrial Development / 995 Gateway Center Way

STREET YARD

Total Area	4,378 s.f.		
Planting Area Required	1,094 s.f.	Provided 2,328 s.f.	Excess Area Provided 1,234 s.f.
Planting Points Required	218	Provided 3,340	Excess Points Provided 3,121
Planting Area As Hardscape	0 s.f.	Points Achieved Through Trees	3,340

FACADE PLANTING AREA

Length of Street Wall	122 f.		
Planting Area Required	610 s.f.	Provided 860 s.f.	Excess Area Provided 250 s.f.
Planting Points Required	305	Provided 443	Excess Points Provided 138

LONG-TERM MAINTENANCE
 ALL REQUIRED ON-SITE LANDSCAPE AREAS AS SHOWN ON THESE PLANS, INCLUDING THE RIGHT-OF-WAY, SHALL BE MAINTAINED BY THE PROPERTY OWNER. THE LANDSCAPE AREAS SHALL BE MAINTAINED FREE OF DEBRIS AND LITTER, AND ALL PLANT MATERIAL SHALL BE MAINTAINED IN A HEALTHY GROWING CONDITION. DISEASED OR DEAD PLANT MATERIAL SHALL BE SATISFACTORILY TREATED OR REPLACED WITHIN 90 DAYS AND PRIOR TO FINAL LANDSCAPE INSPECTION.

ADJACENT PROPERTIES BRUSH MANAGEMENT MAINTENANCE
 BRUSH MANAGEMENT ON ADJACENT PROPERTIES SHALL BE THE RESPONSIBILITY OF ADJACENT PROPERTY OWNER. FOR MAINTENANCE ISSUES, CONTACT THE FIRE-RESCUE DEPARTMENT'S FIRE HAZARD ADVISOR-BRUSHWEED COMPLAINT LINE AT (619) 593-4444.

PLANTING LEGEND

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Street Yard Existing Trees							
(F)	Ficus nitida Indian Laurel	5	12" cal. min. avg.	30'	30' x 30'	Upright, spreading / Screening, Shade	1,500
(P)	Podocarpus gracilior Fern Pine	6	12" cal. min. avg.	25' x 25'		Upright, spreading / Screening, Shade	1,800
Proposed Trees							
(A)	Lophostemon confertus Brisbane Box	2	24" box	20' x 15'		Upright, spreading / Accent, Shade	40

PLANTING LEGEND (Cont.)

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Existing Shrubs							
(G)	Abelia grandiflora Glossy Abelia	-	4' x 4'			Upright, arching / Accent, Scale	-
(H)	Carissa grandiflora Natal Plum	-	4' x 4'			Upright, spreading / Screening, Scale	-
(I)	Pittosporum l. 'Variegata' Varieg. Mock Orange	-	4' x 4'			Upright, spreading / Accent, Scale	-
Proposed Groundcover							
(J)	Myoporum p. 'Pulchrum' P. C. Myoporum	1 gal. @ 2' o.c.				Low, spreading / Flowers, texture	LID -
Existing Groundcover							
(K)	Dolopsema alba Iceplant	Continuous				Low, spreading / Flowers, texture	LID -

Total Plant Points	3,340
Required	218
Excess	3,121

Facade Planting Area

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Proposed Trees							
(A)	Lophostemon confertus Brisbane Box	2	24" box	20' x 15'		Upright, spreading / Accent, Shade	40
Existing Shrubs							
(H)	Carissa grandiflora Natal Plum	-	4' x 4'			Upright, spreading / Screening, Scale	403
Proposed Groundcover							
(J)	Myoporum p. 'Pulchrum' P. C. Myoporum	1 gal. @ 2' o.c.				Low, spreading / Flowers, texture	LID -

Total Plant Points	443
Required	305
Excess	138

BRUSH MANAGEMENT ZONES REGULATIONS
 THE ZONE TWO WIDTH MAY BE DECREASED BY 1 IN FEET FOR EACH 1 FOOT OF INCREASE IN ZONE ONE WIDTH UP TO A MAXIMUM REDUCTION OF 30 FEET OF ZONE TWO WIDTH.

BRUSH MANAGEMENT PHOTOGRAPH KEY
 1-8 Photographs of 995 Gateway Center Way Brush Management Zones

SITE PHOTOGRAPH KEY

1 > (Subject)

NUMBER OF PHOTOGRAPH / DIRECTION OF IMAGE REFER TO SHEET BM-2 FOR PHOTOGRAPHS 1-8 AND FOR BRUSH MANAGEMENT NOTES.

PLANTING LEGEND (Cont.)

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Remaining Yard Existing Trees							
(A)	Lophostemon confertus Brisbane Box	2	24" box	20' x 15'		Upright, spreading / Accent, Shade	40
Existing Trees							
(F)	Ficus nitida Indian Laurel	14	12" cal. min. avg.	30' x 30'		Upright, spreading / Screening, Shade	4,200
(P)	Pinus canariensis Canary Island Pine	3	12" cal. min. avg.	40' x 15'		Upright, spreading / Screening, Shade	900
Existing Shrubs							
(H)	Carissa grandiflora Natal Plum	-	4' x 4'			Upright, spreading / Screening, Scale	-
(I)	Pittosporum l. 'Variegata' Varieg. Mock Orange	-	4' x 4'			Upright, spreading / Accent, Scale	-

Total Plant Points	5,140
Required	799
Excess	4,351

Vehicular Use Area Inside Street Yard

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Existing Trees							
(F)	Ficus nitida Indian Laurel	2	12" cal. min. avg.	30' x 30'		Upright, spreading / Screening, Shade	600
(P)	Podocarpus gracilior Fern Pine	1	12" cal. min. avg.	30' x 30'		Upright, spreading / Screening, Shade	300
Existing Shrubs							
(H)	Carissa grandiflora Natal Plum	-	4' x 4'			Upright, spreading / Screening, Scale	-
(I)	Pittosporum l. 'Variegata' Varieg. Mock Orange	-	4' x 4'			Upright, spreading / Accent, Scale	-

Total Plant Points	900
Required	86
Excess (Deficit)	812

Vehicular Use Area Outside Street Yard

SYMBOL	BOTANICAL NAME / COMMON NAME	QTY.	SIZE	HT.	SPREAD	FORM / FUNCTION	POINTS
Proposed Trees							
(A)	Lophostemon confertus Brisbane Box	12	24" box	20' x 15'		Upright, spreading / Accent, Shade	240
Existing Trees							
(F)	Ficus nitida Indian Laurel	14	12" cal. min. avg.	30' x 30'		Upright, spreading / Screening, Shade	4,200
(P)	Pinus canariensis Canary Island Pine	5	12" cal. min. avg.	40' x 15'		Upright, spreading / Screening, Shade	1,500
(W)	Washingtonia robusta Mexican Fan Palm	1	22" b.h.	40' x 12'		Upright, spreading / Screening, Scale	30

Total Plant Points	5,970
Required	541
Excess (Deficit)	5,429

STATE HIGHWAY 15
 (UNIMPAVED RIGHT-OF-WAY)

(E) 3' CONCRETE BROWDITCH

SUMMARY OF LANDSCAPE CALCULATIONS (Cont.)

REMAINING YARD

Total Area	15,778 s.f.		
Planting Area Required	4,739 s.f.	Provided 9,230 s.f.	Excess Area Provided 4,491 s.f.
Planting Points Required	789	Provided 5,140	Excess Points Provided 4,351

* 1,193 Excess Remaining Yard plant points provided and applied to Remaining Yard Area Planting Area requirement a maximum of 25% per SDMC 142.04105(a)(3)

VEHICULAR USE AREA (65,000 s.f.)

VUA Inside Street Yard Area	1,760 s.f.		
Planting Area Required	89 s.f.	Provided 949 s.f.	Excess Area Provided 860 s.f.
Planting Points Required	89	Provided 900	Excess Points Provided 812
Points Achieved Through Trees	900		


VUA outside Street Yard Area	22,900 s.f.		
Planting Area Required	687 s.f.	Provided 5,300 s.f.	Excess Area Provided 5,613 s.f.
Planting Points Required	687	Provided 5,970	Excess Points Provided 5,429
Points Achieved Through Trees	5,970		

ADJACENT PROPERTY
 PARCEL 2
 PARCEL MAP NO. 17557

MINIMUM TREE SEPARATION DISTANCE
 IMPROVEMENT / MINIMUM DISTANCE TO STREET TREE
 TRAFFIC SIGNALS (STOP SIGN) - 20 FEET
 UNDERGROUND UTILITY LINES - 5 FEET (10 FEET FOR SEWER)
 ABOVE GROUND UTILITY STRUCTURES - 10 FEET
 DRIVEWAYS (ENTRIES) - 10 FEET
 INTERSECTIONS (INTERSECTING CURB LINES OF TWO STREETS) - 25 FEET

PARKING TABULATIONS

Original Parking Existing (E)	Proposed Parking New (N)
Compact	96
Standard	61
Handicap	9
EV	0
Concess	0
Totals	166 (E)
(N) / (E) = 2.4% increase of parking; SDMC 142.04105(b)(2)(D)	170 (N)



01	08/02/22	Completeness Review - 1st Submittal
02	08/05/22	Conditional Use Permit - 2nd Submittal

MARK DATE DESCRIPTION
 09/22/22 4:58 PM

PROJECT NO: 2218
 CAD DWG FILE:
 DRAWN BY: SW
 CHK'D BY: SW

COPYRIGHT: This document is the property of TECHNE and may not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of TECHNE.

SHEET TITLE

LANDSCAPE DEVELOPMENT / BRUSH MANAGEMENT PLAN

BM-1
 SHEET OF

San Diego Municipal Code
§142.0412 - Brush Management

Table 142-04H

	Standard Width	Provided Width
Zone One	35-feet	35-feet
Zone Two	65-feet	65-feet



- (f) The Zone Two width may be decreased by 1 1/2 feet for each 1 foot of increase in Zone One width.
- (g) Zone One Requirements
 - (1) The required Zone One width shall be provided between native or naturalized vegetation and any structure and shall be measured from the exterior of the structure to the vegetation.
 - (2) Zone One shall contain no habitable structures, structures that are directly attached to habitable structures, or other combustible construction that provides a means for transmitting fire to the habitable structures. Structures such as fences, walls, palapas, play structures, and non-habitable gazebos that are located within brush management Zone One shall be of noncombustible, one hour fire-rated or heavy timber construction.
 - (3) Plants within Zone One shall be primarily low-growing and less than 4 feet in height with the exception of trees. Plants shall be low-fuel and fire-resistant.
 - (4) Trees within Zone One shall be located away from structures to a minimum distance of 10 feet as measured from the structures to the drip line of the tree at maturity in accordance with the Landscape Standards of the Land Development Manual.
 - (5) Permanent irrigation is required for all planting areas within Zone One except as follows:
 - (A) When planting areas contain only species that do not grow taller than 24 inches in height, or
 - (B) When planting areas contain only native or naturalized species that are not summer-dormant and have a maximum height at plant maturity of less than 24 inches.
 - (6) Zone One irrigation overspray and runoff shall not be allowed into adjacent areas of native or naturalized vegetation.
 - (7) Zone One shall be maintained on a regular basis by pruning and thinning plants, controlling weeds, and maintaining irrigation systems.
- (h) Zone Two Requirements
 - (1) The required Zone Two width shall be provided between Zone One and the undisturbed, native or naturalized vegetation, and shall be measured from the edge of Zone One that is farthest from the habitable structure, to the edge of undisturbed vegetation.
 - (2) No structures shall be constructed in Zone Two.
 - (3) Within Zone Two, 50 percent of the plants over 24 inches in height shall be cut and cleared to a height of 6 inches.
 - (4) Within Zone Two, all plants remaining after 50 percent are reduced in height, shall be pruned to reduce fuel loading in accordance with the Landscape Standards in the Land Development Manual. Non-native plants shall be pruned before native plants are pruned.
 - (5) The following standards shall be used where Zone Two is in an area previously graded as part of legal development activity and is proposed to be planted with new plant material instead of clearing existing native or naturalized vegetation:
 - (A) All new plant material for Zone Two shall be native, low-fuel, and fire-resistant. No non-native plant material may be planted in Zone Two either inside the MHPA or in the Coastal Overlay Zone, adjacent to areas containing sensitive biological resources.
 - (B) New plants shall be low-growing with a maximum height at maturity of 24 inches. Single specimens of fire resistant native trees and tree form shrubs may exceed this limitation if they are located to reduce the chance of transmitting fire from native or naturalized vegetation to habitable structures and if the vertical distance between the lowest branches of the trees and the top of adjacent plants are three times the height of the adjacent plants to reduce the spread of fire through ladder fueling.
 - (C) All new Zone Two plantings shall irrigated temporarily until established to the satisfaction of the City Manager. Only low-flow, low-gallonage spray heads may be used in Zone Two. Overspray and runoff from the irrigation shall not drift or flow into adjacent areas of native or naturalized vegetation. Temporary irrigation systems shall be removed upon approved establishment of the plantings. Permanent irrigation is not allowed in Zone Two.

San Diego Landscape Standards
Section III - Brush Management

3-1 BRUSH MANAGEMENT - DESCRIPTION


Fire safety in the landscape is achieved by reducing the readily flammable fuel adjacent to structures. This can be accomplished by pruning and thinning of native and naturalized vegetation, revegetation with low fuel volume plantings or a combination of the two. Implementing brush management in an environmentally appropriate manner requires a reduction in the amount and continuity of highly flammable fuel while maintaining plant coverage for soil protection. Such a transition will minimize the visual, biological and erosion impacts while reducing the risks of wildland fires.

3-2 BRUSH MANAGEMENT- REQUIREMENTS

3.2-1 Basic requirements - All Zones

- 3.2-1.01 For zone two, plants shall not be cut below six inches.
- 3.2-1.02 Debris and trimmings produced by thinning and pruning shall be removed from the site or if left, shall be converted into mulch by a chipping machine and evenly dispersed, non-irrigated, to a maximum depth of 6 inches.
- 3.2-1.03 Trees and large tree form shrubs (e.g., Oaks, Sumac, Toyon) which are being retained shall be pruned to provide clearance of three times the height of the under story plant material or six feet whichever is higher (Figure 3-1). Dead and excessively twiggy growth shall also be removed.

Figure 3-1
Pruning Trees to Provide Clearance for Brush Management



- 3.2-1.04 All plants or plant groupings except cacti, succulents, trees and tree-form shrubs shall be separated by a distance three times the height of the tallest adjacent plants (Figure 3-1).
- 3.2-1.05 Maximum coverage and area limitations as stated herein shall not apply to indigenous native tree species (i.e., Pinus, Quercus, Platanus, Salix and Populus).
- 3.2-2 Zone 1 Requirements - All Structures
 - 3.2-2.01 Do not use, and remove if necessary, highly flammable plant materials (see Appendix "B").
 - 3.2-2.02 Trees should not be located any closer to a structure than a distance equal to the tree's mature spread.
 - 3.2-2.03 Maintain all plantings in a succulent condition.
 - 3.2-2.04 Non-irrigated plant groupings over six inches in height may be retained provided they do not exceed 100 square feet in area and their combined coverage does not exceed 10 percent of the total Zone 1 area.

3.2-3 Zone 2 Requirements - All Structures

- 3.2-3.01 Individual non-irrigated plant groupings over 24 inches in height may be retained provided they do not exceed 400 square feet in area and their combined coverage does not exceed 30 percent of the total Zone 2 area.

Brush Management Maintenance Notes

1. General Maintenance - Regular inspections and landscape maintenance are necessary to minimize the potential damage or loss of property from brush fires and other natural hazards such as erosion and slope failures. Because each property is unique establishing a precise maintenance schedule is not feasible. For effective fire and watershed management, however, property owners should expect to provide maintenance according to each brush management zone: Zone 1: Year-round maintenance, Zone 2: Seasonal maintenance. Brush management activities are prohibited within coastal sage scrub, maritime succulent scrub, and coastal sage-chaparral habitats from March 1 through August 15, except where documented to the satisfaction of the City Manager that the thinning would be consistent with conditions of species coverage described in the City of San Diego's MSCP Subarea Plan.
2. Brush Management Zone 1 - This is the most critical area for fire and watershed safety. All ornamental plantings should be kept well watered and any irrigation run-off should drain toward the street. Rain gutters and drainage pipes should be cleaned regularly and all leaves removed from the roof before the fire season begins. All planting, particularly non-irrigated natives and large trees should be regularly pruned to eliminate dead fuels, to reduce excessive fuel and to provide adequate space between plants and structures.
3. Brush Management Zone 2 - Seasonal maintenance in this zone should include removal of dead woody plants, eradication of weedy species and periodic pruning and thinning of trees and shrubs. Removal of weeds should not be done with hand tools such as hoes, as this disturbs valuable soil. The use of weed trimmers or other tools which retain short stubble that protects the soil is recommended. Native shrubs should be pruned in the summer after the major plant growth occurs. Well pruned healthy shrubs should typically require several years to build up excessive live and dead fuel. On slopes all drainage devices must be kept clear. Re-inspect after each major storm since minor soil slips can block drains. Various groundcovers should be periodically sheared and thatch removed. Diseased and dead wood should be pruned from trees. Fertilizing trees and shrubs is not typically recommended as this may stimulate excessive growth.
4. Long-term Maintenance Responsibility - All Landscaping / Brush Management within the Brush Management Zone(s) as shown on these plans shall be the responsibility of Owner [please Specify, e.g. Owner, H.O.A.]. The Brush Management Zone areas shall be maintained free of debris and litter and all plant material shall be maintained in a healthy growing condition.

SITE PHOTOGRAPHS; REFER TO SHEET BM-1 FOR PHOTO KEY MAP



PHOTO 1 LOOKING SOUTHWESTERLY AT BUILDING ZONE ONE



PHOTO 2 LOOKING NORTHEASTERLY AT BUILDING ZONE ONE



PHOTO 3 LOOKING SOUTHWESTERLY IN ZONE ONE



PHOTO 4 LOOKING WESTERLY IN ZONE ONE



PHOTO 5 LOOKING WESTERLY IN ZONE ONE



PHOTO 6 LOOKING NORTHERLY IN ZONE ONE



PHOTO 7 LOOKING NORTHERLY IN ZONE ONE





PHOTO 8 LOOKING NORTHERLY IN ZONE ONE

BRUSH MANAGEMENT ZONES PHOTO INVENTORY
1-8 Photographs of 995 Gateway Center Way Brush Management Zones
REFER TO BRUSH MANAGEMENT PLAN SHEET BM-1
FOR PHOTOGRAPH LOCATIONS KEY



2934 Lincoln Ave., San Diego, CA 92104
techne-us.com sustainablearchitect.org
619-940-5814 313-595-5814

CONSULTANTS



2304 Corner Ave, Suite 205
San Diego, CA 92109
Tel: 858-770-8088
www.samwadelandscape.com
sam@samwadelandscape.com
AZ Lic. #26702 | CA Lic. #37673

995 Gateway Center Way,
Suites 107 & 108,
San Diego CA 92102

APPLICANT

Prime Harvest, LLC
1210 Olive St.,
Ramona, CA 92065

MARK	DATE	DESCRIPTION
D1	08.02.22	Completeness Review - 1st Submittal
D2	10.05.22	Conditional Use Permit - 2nd Submittal

MARK | DATE | DESCRIPTION

PROJECT NO: 2218

CAD DWG FILE:

DRAWN BY: SW

CHK'D BY: SW

COPYRIGHT: Most Environment LLC (dba TECHNE) expressly reserves its copyright in this drawing and all other property rights in this document. This document shall not be reproduced, copied, changed or disclosed in any form or manner without the prior written consent of the copyright owner.

SHEET TITLE

BRUSH
MANAGEMENT NOTES,
PHOTO INVENTORY PLAN

BM-2

SHEET OF

FORM

DS-3031

November 2022

Development Permit/ Environmental Determination Appeal Application

In order to ensure your appeal application is successfully accepted and processed, you must read and understand Information Bulletin [\(IB\) 505, "Development Permits/Environmental Determination Appeal Procedure."](#)

1. Type of Appeal: Appeal of the Project
 Appeal of the Environmental Determination
2. Appellant: Please check one Applicant Officially recognized Planning Committee
 "Interested Person"
[\(Per San Diego Municipal Code \(SDMC\) § 113.0103\)](#)

Name:

Kara Adams

E-mail:

kbadams13@icloud.com

Address:

P.O. Box 241

City:

Helendale

State:

CA

Zip Code:

92342

Telephone:

760-622-6813

3. Project Name:
Gateway Cannabis Outlet Project #1067659
4. Project Information:
Cannabis outlet at 995 Gateway Center Way
Permit/Environmental Information Determination and Permit/Document No:
1067659
Date of Decision/Determination: November 16, 2022
City Project Manager: Travis Cleveland
Decision (Describe the permit/approval decision):
Hearing officer approved a conditional use permit for the cannabis outlet
5. Ground for Appeal (Please check all that apply):
- | | |
|--|---|
| <input type="checkbox"/> Fracture Error | <input checked="" type="checkbox"/> New Information |
| <input type="checkbox"/> Conflict with other Matters | <input type="checkbox"/> City-wide Significance (Process four decisions only) |
| <input type="checkbox"/> Findings Not Supported | |

Description of Grounds for Appeal (Please relate your description to the allowable reasons for appeal as more fully described in the [SDMC § 112.0501](#). Attach additional sheets if necessary.)

I have concerns about the corporate status of the Prime Harvest entity that is the applicant.

Visit our website: sandiego.gov/DSD.

Upon request, this information is available in alternative formats for persons with disabilities. DS-3031 (11-22)

6. Applicant's Signature: I certify under penalty of perjury that the foregoing, including all names and addresses, is true and correct.

Signature: Kara Adams Date: 11/16/2022

Note: Faxed appeals are not accepted.

Reference Table

- [San Diego Municipal Code \(SDMC\)](#)
- [Development Permits/Environmental Determination Appeal Procedure \(IB-505\)](#)

Visit our website: sandiego.gov/DSD.

Upon request, this information is available in alternative formats for persons with disabilities. DS-3031 (11-22)

PLANNING COMMISSION
RESOLUTION NO. XXXX
CONDITIONAL USE PERMIT NO. PMT-3172940
GATEWAY CANNABIS OUTLET - PROJECT NO. PRJ-1067659

WHEREAS, GATEWAY SMP LLC, a California Limited Liability Company, Owner, and PRIME HARVEST D9 LLC, a California Limited Liability Company, Permittee, filed an application with the City of San Diego for a Conditional Use Permit to allow the operation of a 2,996-square-foot Cannabis Outlet in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building (as described in and by reference to the approved Exhibits "A" and corresponding conditions of approval for the associated Permit No. 3172940), on portions of a 4.10-acre site; and

WHEREAS, the project site is located at 995 Gateway Center Way in the IL-3-1 Zone, Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area; and

WHEREAS, the project site is legally described as Lots 19 and 20 of Gateway Center East Unit No. 1, in the City of San Diego, County of San Diego, State of California, according to Map thereof No. 11512, filed in the Office of the County Recorder of San Diego County, May 14, 1986; and

WHEREAS, on November 16, 2022, the Hearing Officer of the City of San Diego approved Conditional Use Permit No. PMT-3172940 pursuant to the Land Development Code of the City of San Diego; and

WHEREAS, a project appeal was filed by Kara Adams on November 16, 2022, and

WHEREAS, on December 8, 2022, the Planning Commission of the City of San Diego considered the appeal and Conditional Use Permit No. PMT-3172940 pursuant to the Land Development Code of the City of San Diego, NOW, THEREFORE,

BE IT RESOLVED by the Planning Commission of the City of San Diego, that it adopts the following findings with respect to Conditional Use Permit No. PMT-3172940:

A. CONDITIONAL USE PERMIT FINDINGS [SDMC Section 126.0305]

1. The proposed development will not adversely affect the applicable land use plan.

The project is a request for a Conditional Use Permit (CUP) to allow the operation of a 2,996-square-foot Cannabis Outlet (CO) in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building located at 995 Gateway Center Way (Attachment 1). The 4.10-acre site is in the IL-3-1 Zone, Airport Influence Area (SDIA Lindbergh Field – Review Area 1), FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area

The project site is within the Industrial Employment land use category per the Land Use and Street System Map (Figure LU-2) of the General Plan. The IL-3-1 zone allows a mix of light industrial, office, and commercial uses. Pursuant to SDMC section 131.0622, retail sales and commercial services are permitted uses in the IL-3-1 Zones. The Southeastern San Diego Community Plan (Community Plan) designates the site as Business Park within the Commercial, Employment and Industrial land use classification. The Business Park designation represents employment-generating uses that will both create jobs and a pleasant and safe streetscape environment. Intended uses include office, research and development, and light manufacturing; storage and distribution are discouraged to minimize truck traffic. Limited retail is allowed to augment commercial uses and serve nearby residential areas but is not intended as a primary use. The proposed CO is classified as retail sales use category, and will be one of the 12 tenants in the commercial building, occupying 7% of the entire premises; therefore, it will not be the primary use of the premises.

The proposed Cannabis Outlet is allowed in the IL-3-1 zone with a CUP pursuant to SDMC sections 131.0622 and 141.0504. The proposed project will promote the policies of the General Plan and the Community Plan because the Cannabis Outlet will supply jobs and encourage/facilitate commerce within the San Diego region. Therefore, the proposed Cannabis Outlet is a compatible use at this location with a CUP, it is consistent with the Community Plan land use policies and will not adversely affect the applicable land use plan.

2. The proposed development will not be detrimental to the public health, safety, and welfare.

The project proposes interior improvements to an existing tenant space, including entry/exit areas, waiting areas, lobby, cannabis retail sales floor, employee break room, manager's office, janitor's closet, restrooms, storage room, express room, vault/fulfillment room, product transfer corridor, and vendor receiving area. Construction of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors.

The proposed development will not be detrimental to the public's health, safety, and welfare because the discretionary permit controlling the development and continued use of this site contains specific regulatory conditions of approval. These regulations, which are implemented and enforced through the permit, are specifically intended to reduce, mitigate and/or prevent all adverse impacts to the public and community at large.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, one additional Cannabis Outlet may be approved in Council District 9. Cannabis Outlets require compliance with SDMC section 141.0504, which requires a 1,000-foot separation, measured in accordance with SDMC sections 141.0504 and 113.0225, from resource and population-based city parks, other Cannabis Outlets, churches, child care centers, playgrounds, libraries owned and operated by the City of San Diego, minor-oriented facilities, residential care facilities, and schools including private or public institutions of learning providing instruction in kindergarten grades 1 to 12. There is also a minimum distance requirement of 100 feet from a residentially zoned property or lot. City staff has reviewed the 100/1,000-foot radius map and the 100/1,000-foot radius map spreadsheet submitted by the applicant identifying all the existing surrounding uses, measured uses in accordance with SDMC section 113.0225, and determined that the proposed Cannabis Outlet complies with the minimum separation requirements between uses and residentially zoned lots or premises.

Public improvements include the removal of the two existing driveways and the installation of two 24-foot wide City standard driveways, providing for accessible pathways for pedestrians adjacent to the site on Gateway Center Way, as well as the reconstruction of sidewalk with standard concrete sidewalk, to the satisfaction of the City Engineer.

The discretionary permit controlling the development of this site contains specific regulatory conditions of approval. These regulations, which are implemented and enforced through the permit, are specifically intended to reduce, mitigate and/or prevent all adverse impacts to the public and community at large. Based on the above analysis, project features and conditions of approval, the proposed development will not be detrimental to the public health, safety, and welfare.

The proposed Cannabis Outlet is subject to specific operational and security requirements and restrictions as set forth in SDMC section 141.0504(b) through (m), which have also been

incorporated as conditions in the CUP including prohibition of consultation by medical professionals on-site; prohibition of the use of specified vending machines except by a responsible person (as defined by the SDMC); provision of interior and exterior lighting, operable cameras, alarms, security guard; restriction of hours of operation to between 7:00 a.m. and 9:00 p.m. daily; maintenance of area and adjacent public sidewalks free of litter and graffiti, and removal of graffiti within 24 hours; restriction of signage to business name, two-color signs, and alphabetic characters; and signage advertising cannabis may not be visible from the public right-of-way. Cannabis Outlets must also comply with Chapter 4, Article 2, Division 15 which provides guidelines for lawful operation. The CUP is valid for five years, however, may be revoked if the use violates the terms, conditions, lawful requirements, or provision of the permit.

Construction of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors. Furthermore, this project has been reviewed pursuant to the California Environmental Quality Act, and project is within the scope of Negative Declaration 660383, adopted on August 18, 2021, which determined that the project would not have a significant effect on the environment. Based on the above analysis, the proposed development would not be detrimental to the public health, safety, and welfare.

3. The proposed development will comply with the regulations of the Land Development Code including any allowable deviations pursuant to the Land Development Code.

The project proposes to operate a 2,996-square-foot Cannabis Outlet within an existing 42,530-square-foot commercial building, located at 995 Gateway Center Way. The project proposes interior improvements to an existing tenant space, including entry/exit areas, waiting areas, lobby, cannabis retail sales floor, employee break room, manager's office, janitor's closet, restrooms, storage room, express room, vault/fulfillment room, product transfer corridor, vendor receiving area. Building improvements of the project authorized through this permit will be subject to all adopted building, electrical, mechanical, fire and plumbing codes, which will be enforced through plan review and building inspections completed by the City's building inspectors.

The project is required to provide 15 parking spaces for the Cannabis Outlet use and maintain a minimum of 155 off-street parking for all uses on the premises, totaling 170 parking spaces required at the site. The project proposes to reconfigure the existing parking lot to satisfy this requirement.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, there remains capacity for one additional Cannabis Outlet to be approved in Council District 9. Cannabis Outlets require compliance with SDMC section 141.0504, which requires a 1,000-foot separation, measured in accordance with SDMC sections 141.0504 and 113.0225, from resource and population-based city parks, other Cannabis Outlets, churches, child care centers,

playgrounds, libraries owned and operated by the City of San Diego, minor-oriented facilities, residential care facilities, and schools including private or public institutions of learning providing instruction in kindergarten grades 1 to 12. There is also a minimum distance requirement of 100 feet from a residentially zoned property or lot. City staff has reviewed the 100/1,000-foot radius map and the 100/1,000-foot radius map spreadsheet submitted by the applicant identifying all the existing surrounding uses, measured uses in accordance with SDMC section 113.0225, and determined that the proposed Cannabis Outlet complies with the minimum separation requirements between uses and residentially zoned lots or premises.

Iglesia Del Nazareno, 3535 Market Street: a church as defined in SDMC section 113.0103, Iglesia Del Nazareno is within the 1,000-radius of the proposed CO. This church is approximately 854 feet from the project site measured property line to property line. The proposed CO is located on top of a hillside with a slope gradient between 142 to 165 feet high, which is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet (Attachment 7). Per SDMC section 113.0225(c), when measuring distance between uses, natural topographical barriers and constructed barriers such as freeways or flood control channels that would impede direct physical access between the uses can be taken into consideration. In such case, the distance is measured as the most direct route around the barrier in a manner that establishes direct access. A direct public route to the church from the proposed Cannabis Outlet would be greater than 1,500 feet. Therefore, the proposed project complies with the minimum separation requirements.

Dennis V. Allen Neighborhood Park, 800 Boundary Street: This is a population-based city park as defined in the Recreation Element of the City of San Diego General Plan. It was surveyed at 1,014 feet from the project site, measured horizontally in a straight line between the two closest points of property line to property line pursuant to SDMC section 113.0225 (Attachment 7). Therefore, the proposed CO complies with the minimum separation requirements.

Mount Hope Cemetery, 3751 Market Street: Although it is shown as a “resource-based park” on page 19 of the City’s Parks Master Plan (PMP), this cemetery is not a City park; and Park Planning Staff have acknowledged that this represents a mapping error in the PMP. Mount Hope Cemetery does not meet the PMP’s definition of a “Resource-Based Regional Park” as shown on page 21 of the document, which is “Areas of habitat and resource protection, with compatible recreation”. The PMP designates areas such as Mission Bay, Balboa Park, Liberty Station Park, Presidio Park, Chicano Park, and Torrey Pines Golf Course as resource-based parks.

Conversely, other cemeteries such as the El Camino Memorial Park (5600 Carroll Canyon Road), Holy Cross Cemetery (4470 Hilltop Drive), Mount Olivet Cemetery (2127 Iris Avenue), and Miramar National Cemetery (5795 Nobel Drive) are not shown as resource-based parks in the PMP. The intent to define Mount Hope in particular, or cemeteries in general, as resource-based parks is not addressed in the PMP. However, it can be argued that the proposed Cannabis Outlet must be at least 1,000 feet from Mount Hope until such time as the error in the PMP map can be corrected. Therefore, the below analysis treats it as a park.

The proposed cannabis outlet meets the required separation distance to Mount Hope Cemetery due to topography as allowed by the Municipal Code. The proposed outlet is located on top of a hillside with a slope gradient between 142 to 165 feet high. This hillside is considered a natural topographic barrier that impedes direct access to the proposed Cannabis Outlet. Pursuant to SDMC 113.0225(c), when measuring distance between uses, natural topographical barriers that would impede direct physical access between the uses can be taken into consideration. The shortest resulting walking distance is over 1,500 feet.

The permits for the project include various conditions and corresponding exhibits of approval relevant to achieving compliance with the SDMC relative to parking, signage, lighting, security measures, hours of operation, and site maintenance. No variances or deviations are requested as part of this application. Therefore, the proposed development will comply with the regulations of the Land Development Code.

4. The proposed use is appropriate at the proposed location.

Pursuant to SDMC section 141.0504, Cannabis Outlets are limited to no more than four per Council District (CD), and 36 city-wide, within commercial and industrial zones in order to minimize the impact on the City and residential neighborhoods. A total of three CUPs for Cannabis Outlets have been approved in Council District 9; hence, there remains capacity for one additional Cannabis Outlet to be approved in Council District 9.

Council District 9 contains very few parcels of land that are zoned to allow Cannabis Outlets. The project site and immediate area generally bounded by Interstate 15, Market Street, and Gateway Center Way may be the only available space left in District 9. It would be difficult to achieve the Municipal Code's number of four cannabis outlets allowed per Council District if a cannabis outlet is not able to locate in this area.

The site is currently improved with a three-story commercial building constructed in 1989. The existing uses of the proposed tenant spaces are offices; other existing uses on site include medical, research, and professional offices; surrounding uses include retail, medical clinics, and light industrial businesses.

Finding #A.1 above, hereinafter incorporated by reference, describes how the project meets the land use and employment goals of both the General and Community plans.

Finding #A.2 above, hereinafter incorporated by reference, describes how the project will contain several operational restrictions that ensure the public health, safety, and welfare.

Finding #A.3 above, hereinafter incorporated by reference, describes how the project meets the requirements of the IL-3-1 zone and the required operational conditions and separation distances of SDMC sections 141.0504 and 113.0225.

The proposed Cannabis Outlet is consistent with the underlying IL-3-1 Zone and Community Plan land use designation and objectives of encouraging a range of commercial goods and services, and with a CUP, is a compatible use with the surrounding development. Therefore, based on the above analysis, the proposed use is appropriate at the proposed location.

The above findings are supported by the minutes, maps and exhibits, all of which are incorporated herein by this reference.

BE IT FURTHER RESOLVED that, based on these findings adopted by the Planning Commission, that the appeal is denied, the November 16, 2022 decision of the Hearing Officer is affirmed, and Conditional Use Permit No. PMT-3172940 is hereby GRANTED by the Planning Commission to the referenced Owner/Permittee, in the form, exhibits, terms and conditions as set forth in Permit No. PMT-3172940, a copy of which is attached hereto and made a part hereof.

Travis Cleveland
Development Project Manager
Development Services

Adopted on: December 8, 2022

IO No.: 24009343

RECORDING REQUESTED BY
CITY OF SAN DIEGO
DEVELOPMENT SERVICES
PERMIT INTAKE, MAIL STATION
501

WHEN RECORDED MAIL TO
PROJECT MANAGEMENT
PERMIT CLERK
MAIL STATION 501

INTERNAL ORDER NUMBER: 24009343

SPACE ABOVE THIS LINE FOR RECORDER'S USE

CONDITIONAL USE PERMIT NO. PMT-3172940
GATEWAY CANNABIS OUTLET - PROJECT NO. PRJ-1067659
PLANNING COMMISSION

This Conditional Use Permit No. PMT-3172940 ("Permit") is granted by the Planning Commission of the City of San Diego to Gateway SMP LLC, a California Limited Liability Company, Owner, and Prime Harvest D9 LLC, a California Limited Liability Company, Permittee, pursuant to San Diego Municipal Code [SDMC] section 126.0305. The 4.10-acre site is located at 995 Gateway Center Way in the IL-3-1 Zone, the Airport Influence Area (SDIA Lindbergh Field – Review Area 1), the FAA Part 77 Noticing Area (SDIA – Lindbergh Field 200 feet), the Airport Land Use Compatibility Plan Noise Contours (SDIA – 65-70 CNEL), the Special Flood Hazard Area (100 Year Floodway and 100 Year Floodplain), Fire – Brush Management (100-Foot Setback and 300-Foot Buffer), and the Fire – Very High Fire Hazard Severity Zone within the Southeastern San Diego Community Plan area. The project site is legally described as:

LOTS 19 AND 20 OF GATEWAY CENTER EAST UNIT NO. 1, IN THE CITY OF SAN DIEGO, COUNTY OF SAN DIEGO, STATE OF CALIFORNIA, ACCORDING TO MAP THEREOF NO. 11512, FILED IN THE OFFICE OF THE COUNTY RECORDER OF SAN DIEGO COUNTY, MAY 14, 1986.

Subject to the terms and conditions set forth in this Permit, permission is granted to Owner and Permittee to operate a Cannabis Outlet, described and identified by size, dimension, quantity, type, and location on the approved exhibits [Exhibit "A"] dated December 8, 2022, on file in the Development Services Department.

The project shall include:

- a. Operation of a 2,996-square-foot Cannabis Outlet in Suites 107 and 108 within an existing three-story, 42,530-square-foot commercial building;
- b. Landscaping (planting, irrigation and landscape related improvements);
- c. Off-street parking; and

- d. Public and private accessory improvements determined by the Development Services Department to be consistent with the land use and development standards for this site in accordance with the adopted community plan, the California Environmental Quality Act [CEQA] and the CEQA Guidelines, the City Engineer's requirements, zoning regulations, conditions of this Permit, and any other applicable regulations of the SDMC.

STANDARD REQUIREMENTS:

1. **Utilization date:** This permit must be utilized within thirty-six (36) months after the date on which all rights of appeal have expired. If this permit is not utilized in accordance with Chapter 12, Article 6, Division 1 of the SDMC within the 36-month period, this permit shall be void unless an Extension of Time has been granted. Any such Extension of Time must meet all SDMC requirements and applicable guidelines in effect at the time the extension is considered by the appropriate decision maker. This Conditional Use Permit (CUP) must be utilized by December 8, 2025.

2. **Expiration Date:** This Conditional Use Permit (CUP) and corresponding use of this site shall expire on December 8, 2027.

This expiration date can be extended by filing for a CUP amendment pursuant to SDMC 126.0114(c), 126.0114(d), and 141.0504(n). To allow the use to continue to operate while an amendment is processed, an amendment application must be deemed complete by the close of business on the expiration date. Otherwise, this permit will expire, and all operation of the use must cease.

An amendment application should be filed at least 90 days before expiration to allow time to be deemed complete.

3. The continued utilization of this CUP is contingent upon (but not limited to) the following, with non-compliance with any of the following being cause to revoke this permit:
 - a. A valid license at this location granted by the California Department of Cannabis Control (DCC) for the proposed cannabis business activities. Once initially obtained, this license must not be allowed to lapse while the associated business is in operation. The issuance of this CUP does not guarantee that the DCC will grant a license for this location.
 - b. Compliance with Chapter 4, Article 2, Division 15 of the San Diego Municipal Code, including payment of any fees enacted pursuant to SDMC 42.1506.
 - c. Timely payment of all Cannabis Business Tax owed pursuant to Chapter 3, Article 4, Division 1 of the San Diego Municipal Code.
 - d. Possession of a valid Business Tax Certificate issued by the City of San Diego for all cannabis businesses operating at this location.
 - e. Continued compliance with all Permit Conditions herein.
 - f. Continued compliance with all other applicable federal, state, and local laws.

4. No permit for the construction, occupancy, or operation of any facility or improvement described herein shall be granted, nor shall any activity authorized by this Permit be conducted on the premises until:

- a. The Owner/Permittee signs and returns the Permit to the Development Services Department; and
- b. The Permit is recorded in the Office of the San Diego County Recorder.

5. While this Permit is in effect, the subject property shall be used only for the purposes and under the terms and conditions set forth in this Permit unless otherwise authorized by the appropriate City decision maker.

6. This Permit is a covenant running with the subject property and all of the requirements and conditions of this Permit and related documents shall be binding upon the Owner/Permittee and any successor(s) in interest.

7. The continued use of this Permit shall be subject to the regulations of this and any other applicable governmental agency.

8. Issuance of this Permit by the City of San Diego does not authorize the Owner/Permittee for this Permit to violate any Federal, State or City laws, ordinances, regulations or policies including, but not limited to, the Endangered Species Act of 1973 [ESA] and any amendments thereto (16 U.S.C. section 1531 et seq.).

9. The Owner/Permittee shall secure all necessary building permits. The Owner/Permittee is informed that to secure these permits, substantial building modifications and site improvements may be required to comply with applicable building, fire, mechanical, and plumbing codes, and State and Federal disability access laws.

10. Construction plans shall be in substantial conformity to Exhibit "A." Changes, modifications, or alterations to the construction plans are prohibited unless appropriate application(s) or amendment(s) to this Permit have been granted.

11. All of the conditions contained in this Permit have been considered and were determined necessary to make the findings required for approval of this Permit. The Permit holder is required to comply with each and every condition in order to maintain the entitlements that are granted by this Permit.

If any condition of this Permit, on a legal challenge by the Owner/Permittee of this Permit, is found or held by a court of competent jurisdiction to be invalid, unenforceable, or unreasonable, this Permit shall be void. However, in such an event, the Owner/Permittee shall have the right, by paying applicable processing fees, to bring a request for a new permit without the "invalid" condition(s) back to the discretionary body which approved the Permit for a determination by that body as to whether all of the findings necessary for the issuance of the proposed permit can still be made in the absence of the "invalid" condition(s). Such hearing shall be a hearing de novo, and the

discretionary body shall have the absolute right to approve, disapprove, or modify the proposed permit and the condition(s) contained therein.

12. The Owner/Permittee shall defend, indemnify, and hold harmless the City, its agents, officers, and employees from any and all claims, actions, proceedings, damages, judgments, or costs, including attorney's fees, against the City or its agents, officers, or employees, relating to the issuance of this permit including, but not limited to, any action to attack, set aside, void, challenge, or annul this development approval and any environmental document or decision. The City will promptly notify Owner/Permittee of any claim, action, or proceeding and, if the City should fail to cooperate fully in the defense, the Owner/Permittee shall not thereafter be responsible to defend, indemnify, and hold harmless the City or its agents, officers, and employees. The City may elect to conduct its own defense, participate in its own defense, or obtain independent legal counsel in defense of any claim related to this indemnification. In the event of such election, Owner/Permittee shall pay all of the costs related thereto, including without limitation reasonable attorney's fees and costs. In the event of a disagreement between the City and Owner/Permittee regarding litigation issues, the City shall have the authority to control the litigation and make litigation related decisions, including, but not limited to, settlement or other disposition of the matter. However, the Owner/Permittee shall not be required to pay or perform any settlement unless such settlement is approved by Owner/Permittee.

13. Prior to the commencement of operations granted by this Permit, the Owner/Permittee shall be granted occupancy for this cannabis use through a building permit, consistent with all California Codes and Regulations in effect at the time of building permit, satisfactory to the Building Official.

CLIMATE ACTION PLAN REQUIREMENTS:

14. Owner/Permittee shall comply with the Climate Action Plan (CAP) Consistency Checklist stamped as Exhibit "A." Prior to issuance of any construction permit, all CAP strategies shall be noted within the first three (3) sheets of the construction plans under the heading "Climate Action Plan Requirements" and shall be enforced and implemented to the satisfaction of the Development Services Department.

ENGINEERING REQUIREMENTS:

15. Prior to the issuance of any construction permit, the Owner/Permittee shall obtain an Encroachment Maintenance and Removal Agreement (EMRA) for any landscape and irrigation located within the City's Right-Of-Way, satisfactory to the City Engineer.

16. Prior to the issuance of any building permit, the Owner/Permittee shall assure by permit and bond the reconstruction of the existing driveway and the installation of a new City standard driveway, Gateway Center Way, satisfactory to the City Engineer.

LANDSCAPE REQUIREMENTS:

17. Prior to issuance of any construction permit for grading, the Owner/Permittee shall submit complete construction documents for the revegetation and hydro-seeding of all disturbed land in

accordance with the City of San Diego Landscape Standards, Storm Water Design Manual, and to the satisfaction of the Development Services Department. All plans shall be in substantial conformance to this permit (including Environmental conditions) and Exhibit "A," on file in the Development Services Department.

18. Prior to issuance of any construction permit for public improvements, the Owner/Permittee shall submit complete landscape construction documents for right-of-way improvements to the Development Services Department for approval. Improvement plans shall show, label, and dimension a 40-square-foot area around each tree which is unencumbered by utilities. Driveways, utilities, drains, water and sewer laterals shall be designed so as not to prohibit the placement of street trees.

19. Prior to issuance of any construction permit for building (including shell), the Owner/Permittee shall submit complete landscape and irrigation construction documents, which are consistent with the Landscape Standards, to the Development Services Department for approval. The construction documents shall be in substantial conformance with Exhibit "A," Landscape Development Plan, on file in the Development Services Department. Construction plans shall provide a 40-square-foot area around each tree that is unencumbered by hardscape and utilities unless otherwise approved per SDMC 142.0403(b)6.

20. The Brush Management Program shall consist of a standard Zone One of 35-ft. in width, and a Zone Two of 65-ft. in width, extending out from the structure towards the native/naturalized vegetation, consistent with SDMC 142.0412.

21. The Owner/Permittee shall be responsible for the maintenance of all landscape improvements shown on the approved plans, including the right-of-way, unless long-term maintenance of said landscaping will be the responsibility of another entity approved by the Development Services Department. All required landscape shall be maintained consistent with the City's Landscape Standards in a disease, weed, and litter free condition at all times. Severe pruning or "topping" of trees is not permitted.

22. If any required landscape (including existing or new plantings, hardscape, landscape features, etc.) indicated on the approved construction documents is damaged or removed during demolition or construction, the Owner/Permittee shall repair and/or replace in kind, and in an equivalent size per the approved documents to the satisfaction of the Development Services Department within 30 days of damage or Final Inspection.

PLANNING/DESIGN REQUIREMENTS:

23. Lighting shall be provided to illuminate the interior, facade, and the immediate surrounding area of the cannabis outlet, including any accessory uses, parking lots, and adjoining sidewalks. Lighting shall be hooded or oriented to deflect light away from adjacent properties.

24. Security shall be provided at the cannabis outlet which shall include operable cameras, alarms, and a security guard. The security guard shall be licensed by the State of California and be present

on the premises during business hours. The security guard shall only be engaged in activities related to providing security for the facility, except on an incidental basis.

25. The Owner/Permittee shall provide a sufficient odor absorbing ventilation and system capable of minimizing excessive or offensive odors emanating outside of the permitted cannabis outlet to the satisfaction of the Development Services Department.

26. Signage: Primary signs shall be posted on the outside of the cannabis outlet and shall only contain the name of the business, which shall contain only alphabetic characters, and shall be limited to two colors. Secondary signs advertising cannabis, window signs and any display visible from the public right-of-way, are not permitted. No marketing or advertising for cannabis or cannabis products shall be displayed visible from the public right-of-way. All cannabis licensees, and any person acting on behalf of a licensee, must comply with the State of California statutes and regulations governing commercial cannabis advertising and/or promoting.

27. The name and emergency contact phone number of the designated responsible managing operator shall be posted in a location visible from outside the cannabis outlet in character size at least two inches in height.

28. The cannabis outlet shall operate only between the hours of 7:00 a.m. and 9:00 p.m., seven days a week.

29. The use of vending machines which allow access to cannabis and cannabis products except by a responsible person, as defined in San Diego Municipal Code Section 42.1502, is prohibited. For purposes of this Section, a vending machine is any device which allows access to cannabis and cannabis products without a human intermediary.

30. An annual operating permit shall be obtained as required pursuant to San Diego Municipal Code Chapter 4, Article 2, Division 15.

31. Deliveries shall be permitted as an accessory use only from the cannabis outlet with a valid Conditional Use Permit unless otherwise allowed pursuant to state law.

32. The cannabis outlet, adjacent public sidewalks, and areas under the control of the cannabis outlet, shall be maintained free of litter and graffiti at all times.

33. The Owner/Permittee shall provide daily removal of trash, litter, and debris of the premises. Graffiti shall be removed from the premises within 24 hours.

34. Consultations by medical professionals shall not be a permitted accessory use at the cannabis outlet.

TRANSPORTATION REQUIREMENTS:

35. All automobile, motorcycle and bicycle parking spaces must be constructed in accordance with the requirements of the SDMC. All on-site parking stalls and aisle widths shall be in compliance with

requirements of the City's Land Development Code and shall not be converted and/or utilized for any other purpose, unless otherwise authorized in writing by the appropriate City decision maker in accordance with the SDMC.

36. The Owner/Permittee will provide the following Vehicle Miles Traveled (VMT) reduction measures:

- a. Provide one on-site bicycle repair station in the location shown in Exhibit A.
- b. Provide short-term bicycle parking spaces that are available to the public, at least 10% beyond the minimum requirements. The project is required to have 2 short-term bicycle parking spaces. Additional short-term bicycle spaces are being provided in excess of the minimum requirement. Three short-term spaces (1 additional for VMT Reduction Measures) are being proposed and their location is shown in Exhibit A.
- c. Provide long-term bicycle parking spaces that are available to the public, at least 10% beyond the minimum requirements. The project is required to have 1 long-term bicycle parking space. Additional long-term bicycle spaces (lockers) are being provided in excess of the minimum requirement. Four long-term bicycle parking spaces (3 additional for VMT Reduction Measures) are being proposed and their location is shown in Exhibit A.

These improvements shall be completed and operational prior to first occupancy.

INFORMATION ONLY:

- The issuance of this discretionary permit alone does not allow the immediate commencement or continued operation of the proposed use on site. Any operation allowed by this discretionary permit may only begin or recommence after all conditions listed on this permit are fully completed and all required ministerial permits have been issued and received final inspection.
- Any party on whom fees, dedications, reservations, or other exactions have been imposed as conditions of approval of this Permit, may protest the imposition within ninety days of the approval of this development permit by filing a written protest with the City Clerk pursuant to California Government Code-section 66020.
- This development may be subject to impact fees at the time of construction permit issuance.
- Cannabis businesses that operate or provide services within the City of San Diego are liable for a monthly gross receipts tax. As referenced in San Diego Municipal Code Section [34.0103 \(b\)](#), taxable activities include but are not limited to, transporting, manufacturing, cultivating, packaging, or retail sales of cannabis and any ancillary products in the City. For additional information, contact the Office of the City Treasurer at (619) 615-1580.

APPROVED by the Planning Commission of the City of San Diego on December 8, 2022 and Resolution Number XXXX.

ATTACHMENT 4

Permit Type/PTS Approval No.: Conditional Use Permit No. 3172940
Date of Approval: December 8, 2022

AUTHENTICATED BY THE CITY OF SAN DIEGO DEVELOPMENT SERVICES DEPARTMENT

Travis Cleveland
Development Project Manager

NOTE: Notary acknowledgment must be attached per Civil Code section 1189 et seq.

The undersigned Owner/Permittee, by execution hereof, agrees to each and every condition of this Permit and promises to perform each and every obligation of Owner/Permittee hereunder.

Gateway SMP LLC
A California Limited Liability Company
Owner

By _____
NAME
TITLE

Prime Harvest D9, LLC
A California Limited Liability Company
Permittee

By _____
NAME
TITLE

NOTE: Notary acknowledgments must be attached per Civil Code section 1189 et seq.

201736310297



Secretary of State
Application to Register a Foreign Limited Liability Company (LLC)

LLC-5

FILED
 Secretary of State
 State of California

ANT
TNG

DEC 18 2017

1CC

This Space For Office Use Only

IMPORTANT — Read Instructions before completing this form.
 Must be submitted with a current Certificate of Good Standing issued by the government agency where the LLC was formed. See Instructions.

Filing Fee - \$70.00

Copy Fees - First page \$1.00; each attachment page \$0.50;
 Certification Fee - \$5.00

Note: Registered LLCs in California may have to pay minimum \$800 tax to the California Franchise Tax Board each year. For more information, go to <https://www.ftb.ca.gov>.

1a. LLC Name (Enter the exact name of the LLC as listed on your attached Certificate of Good Standing.)

PRIME HARVEST LLC

1b. California Alternate Name, If Required (See Instructions – Only enter an alternate name if the LLC name in 1a not available in California.)

2. LLC History (See Instructions – Ensure that the formation date and jurisdiction match the attached Certificate of Good Standing.)

a. Date LLC was formed in home jurisdiction (MM/DD/YYYY) 5 / 31 / 2016	b. Jurisdiction (State, foreign country or place where this LLC is formed.) NEVADA
--	--

c. Authority Statement (Do not alter Authority Statement)

This LLC currently has powers and privileges to conduct business in the state, foreign country or place entered in Item 2b.

3. Business Addresses (Enter the **complete** business addresses. Items 3a and 3b cannot be a P.O. Box or "in care of" an individual or entity.)

a. Street Address of Principal Executive Office - Do not enter a P.O. Box 2100 4TH AVE	City (no abbreviations) SAN DIEGO	State CA	Zip Code 92101
b. Street Address of Principal Office in California, if any - Do not enter a P.O. Box 2100 4TH AVE	City (no abbreviations) SAN DIEGO	State CA	Zip Code 92101
c. Mailing Address of Principal Executive Office, if different than item 3a	City (no abbreviations)	State	Zip Code

4. Service of Process (Must provide either Individual **OR** Corporation.)

INDIVIDUAL – Complete Items 4a and 4b only. Must include agent's full name and California street address.

a. California Agent's First Name (if agent is not a corporation) EULENTHIUS	Middle Name DUANE	Last Name ALEXANDER	Suffix
b. Street Address (if agent is not a corporation) - Do not enter a P.O. Box 2100 4TH AVE	City (no abbreviations) SAN DIEGO	State CA	Zip Code 92101

CORPORATION – Complete Item 4c only. Only include the name of the registered agent Corporation.

c. California Registered Corporate Agent's Name (if agent is a corporation) – Do not complete Item 4a or 4b

5. Read and Sign Below (See Instructions. Title not required.)

I am authorized to sign on behalf of the foreign LLC.


 Signature

Eulenthius ALEXANDER
 Type or Print Name

SECRETARY OF STATE



**CERTIFICATE OF EXISTENCE
WITH STATUS IN GOOD STANDING**

I, Barbara K. Cegavske, the duly elected and qualified Nevada Secretary of State, do hereby certify that I am, by the laws of said State, the custodian of the records relating to filings by corporations, non-profit corporations, corporation soles, limited-liability companies, limited partnerships, limited-liability partnerships and business trusts pursuant to Title 7 of the Nevada Revised Statutes which are either presently in a status of good standing or were in good standing for a time period subsequent of 1976 and am the proper officer to execute this certificate.

I further certify that the records of the Nevada Secretary of State, at the date of this certificate, evidence, **PRIME HARVEST, LLC**, as a limited liability company duly organized under the laws of Nevada and existing under and by virtue of the laws of the State of Nevada since May 31, 2016, and is in good standing in this state.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the Great Seal of State, at my office on December 11, 2017.

Barbara K. Cegavske
Secretary of State



Electronic Certificate
Certificate Number: C20171211-0705
You may verify this electronic certificate
online at <http://www.nvsos.gov/>

201736310297



202250910964



STATE OF CALIFORNIA
Office of the Secretary of State
ARTICLES OF ORGANIZATION
CA LIMITED LIABILITY COMPANY
 California Secretary of State
 1500 11th Street
 Sacramento, California 95814
 (916) 653-3516

For Office Use Only
-FILED-
 File No.: 202250910964
 Date Filed: 5/24/2022

B0766-9627 05/24/2022 1:46 PM Received by California Secretary of State

Limited Liability Company Name Limited Liability Company Name	Prime Harvest D9 LLC
Initial Street Address of Principal Office of LLC Principal Address	995 GATEWAY CENTER WAY, SUITE 107 - 108 SAN DIEGO, CA 92102
Initial Mailing Address of LLC Mailing Address Attention	995 GATEWAY CENTER WAY, SUITE 107 - 108 SAN DIEGO, CA 92102
Agent for Service of Process California Registered Corporate Agent (1505)	LEGALZOOM.COM, INC. Registered Corporate 1505 Agent
Purpose Statement	The purpose of the limited liability company is to engage in any lawful act or activity for which a limited liability company may be organized under the California Revised Uniform Limited Liability Company Act.
Management Structure The LLC will be managed by	One Manager
Additional information and signatures set forth on attached pages, if any, are incorporated herein by reference and made part of this filing.	
Electronic Signature	
<input checked="" type="checkbox"/> By signing, I affirm under penalty of perjury that the information herein is true and correct and that I am authorized by California law to sign.	
<i>Legalzoom.com, Inc. By: Cheyenne Moseley, Assistant Secretary</i> Organizer Signature	<u>05/24/2022</u> Date



BA20221142621



STATE OF CALIFORNIA
Office of the Secretary of State
STATEMENT OF INFORMATION
LIMITED LIABILITY COMPANY
 California Secretary of State
 1500 11th Street
 Sacramento, California 95814
 (916) 653-3516

For Office Use Only
-FILED-
 File No.: BA20221142621
 Date Filed: 11/17/2022

B1258-3015 11/17/2022 6:06 PM Received by California Secretary of State

Entity Details					
Limited Liability Company Name	Prime Harvest D9 LLC				
Entity No.	202250910964				
Formed In	CALIFORNIA				
Street Address of Principal Office of LLC					
Principal Address	995 GATEWAY CENTER WAY, SUITE 107 - 108 SAN DIEGO, CA 92102				
Mailing Address of LLC					
Mailing Address	995 GATEWAY CENTER WAY, SUITE 107 - 108 SAN DIEGO, CA 92102				
Attention					
Street Address of California Office of LLC					
Street Address of California Office	995 GATEWAY CENTER WAY, SUITE 107 - 108 SAN DIEGO, CA 92102				
Manager(s) or Member(s)					
<table border="1"> <thead> <tr> <th>Manager or Member Name</th> <th>Manager or Member Address</th> </tr> </thead> <tbody> <tr> <td>+ Eulenthius D Alexander</td> <td>1210 OLIVE STREET RAMONA, CA 92065</td> </tr> </tbody> </table>		Manager or Member Name	Manager or Member Address	+ Eulenthius D Alexander	1210 OLIVE STREET RAMONA, CA 92065
Manager or Member Name	Manager or Member Address				
+ Eulenthius D Alexander	1210 OLIVE STREET RAMONA, CA 92065				
Agent for Service of Process					
Agent Name	Eulenthius D Alexander				
Agent Address	1210 OLIVE STREET RAMONA, CA 92065				
Type of Business					
Type of Business	Retail medical dispensary				
Email Notifications					
Opt-in Email Notifications	Yes, I opt-in to receive entity notifications via email.				
Chief Executive Officer (CEO)					
<table border="1"> <thead> <tr> <th>CEO Name</th> <th>CEO Address</th> </tr> </thead> <tbody> <tr> <td>+ Eulenthius D Alexander</td> <td>1210 OLIVE STREET RAMONA, CA 92065</td> </tr> </tbody> </table>		CEO Name	CEO Address	+ Eulenthius D Alexander	1210 OLIVE STREET RAMONA, CA 92065
CEO Name	CEO Address				
+ Eulenthius D Alexander	1210 OLIVE STREET RAMONA, CA 92065				
Labor Judgment					
No Manager or Member of this Limited Liability Company has an outstanding final judgment issued by the Division of Labor Standards Enforcement or a court of law, for which no appeal therefrom is pending, for the violation of any wage order or provision of the Labor Code.					

Electronic Signature

By signing, I affirm under penalty of perjury that the information herein is true and correct and that I am authorized by California law to sign.

John R Kazanjian

11/17/2022

Signature

Date