

Annual Receiving Waters Monitoring & Toxicity Testing Quality Assurance Report

2016

Annual Receiving Waters Monitoring & Toxicity Testing Quality Assurance Report

2016

Prepared By:

City of San Diego
Ocean Monitoring Program
Public Utilities Department
Environmental Monitoring & Technical Services Division

March 2017

Timothy D. Stebbins, Senior Editor Robin Gartman, Managing Editor Ami Latker, Associate Editor

Table of Contents

Introduction	1
Tim Stebbins	
Facilities and Staff	1
Tim Stebbins	
Scope of Work	4
Tim Stebbins	
Summary of Work Performed in 2016	9
Tim Stebbins	
CTD Calibration and Maintenance.	9
Adriano Feit	
Bacteriological Quality Assurance Analyses	13
Laila Othman, Zaira Valdez	
Macrofaunal Community – Resort Analysis	14
Ron Velarde	
Toxicology Quality Assurance Analyses	15
Violet Renick	
Literature Cited	17

APPENDICES

Appendix A: Organizational Charts

Acknowledgments: We are grateful to the personnel of the City's Marine Biology, Marine Microbiology, and Toxicology laboratories for their assistance in the collection and processing of all samples. The completion of this report would not have been possible without their continued efforts and contributions. We would also like to acknowledge the City's Environmental Chemistry Services section for providing the chemistry data referenced herein.

Table of Contents

LIST OF TABLES

1	NPDES permits governing receiving waters and toxicity testing requirements	2
2	ELAP certifications for EMTS Marine Microbiology and Toxicology labs	3
3	NPDES-permit mandated receiving waters sampling effort for Point Loma outfall region	5
4	NPDES-permit mandated receiving waters sample effort for South Bay outfall region	6
5	NPDES-permit mandated toxicity testing conducted by EMTS	8
6	Number of samples collected and analyzed by EMTS during 2016	10
7	Summary of CTD intercalibration casts	11
8	Summary of bacteriological QA analyses conducted during 2016	14
9	Results of macrofauna sample resort analyses for 2016.	15
List	of Figures	
1	NPDES permit mandated water quality, benthic, trawl and rig fishing stations	7
2	Comparison of results from CTD units #5 and #6	12

2016 Quality Assurance Report

Introduction

The Environmental Monitoring and Technical Services (EMTS) Division of the City of San Diego Public Utilities Department performs comprehensive Quality Assurance (QA)/Quality Control (QC) activities to ensure the accuracy and reliability of both receiving waters monitoring and toxicity testing data provided to regulatory agencies in compliance with the reporting requirements specified in several National Pollutant Discharge Elimination System (NPDES) permits (Table 1). These QA/QC procedures assure the quality and consistency of field sampling, laboratory analysis, record keeping, data entry, electronic data collection/transfer, as well as data analysis and reporting. The procedures are regularly reviewed and revised as necessary to reflect ongoing changes in permit requirements, sample collection methods, technology, and applicability of new analytical methods.

Details of the division's QA/QC program for receiving waters monitoring is documented in a separate Quality Assurance Plan that is currently under revision (City of San Diego, in prep). Additionally, the EMTS Division maintains certification through the International Organization for Standardization 14001 Environmental Management Systems program (ISO 14001). As a part of continuation in the ISO 14001 certification process, EMTS underwent and passed an external audit in 2016 conducted by a third-party auditor.

This report summarizes the QA/QC activities that were conducted during calendar year 2016 by City of San Diego staff in support of NPDES permit requirements for receiving waters monitoring and toxicity testing for the City's Point Loma Wastewater Treatment Plant and South Bay Water Reclamation Plant, as well as similar ocean monitoring activities required for the South Bay International Wastewater Treatment Plant owned and operated by the International Boundary and Water Commission, U.S. Section.

FACILITIES AND STAFF

The EMTS Division includes laboratories from three different sections that participate in the receiving waters monitoring and toxicity testing activities associated with the above NPDES permits: (1) the Marine Biology and Ocean Operations section (Marine Biology Lab); (2) the Microbiology section (Marine Microbiology Lab and Toxicology Lab); (3) Environmental Chemistry Services section (Environmental Chemistry Lab).

The Marine Biology, Marine Microbiology, and Toxicology Labs are located at the Division's laboratory facility at 2392 Kincaid Road, San Diego, CA 92101. Staff scientists from these three labs are responsible for conducting most field sampling operations and subsequent biological and oceanographic laboratory assessments associated with the City's Ocean Monitoring Program (e.g., water quality, benthic sediments and macrofauna, trawl-caught fishes and invertebrates, contaminant bioaccumulation in fishes). Laboratory personnel are organized into different work groups based on main responsibilities and areas of expertise (see Appendices A.1, A.2). Brief descriptions of the areas of emphasis for each work group are given in the following sections.

The Environmental Chemistry Services (ECS) section is located at other City facilities and is responsible for performing chemical analyses of the various seawater, sediment and fish tissue samples collected by Marine Biology staff. Descriptions of the ECS section and their QA procedures are presented in a separate QA report each year.

Table 1

NPDES permits and associated Orders issued by the San Diego Regional Water Quality Control Board for the City of San Diego's Point Loma Wastewater Treatment Plant (PLWTP) and South Bay Water Reclamation Plant (SBWRP), and the U.S. Section of the International Boundary and Water Commission's South Bay International Wastewater Treatment Plant (SBIWTP).

Facility	NPDES Permit No.	Order No.	Effective Dates	Notes
PLWTP	CA0107409	R9-2009-0001	August 1, 2010 – July 31, 2015	Order administratively extended effective February 19, 2015 ^a
SBWRP	CA0109045	R9-2013-0006	April 4, 2013 – April 3, 2018	Amended by Order R9-2014-0071 on November 12, 2014
SBIWTP	CA0108928	R9-2014-0009ª	August 1, 2014 – July 31, 2019	Amended by Order R9-2014-0094 on November 12, 2014

^aLetter dated February 19, 2015 to Halla Razak, Director of Public Utilities, from Regional Water Quality Control Board, San Diego Region (Reference = Place ID 248796:JLLIM)

Marine Biology and Ocean Operations

Assessment and Reporting: The primary responsibility of the Assessment and Reporting work group is to analyze and report receiving waters monitoring data. This includes data QA, data analysis, and the interpretation of results from the receiving waters monitoring activities and other contract work. Personnel in this group work closely with the Information Management group described below to perform QA of all receiving waters monitoring data that are entered into the laboratory's database. Various industry standard software packages for data management, data manipulation, statistical analysis, and presentation are used to manage and analyze data from every aspect of receiving waters monitoring. The results and interpretation of these analyses are reported to regulatory and contract agencies in the form of monthly and annual reports.

Information Management: The Information Management work group is primarily responsible for the administration of the laboratory's database, performing geospatial data analysis, and generating all map products needed for the ocean monitoring program. Daily responsibilities include entry and archiving of ocean monitoring data, validation of data accuracy, maintenance of database structure and integrity, oversight of database access/security issues, and management of database enhancements. This group is also responsible for IT project planning, workflow automation programming, and website maintenance to support Marine Biology and other EMTS laboratory staff.

Ocean Operations: This work group comprises two subsections, Ocean Operations and Vessel Operations. Ocean Operations personnel oversee and conduct water quality sampling, benthic sediment and macrofauna sampling, trawling and rig-fishing, and ocean outfall inspections. These staff members maintain and calibrate all oceanographic instrumentation, including the lab's remotely operated vehicle (ROV). Vessel operations personnel are primarily responsible for the operation and maintenance of the City's two monitoring vessels (Oceanus and Monitor III). When in port, the group's boat operators schedule and oversee all regular vessel maintenance as well as any modifications that may become necessary. While at sea, they are responsible for ensuring the safety of the crew, locating and maintaining position at monitoring stations, and assisting with various deck activities during field operations.

Table 2ELAP certifications for EMTS Division Marine Microbiology and Toxicology labs located at 2392 Kincaid Road, San Diego, CA. 92101.

Laboratory	Phone	EPA Lab ID	ELAP Cert. No.
Marine Microbiology	619-758-2360	CA01393	2185
Toxicology	619-758-2348	CA01302	1989

Taxonomy: The Taxonomy work group coordinates processing of all benthic macrofauna and trawl invertebrate samples, maintains the taxonomic literature and voucher collections, and conducts taxonomic training. In addition, taxonomy staff produce in-house identification sheets and keys to various species and other higher-level taxa groups. Members of this work group participate in a regional taxonomic standardization program and perform all QA/QC procedures to ensure the accuracy of the taxonomic identifications made by laboratory personnel.

Microbiology

Marine Microbiology: The Marine Microbiology Laboratory is certified by the State of California Department of Health Services, Environmental Laboratory Accreditation Program (ELAP), which is renewed on a biennial basis (see Table 2). Microbiology personnel are responsible for the identification and quantification of bacteria found in environmental samples. Responsibilities include the preparation of microbiological media, reagents, sample bottles, supplies and equipment, the collection of field samples along the shore, and laboratory analyses to measure concentrations of fecal indicator bacteria (e.g., membrane filtration, multiple tube fermentation, and Colilert-18 and Enterolert chromogenic substrate analyses) as appropriate to the sample type and as required by the NPDES permits. In addition, the group is responsible for the physical maintenance and quality assurance of large instruments such as autoclaves, incubators, water baths, ultra-freezers, a bacteriological safety cabinet, and three reagent-grade water point-of-use systems. Members are also responsible for developing sampling, analytical, and quality assurance protocols for special projects or studies involving microbiology.

Members of the Marine Microbiology Lab also provide for monitoring, surveillance, control and prevention of insects and other pests that are capable of transmitting diseases or causing harm to humans. The primary methods of control include environmental conservation measures, education, and water management techniques aided by appropriate chemical and biological control technology. The vector control program uses methods to census animal populations to determine control effectiveness and trends. Areas of responsibility include wastewater treatment plants, pump stations, buildings and office facilities. Biological assessments (bioassessments) of urban creeks and streams are also conducted to evaluate and analyze short and long-term impacts of sewage spills into watersheds and receiving waters. In such cases, field samples of aquatic communities are collected and field water quality indicators are measured. Physical habitat characteristics and anthropogenic changes are evaluated. Measures, evaluations, and comparisons are made to yield relative ratings of conditions within a specified community.

Toxicology: The Toxicology Laboratory is also certified by ELAP with renewal on a biennial basis (see Table 2). Toxicology personnel are responsible for conducting or overseeing all acute and chronic toxicity testing required by the City's NPDES permits and contractual obligations. Primary responsibilities

include collection of wastewater effluent or other types of samples, maintaining test organisms and laboratory supplies, calibration of test instruments, conducting acute and chronic bioassays, record keeping, and the statistical evaluation, interpretation and reporting of all toxicology data. In addition to being summarized here, the Toxicology Lab maintains a separate, detailed Quality Assurance Manual that contains up-to-date revisions to reflect current laboratory practices and procedures, and ensures timely document version control in accordance with ELAP requirements and ISO 14001 standards.

SCOPE OF WORK

The City of San Diego Ocean Monitoring Program is responsible for monitoring the coastal San Diego area to document and analyze possible impacts on the marine environment due to the discharge of municipal wastewater to the Pacific Ocean via the Point Loma Ocean Outfall (PLOO) and the South Bay Ocean Outfall (SBOO). Treated effluent from the Point Loma Wastewater Treatment Plant (PLWTP) is discharged to the ocean through the PLOO, whereas commingled effluent from the South Bay Water Reclamation Plant (SBWRP) and South Bay International Wastewater Treatment Plant (SBIWTP) is discharged through the SBOO. The separate orders and permits associated with these treatment facilities (see Table 1) define the requirements for receiving waters monitoring and toxicity testing in terms of sampling plans, compliance criteria, laboratory analyses, statistical analyses and reporting guidelines.

The core receiving waters monitoring requirements for the Point Loma and South Bay monitoring programs that were in effect throughout calendar year (CY) 2016 are summarized in Tables 3 and 4, respectively, and the permanent, fixed position sampling sites for each program are shown in Figure 1. These core monitoring activities include: (1) weekly sampling of ocean waters from recreational areas located along the shoreline and within the Point Loma and Imperial Beach kelp beds to assess nearshore water quality conditions; (2) quarterly sampling of ocean waters at offshore sites in order to document water quality conditions throughout the region; (3) semiannual benthic sampling to monitor sediment conditions and the status of resident macrobenthic invertebrate communities; (4) semiannual trawl surveys to monitor the ecological health of demersal fish and megabenthic invertebrate communities; (5) annual collection of fish tissue samples to monitor levels of chemical constituents that may have ecological or human health implications. In addition to the receiving waters monitoring activities described above, toxicity testing (acute and chronic bioassays) is required for influent, effluent, and groundwater samples as outlined in Table 5. The results of the above receiving waters monitoring activities and effluent toxicity tests are analyzed and presented in various regulatory reports that are submitted to the San Diego Regional Water Quality Control Board (SDRWOCB) and United States Environmental Protection Agency (USEPA) on an on-going basis. Although not included in this report, a new Sediment Toxicity Monitoring Plan for the South Bay and Point Loma ocean outfall monitoring regions was implemented in 2016 (City of San Diego, 2015). The results of this 3-year pilot study, including associated QA/QC activities, will be presented separately in a final project report expected July 1, 2018.

In addition to the above core monitoring efforts, the City also conducts "strategic process studies" (i.e., special projects) as part of its regulatory requirements and as defined by the Model Monitoring Program developed for large ocean dischargers in southern California (Schiff et al. 2002). These special studies are determined by the City in coordination with the SDRWQCB and USEPA, and are generally

Fable 3

NPDES-permit mandated receiving waters sampling effort for the Point Loma Ocean Outfall region, excluding resamples, QA/QC analyses (e.g., field and laboratory duplicates), or special studies.

Monitoring Component	Location St	No. of Location Stations/Zones	Sample Type	Discrete No. Samples/Site	Sampling Frequency	Sampling Times/Yr	Discrete No. Samples/Yr	Parameters	No. "Samples" Analyzed/Yr	Notes
Water Quality, Microbiology	shore	ω	Seawater - Bacti	-	weekly	52	416	T, F, E	1248	1 sample/station
જ	kelp	œ	Seawater - Bacti	က	5x/month	09	1440	T, F, E ^a	4320	3 depths/station
Oceanographic		80	Seawater - NH ₄	က	quarterly	4	96	N H	96	3 depths/station
Conditions		ω	CTD	-	5x/month	09	480	CTD profile°	3840	1 cast/station
	offshore	ო	Seawater - Bacti	က	quarterly	4	36	ф	36	3 depths/station (18-m stns)
	(n=36)	1	Seawater - Bacti	က	quarterly	4	132	٩Ш	132	3 depths/station (60-m stns)
		7	Seawater - Bacti	4	quarterly	4	176	qШ	176	4 depths/station (80-m stns)
		7	Seawater - Bacti	5	quarterly	4	220	Ф	220	5 depths/station (98-m stns)
		က	Seawater - NH ₄	က	quarterly	4	36	N H	36	3 depths/stn (18-m stns, State Waters)
		6	Seawater - NH ₄	က	quarterly	4	108	N H	108	3 depths/stn (60-m stns, State Waters)
		က	Seawater - NH ₄	4	quarterly	4	48	HN T	48	4 depths/stn (80-m stns, State Waters)
		36	CTD	~	quarterly	4	4	CTD profile °	1296	1 cast/station
Sediment Quality	offshore	22	Grab	-	semiannual	2	4	sediment constituents ^d	396	1 grab/station (Jan, Jul)
Benthic Macrofauna	offshore	22	Grab	7	semiannual	7	88	community	88	2 replicate grabs/station (Jan, Jul)
Demersal Fishes & Invertebrates	offshore	9	Trawl	←	semiannual	2	12	community	12	1 trawl/station (Jan, Jul)
Bioaccumulation in Fish Tissues	offshore	4	Trawl	ю	annual	-	21	liver tissue contaminants ^e	48	3 composites/zone (Oct)
	offshore	2	Hook & Line/Trap	ဇ	annual	-	9	muscle tissue contaminants [®]	24	3 composites/zone (Oct) (2 rig-fishing sites/zones)
Totals							3494		12,124	
aT E E-total coli	iform facal or	oliform Entero	at E E = total coliform fecal coliform $Enterceord$ bacteria (n)	n = 3 naramatars) radiiirad at chora and kaln stations	s positivos	t chore and	anditate alon			

^a T. F. E= total coliform, fecal coliform, *Enterococcus* bacteria (n= 3 parameters) required at shore and kelp stations
^b E= *Enterococcus* only required at offshore stations
^c CTD profile = depth, temperature, salinity, dissolved oxygen, light transmittance (transmissivity), chlorophyll a, pH, density, CDOM (n= 9 parameters)
^c CTD profile = depth, temperature, salinity, dissolved oxygen, light transmittance (transmissivity), chlorinated pesticides, PAHs, BOD (n= 9 parameter categories; see NPDES permit for complete list of constituents; BOD = voluntary)
^e Fish tissue contaminants = lipids, PCBs, chlorinated pesticides, metals (n=4 parameter categories; see NPDES permit for complete list of constituents)

Fable 4

NPDES-permit mandated receiving waters sampling effort for the South Bay Ocean Outfall region, excluding resamples, QA/QC analyses (e.g., field and laboratory duplicates), or special studies. [Reflects SBWRP and SBIWTP permits amended November 12, 2014] *

Monitoring Component	Location	Number of Stations	f Sample Type	Discrete No. Samples/Site	Sampling Frequency	Sampling Times/Yr	Discrete No. Samples/Yr	Parameters	No. "Samples" Analyzed/Yr	, Notes
Water Quality, Microbiology	shore	7	Seawater - Bacti	~	weekly	52	572	Т, F, Еа	1716	1 sample/station
প্ৰ	/dlay	7	Seawater - Bacti	ဂ	5x/month	09	1260	T, F, E ^a	3780	3 depths/station
Oceanographic	nearshore	7	СТО	-	5x/month	09	420	CTD profile ^b	3360	1 cast/station
Significan	offshore	21	Seawater - Bacti	က	quarterly	4	252	T, F, E ^a	756	3 depths/station
	(n=33)	33	CTD	_	quarterly	4	132	CTD profile ^b	1188	1 cast/station
		28	TSS	က	quarterly	4	336	TSS	336	3 depths/station
		28	Oil & Grease	_	quarterly	4	112	O&G	112	1 depth/station
Sediment Quality	offshore	27	Grab	-	semiannual	2	54	sediment constituents °	432	1 grab/station (Jan, Jul)
Benthic Macrofauna	offshore	27	Grab	~	semiannual	7	54	community	42	1 grab/station (Jan, Jul)
Demersal Fishes & Invertebrates	offshore	7	Trawl	-	semiannual	7	4	community	4	1 trawl/station (Jan, Jul)
Bioaccumulation in Fish Tissues	offshore	7	Trawl	က	annual	~	21	liver tissue contaminants ^d	105	3 composites/zone (Oct)
	offshore	7	Hook & Line/Trap	ю	annual	~	9	muscle tissue contaminants⁴	30	3 composites/zone (Oct) (2 rig-fishing sites/zone)
"Regional Survey" Sediment Quality random array	random array	40	Grab	-	annual	-	40	sediment constituents °	320	1 grab/station (Jul)
Benthic Macrofauna	random array	, 40	Grab	1	annual	_	40	community structure	40	1 grabs/station (Jul)
Totals							3313		12,243	

^a T, F, E = total coliform, fecal coliform, *Enterococcus* bacteria (n = 3 parameters)
^b CTD profile = depth, temperature, salinity, dissolved oxygen, light transmittance (transmissivity), chlorophyll a, pH, density, CDOM (n = 9 parameters)
^c Sediment constituents = sediment grain size, total organic carbon, total nitrogen, sulfides, metals, PCBs, chlorinated pesticides, PAHs (n = 8 parameter categories; see NPDES permit for complete list of constituents)

^dFish tissue contaminants = total lipids, metals, PCBs, chlorinated pesticides, PAHs (n=5 parameter categories; see NPDES permit for complete list of constituents)
*SBWRP Permit (NPDES No. CA0109045): Order No. R9-2013-0006 as amended by Order No. R9-2014-0071
*SBIWTP Permit (NPDES No. CA0108928): Order No. R9-2014-0009 as amended by Order No. R9-2014-0094




Figure 1NPDES permit mandated (fixed-grid) water quality, benthic, trawl and rig fishing stations for the City of San Diego's Ocean Monitoring Program for the Point Loma and South Bay Ocean Outfall regions.

Table 5

Toxicity testing required in accordance with various NPDES permits. Listed effort excludes accelerated testing requirements (e.g., triggered by Notice of Violation), additional QA/QC procedures, or special studies.

Testing Component	Location/ Sample Project Type	Sample Type	No. Samplir samples Frequer	Sampling Sampling Frequency Times/Yr	ng Sampling ncy Times/Yr	No. test Species	Effluent/ Ref Tox Tests/Yr	Total Tests/Yr	Endpoints	Dilutions per bioassay	Notes
Point Loma											
Acute toxicity	PLWTP	final effluent	_	semi- annual	0	-	2 + 2 Ref Tox	4	survival	5 + control	species=topsmelt
	(Biennial screening)	final effluent	~	3 x per 2 yrs	3 x per 2 yrs	7	6+ 6 Ref Tox per 2 yrs	12 per 2 yrs	survival	5 + control	screening spp: mysid and topsmelt
Chronic toxicity	PLWTP	final effluent	←	monthly	12	~	12 + 12 Ref Tox	24	sensitive lifestage	5 + control	species = giant kelp
	(Biennial screening)	final effluent	~	3 x per 2 yrs	3 x per 2 yrs	ო	9 + 9 Ref Tox per 2 yrs	18 per 2 yrs	sensitive lifestage	5 + control	screening spp: giant kelp, red abalone, and topsmelt
South Bay Chronic toxicity	SBWRP	final effluent	~	quarterly	4	~	4 + 4 Ref Tox	∞	sensitive lifestage	5 + control	species = giant kelp
	(Biennial screening)	final effluent	_	3 x per 2 yrs	3 x per 2 yrs	က	9 + 9 Ref Tox per 2 yrs	18 per 2 yrs	sensitive lifestage	5 + control	screening spp: giant kelp, red abalone, and topsmelt

Ref Tox=Reference Toxicant Test Sensione = development; (2) giant kelp = germination and growth; (3) topsmelt = survival and growth

designed to address recommendations for enhanced environmental monitoring of the San Diego coastal region as put forth in a peer-reviewed report coordinated by scientists at the Scripps Institution of Oceanography (SIO 2004). Data for these directed studies are subject to the same QA/QC procedures as the routine monitoring data, although the analysis and reporting schedules will likely be customized to meet the targeted goals of the special study. Thus, details and results of ongoing QA/QC activities associated with these special studies are not included in this report unless otherwise indicated.

As a part of its regulatory requirements, the City also participates in regional monitoring activities for the entire Southern California Bight coordinated by the Southern California Coastal Water Research Project (SCCWRP). The intent of these regional programs is to optimize the efforts of the various partner agencies (e.g., municipal dischargers, research agencies) and leverage their considerable scientific expertise and resources to survey the entire southern California coastal region using a cost-effective monitoring design. These bight-wide surveys have included the 1994 Southern California Bight Pilot Project (SCBPP) and subsequent Bight'98, Bight'03, Bight'08 and Bight'13 regional monitoring efforts that began in 1998, 2003, 2008 and 2013, respectively. During these programs, the City's regular sampling and analytical efforts may be reallocated as necessary with approval of the SDRWQCB and USEPA. As with special studies, the regional monitoring efforts are typically subject to QA/QC procedures similar to those for routine monitoring data, although the analysis and reporting schedules may vary. Thus, the details and results of the bight-wide monitoring efforts are not included in this report unless otherwise indicated. The planning documents for the most recent Bight'13, including the project's Quality Assurance Plan, are available upon request or for download from SCCWRP's website (www.sccwrp.org).

SUMMARY OF WORK PERFORMED IN 2016

During CY 2016, a total of 8430 discrete samples were collected by EMTS staff, including samples collected as part of permit-mandated special studies (Table 6). Of these, about 8% (n=713) were QC samples such as field duplicates. In addition, a total of 1765 QA tests were conducted to validate the quality of specific analyses such as macrofauna sorting, microbiological analyses and toxicity tests. The results of the QA/QC activities presented in the following sections support the precision and accuracy of the resultant data and validate their use in permit-mandated monitoring, environmental testing and reporting. These include: (1) intercalibration of the Conductivity-Temperature-Depth (CTD) instruments used to sample water quality parameters; (2) results of the bacteriological QA procedures; (3) results of the macrofaunal community sample re-sorts; (4) results of toxicology QA procedures.

CTD Calibration and Maintenance

Ocean Operations personnel carry out semiannual in-house CTD intercalibration exercises to ensure consistency between the two CTD instruments used to collect water column profiling data for the City's ocean monitoring program. In 2015 the Marine Biology Lab purchased two new Sea-Bird Electronics SBE-25plus CTDs, each configured with Sea-Bird's SBE-55 Eco water sampler package and six 4-liter Niskin bottles. Both CTD frames were modified extensively in 2016, with the timing of each modification staggered so that one frame was always in service; one CTD (Unit #5) was placed into service in January 2016, while modifications to the second CTD (Unit #6) were completed in November 2016. Therefore only one inter-calibration exercise

Table 6Number of discrete samples collected and analyzed by EMTS staff for NPDES permit-related activities during 2016. NA=not applicable; ECS=Environmental Chemistry Services.

	Numbe Samples Co		Number of Analyses per Sample Type
Sample Type	Regular	QC	Regular QA
Sediment Grabs			
Particle Size Subsample	174 a,b	NA	(performed by ECS)
Chemistry Subsamples	744 ^{a,b,c}	NA	(performed by ECS)
Benthic Infauna Grabs	190 ^b	NA	146 ^b 28 ^b
Otter Trawl	26	NA	26 NA
Fish Tissue	39	NA	(performed by ECS)
Water Quality			
CTD Casts	1149 ^d	NA	10,341 ^e NA
Microbiology	4569	667	12,513 ^f 1711 ^f
Suspended Solids	336	32	(performed by ECS)
Oil and Grease	112	12	(performed by ECS)
Ammonia (as nitrogen)	288	NA	288 NA
Bight'13 Ocean Acidification	44	2	(performed by DL) ⁹
Toxicology			
Acute Bioassay	2	NA	3 3
Sediment Bioassay	28ª	NA	28ª 3ª
Chronic Bioassay	16	NA	24 20

^aIncludes samples from the San Diego Ocean Outfall Sediment Toxicity Monitoring Project (City of San Diego 2015)

was conducted in 2016 on December 19. During this exercise, Unit #5 and Unit #6 were attached to each other with similar probes aligned and then deployed to a depth of 120 m and retrieved three separate times. For each cast, data from depths greater than 100 m were discarded in an effort to minimize bottom effects. After all three casts were completed, comparisons of the results for five parameters (i.e., water temperature, salinity, dissolved oxygen (DO), pH, transmissivity) were performed to assess whether deviations between the instruments and sensors were within acceptable limits. Due to factory calibration scheduling, only one fluorometer was available at the time of the exercise and no comparison of chlorophyll a was possible. The intercalibration results are summarized in Table 7A and Figure 2, and compared to results from previous years in Table 7B. The exercise conducted in December 2016 demonstrated expected variability between

^bIncludes Old Outfall special study stations

PLOO stations had five subsamples per grab; all other stations had four subsamples per grab

^qIncludes 17 CTD casts conducted during Bight'13 Nutrients Ocean Acidification sampling

 $^{^{\}rm e}$ Includes up to nine parameters per cast (depth, temperature, salinity, dissolved oxygen, light transmittance, chlorophyll a, pH, density, CDOM)

fincludes up to three types of fecal indicator bacteria (total coliform, fecal coliform, Enterococcus)

⁹Analyses include total alkalinity and pH performed by the Dickson Laboratory (DL) at Scripps Institution of Oceanography

Table 7

Summary of the CTD intercalibration casts: (A) casts conducted during 2016. Values are the mean difference (Mean Δ) and maximum difference (Max Δ) between Unit #5 and Unit #6, as well as the cast number (i.e., 1, 2, or 3), and depth (m) at which the maximum difference occurred; (B) results of CTD intercalibration exercises conducted from 2011 through 2016. Values are the differences between Unit #3 and Unit #4 (2011–2015) and Unit #5 and Unit #6 (2016) averaged over all depths (0–100 m).

A		Decemb	er 2016	
Parameter	Mean∆	Max∆	Cast	Depth (m)
Temperature (°C)	0.016	0.268	2	29
Salinity (ppt)	0.014	0.112	1	30
0O (mg/L)	0.544	0.977	2	30
Н	0.019	0.059	1	99
ransmissivity (%)	2.407	3.577	2	81
Chlorophyll a (µg/L)	_	_	_	_

В	Jun	Jan	Aug	Dec	Jun	Dec	Jul	Dec	Sep	Dec	Dec
Parameter	2011	2012	2012	2012	2013	2013	2014	2014	2015	2015	2016
Temperature (°C)	0.03	0.01	0.04	0.04	0.02	0.01	0.06	0.01	0.03	0.03	0.02
Salinity (psu)	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.02	0.01	0.01
DO (mg/L)	0.17	1.02	0.37	0.5	0.06	0.05	0.08	0.07	0.20	0.12	0.54
рН	0.02	0.02	0.03	0.31	0.03	0.04	0.05	0.02	0.02	0.02	0.02
Transmissivity (%)	1.74	0.76	0.65	1.02	2.92	1.44	4.43	4.27	4.57	4.59	2.41
Chlorophyll a (µg/L)	0.08	0.03	1.63	2.55	0.76	0.07	0.04	0.03	0.26	0.06	_

CTDs for temperature, salinity, pH and transmissivity. The DO variability was slightly higher during 2016 than previous years.

In addition to the semi-annual CTD intercalibration exercises, the manufacturers of the various probes recommend annual recalibrations at their factories. Since four sets of conductivity, temperature, pressure, pH, DO probes and pumps are inventoried in-house, each instrument is rotated out of service and sent back to the factory every six months for recalibration along with the system pump. Due to the lower number of backup sensors for chlorophyll a, colored dissolved organic matter (CDOM), and transmissivity, these three sensors are factory calibrated on an annual basis. However, any time inhouse calibration or field use results indicate a problematic probe, it is serviced earlier than scheduled. The overall rotation schedule of the probes between CTDs is staggered by six months to ensure that each instrument receives a replacement set within the annual calibration period.

The probes actively in use on each CTD undergo further in-house evaluations prior to and during each survey. The DO probe on each instrument is calibrated monthly to check for sensor drift. If the sensor drift is $\geq 5\%$ from factory calibration, the sensor coefficients are adjusted accordingly. If the sensor drift deviates 10% from factory calibration, it is removed from service, replaced with a newly factory




Figure 2Comparison of results from CTD Units #5 and #6 from one representative cast made during the 2016 CTD intercalibration exercise. Data include cast profiles for (A) temperature, (B) salinity, (C) dissolved oxygen, (D) pH, (E) transmissivity, and (F) chlorophyll a.




Figure 2 continued

calibrated probe, and returned to the manufacturer for service. The pH and transmissivity probes are checked in the morning prior to each sampling cruise to ensure proper function. For pH calibrations, three buffer solutions (pH=7.0, 8.0, 9.0) are used to bracket the expected pH range. If the reading of a particular buffer solution deviates by more than 0.05 pH units, the probe is adjusted electronically using factory provided software and then recalibrated. The transmissometer is checked by cleaning the windows of the LED light path and then noting the zero reading by blocking the light path and the full range reading by removing the obstruction. If any probe fails to calibrate or seems to have drifted out of range, it is removed from the instrument and replaced with a newly calibrated spare. Additionally, the results of each probe are evaluated by reviewing the data following each cast. If any probe is determined to be faulty and a field repair cannot be completed, sampling is terminated immediately so that the needed repairs can be completed back at the laboratory.

Bacteriological Quality Assurance Analyses

Duplicate analyses are run throughout the year as QA checks on bacteriological data reported by the City. Field duplicates are two separate samples taken from the same station at the same time and then processed by a single analyst to measure variability between samples. Laboratory duplicates are designed to test whether analysts can replicate their own results, and consist of two samples that are diluted, filtered, and plated from a single sample container by a single analyst to measure analyst precision. During CY 2016, a total of 667 QA/QC water samples were collected, comprised of 543 laboratory and 124 field duplicates (Table 6). The results from analyses performed on these samples have been reported previously in the Point Loma and South Bay monthly receiving waters monitoring reports.

The sign test (Gilbert, 1987) was used to compare the results from the paired laboratory and field duplicate analyses performed in CY 2016 (Table 8). When matched pairs of samples are used, the sign test assumes that the probability of observing samples with differing plate counts is equally distributed

Table 8

Summary of bacteriological QA analyses conducted during 2016 for the City of San Diego's Ocean Monitoring Program. n=number of sample pairs with different colony counts (samples without differences are not considered); B=the number of positive differences between pairs; $Z_b=$ sign test outcome; $H_o=$ the probability of observing positive and negative differences in plate counts between paired samples is equal (see text). Paired samples were compared using the sign test (see Gilbert 1987) at a p=0.05 level of significance.

Sample Type	Parameter	n	В	Z_{b}	р	H _o	
Lab Duplicate	Total	175	83	-0.6803	>0.05	Accept	
	Fecal	90	56	2.3190	< 0.05	Reject	
	Entero	125	54	-1.5205	>0.05	Accept	
Field Duplicate	Total	44	23	0.3015	>0.05	Accept	
	Fecal	42	23	0.6172	>0.05	Accept	
	Entero	45	24	0.4472	>0.05	Accept	

among positive (sample A> sample B) and negative (sample A< sample B) results. Samples that do not differ (i.e., A-B=0) are ignored. During 2016, results from duplicate field samples were not significantly different (p>0.05) for each of the three tested indicator bacteria (i.e., total coliforms, fecal coliforms, *Enterococcus*), indicating low variability between samples and high repeatability of laboratory measurements. The duplicate laboratory samples were not significantly different for the total coliforms and *Enterococcus* parameters, however, there was a significant difference (p<0.05) for fecal coliforms, indicating greater disparity between these samples. This disparity may be due to differences between the plated samples (i.e., bacterial growth on the plates) rather than being indicative of counting precision of individual analysts.

In addition to the above QA analyses, the Marine Microbiology Lab conducts monthly comparisons of bacterial colony counts to quantify the counting precision of each analyst. Counts are performed on a single plate by pairs of analysts with the requirement that counts by any two analysts must fall within 10% of each other. This calculation is known as the Relative Percent Difference (RPD). During 2016, 210 count comparisons were performed, and comparisons for *Enterococcus* consistently fell within the 10% RPD threshold. For total coliform counts, 4 of 72 comparisons had an RPD greater than 10%, and for fecal coliforms counts, 4 of 67 comparisons had an RPD greater than 10%.

Macrofaunal Community – Resort Analysis

Laboratory analyses of benthic macrofaunal samples involve three processes: (1) sample washing and preservation; (2) sample sorting; (3) identification and enumeration of all invertebrate organisms down to the lowest taxonomic level possible. Quality control of sorting is essential to assuring the validity of the subsequent steps in the sample analysis process. The sorting of benthic samples into major taxonomic groups is contracted to an outside laboratory, with the contract specifying a 95% removal efficiency expected. Ten percent of the sorted samples from each technician (sorter) at the contract lab are subjected to re-sorting as QA for the contract. The original sorting of a sample fails the QA criterion if the abundance in the re-sorted sample deviates more than 5% from the total abundance of

Table 9Results of benthic macrofauna sample resort analyses conducted during 2016 for the City of San Diego's Ocean Monitoring Program. Percent=(the # of animals found in the resorted sample/the total sample abundance) X 100.

Survey	Station	Percent	Survey	Station	Percent
	PLOO			SBOO	
Jan-16	B-9	0.00	Jan-16	I-6	1.42
	E-8	0.68		I-21	0.00
	E-15	0.46		I-23	0.00
	E-23	0.60		I-35	0.00
Jul-16	E-11	0.00	Jul-16	I-4ª	11.11ª
	E-17	0.80		I-6ª	0.56
	E-20	0.00		I-8	0.00
				I-16	1.59
				I-21	0.00
				I-34	0.00
	Old C	Outfall		Regional	
Jul-16	A-2	1.15	Jul-16	8504	0.49
	A-15	1.43		8506	1.06
				8513	0.00
				8519	4.74
				8527	0.00
				8531	0.00
				8538	0.00
				8526	1.08

^aSee text for discussion of values

all animals from that sample. More than one failure requires the re-sorting of all samples previously sorted by that sorter.

The re-sort results for the January 2016 and July 2016 benthic samples are shown in Table 9. The percentages of animals found in all but one sample were $\leq 5\%$ of the total sample abundance. The re-sort of the sample from SBOO station I-4 from July failed the QA criterion of $\leq 5\%$ (=11.11%). This sample was unusual in that it had the lowest total abundance (n=27) from all the surveys. An additional sample from this sorter (I-6) was re-sorted and passed QA analysis. All other re-sorts of samples sorted from the other surveys also passed QA analyses. Thus all samples re-sorted from the 2016 surveys met the QA criteria for sorting.

Toxicology Quality Assurance Analyses

All required toxicity analyses in 2016 were performed by the City of San Diego Toxicology Laboratory's external contract lab for toxicology services, Nautilus Environmental (4340 Vandever Ave, San Diego, CA 92120). Nautilus Environmental is accredited in accordance with National

Environmental Laboratory Accreditation Program (NELAP) by the State of Oregon Environmental Laboratory Accreditation Program (Certificate No. 4053). It is also certified by the California State Water Resources Control Board Environmental Laboratory Accreditation Program (ELAP) (Certificate No. 1802), and the State of Washington Department of Ecology (Lab ID C552).

The City of San Diego Toxicology Laboratory and its external contract lab for toxicology services, Nautilus Environmental, conduct routine reference toxicant testing as a part of its quality assurance program. A reference toxicant is a standard chemical used to measure the sensitivity of the test organisms and test precision. Consistency among the reference toxicant test results enhances confidence in the toxicity data concurrently obtained from the test material (e.g., wastewater effluent). A specific reference toxicant is used for each combination of test material, test species, test conditions, and endpoints, and the material is chosen from a list developed by the USEPA. The reference toxicant is purchased from an approved supplier in aqueous form (stock solution), and the supplier must verify the concentration of the stock solution and provide written documentation of such analysis.

In most instances, a reference toxicant test is performed at the same time the test material is evaluated. A control chart for each test method is maintained by the QA Manager and/or Laboratory Supervisor using results from no fewer than 20 of the most recent reference toxicant tests. The charted parameters that may be used include: control performance, percent minimum significant difference, coefficient of variability (CV), and effect concentrations (e.g., no observable effect concentration and point estimate).

Using a nominal error rate of 5.0%, results from 19 of the most recent 20 reference toxicant tests are expected to fall within two standard deviations of the simple moving average (i.e., unweighted running mean), while one of these tests may fall outside the control chart limits by chance alone. Additionally, a series of EPA-recommended quality control limits are also used to further evaluate test sensitivity.

Each violating run would trigger an investigation of animal supply, reference toxicant stock quality, and laboratory practices. Additional testing may also be conducted to determine whether an exceedance is anomalous or if remedial measures are needed. All NPDES-mandated tests conducted with the affected animals are flagged, reviewed for anomalous responses, and, in certain cases, tests are repeated with a new batch of animals. In 2016, all reference toxicant control charts for bioassays conducted by Nautilus Environmental met the acceptability criteria.

LITERATURE CITED

- City of San Diego. (in prep). Quality Assurance Plan for Coastal Receiving Waters Monitoring. City of San Diego Ocean Monitoring Program, Public Utilities Department, Environmental Monitoring and Technical Services Division, San Diego, CA.
- City of San Diego. (2015). Sediment Toxicity Monitoring Plan for the South Bay Ocean Outfall and Point Loma Ocean Outfall Monitoring Regions, San Diego, California. Submitted August 28, 2015 by the City of San Diego Public Utilities Department to the San Diego Regional Water Quality Control Board and U.S. Environmental Protection Agency, Region IX. 10 pp.
- Gilbert, R.O. (1987). Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York.
- Schiff, K.C., J.S. Brown, and S.B. Weisberg. (2002). Model Monitoring Program for Large Ocean Discharges in Southern California. Technical Report No. 357. Southern California Coastal Water Research Project, Westminster, CA.
- [SIO] Scripps Institution of Oceanography. (2004). Point Loma Outfall Project, Final Report, September 2004. Scripps Institution of Oceanography, University of California, San Diego, CA.


This page intentionally left blank


APPENDIX A

Organizational Charts

Appendix A.1

Organizational chart for the Marine Biology and Ocean Operations section of EMTS.





Appendix A.2

Organizational chart for the Microbiology section of EMTS.

