

**PLAN - TYPE C1**

**LEGEND:**  
 TOOLED JOINT



**NOTE:**

1. SEE SHEETS 2 TO 3 FOR: TYPE C1, SECTION C1-C1, TYPE C-2, SECTION C2-C2, AND NOTES.
2. WHERE IT IS TECHNICALLY INFEASIBLE TO PROVIDE A MINIMUM 6'-0" WIDE TURNING SPACE, AS MEASURED PERPENDICULAR TO THE CURB, THE DEPTH OF DETECTABLE WARNINGS MAY BE REDUCED TO 2'-0" MINIMUM.

EXISTING PARALLEL CURB RAMPS WITH DETECTABLE WARNINGS IN COMPLIANCE WITH THE CODE REQUIREMENTS IN EFFECT AT THE TIME OF INSTALLATION SHALL NOT BE REQUIRED TO PROVIDE A MINIMUM 3'-0" WIDE PORTION OF THE TURNING SPACE WITHOUT DETECTABLE WARNINGS.

SHEET 1 OF 3


<small>REVISION</small>	<small>BY</small>	<small>APPROVED</small>	<small>DATE</small>	CITY OF SAN DIEGO – STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL	FC	J. NAGELVOORT	02/16	<b>CURB RAMPS - TYPE C1 AND C2</b>	<b>9/22/20</b> <small>COORDINATOR R.C.E. 56523 DATE</small>
REDRAFTED	CD	J. NAGELVOORT	09/18		
UPDATED	HN	J. NAGELVOORT	04/19		
UPDATED	FC	J. NAGELVOORT	09/20		
				<b>SDG-135</b>	<small>DRAWING NUMBER</small>




**NOTE:**


1. THE CURB PORTION AT THE OPENING OF THE CURB RAMP SHALL SLOPE TOWARDS THE GUTTER FLOWLINE BETWEEN 5% TO 8% TO PREVENT DEBRIS COLLECTED AT THE LANDING OF ALL TYPE C1 CURB RAMPS.
2. WHERE IT IS TECHNICALLY INFEASIBLE TO PROVIDE A TURNING SPACE OF 6'-0" MINIMUM LENGTH, AS MEASURED PERPENDICULAR TO THE CURB, THE DEPTH OF DETECTABLE WARNINGS MAY BE REDUCED TO 2'-0" MINIMUM.

EXISTING PARALLEL CURB RAMPS WITH DETECTABLE WARNINGS IN COMPLIANCE WITH THE CODE REQUIREMENTS IN EFFECT AT THE TIME OF INSTALLATION SHALL NOT BE REQUIRED TO PROVIDE A MINIMUM 3'-0" WIDE PORTION OF THE TURNING SPACE WITHOUT DETECTABLE WARNINGS.

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL	FC	J. NAGELVOORT	02/16		
REDRAFTED	CD	J. NAGELVOORT	09/18		
UPDATED	HN	J. NAGELVOORT	04/19		
UPDATED	FC	J. NAGELVOORT	09/20		
<b>CURB RAMPS - TYPE C1 AND C2</b>				 COORDINATOR R.C.E. 56523 DATE 9/22/20	
				DRAWING NUMBER <b>SDG-135</b>	



**PLAN - TYPE C2**



**SECTION C2-C2**

REVISION	BY	APPROVED	DATE
ORIGINAL	FC	J. NAGELVOORT	02/16
REDRAFTED	CD	J. NAGELVOORT	09/18
UPDATED	HN	J. NAGELVOORT	04/19
UPDATED	FC	J. NAGELVOORT	09/20

CITY OF SAN DIEGO – STANDARD DRAWING

**CURB RAMPS - TYPE C1 AND C2**

RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE

*Chungee* 9/22/20  
COORDINATOR R.C.E. 56523 DATE

DRAWING NUMBER **SDG-135**