



NOTES:

1. NO CONCRETE SHALL BE PLACED UNTIL FORMS AND SUBGRADE ARE INSPECTED.
2. CONCRETE SHALL BE 520-C-2500 FOR RESIDENTIAL USE; 560-C-3250 FOR COMMERCIAL USE.
3. SEE STANDARD DRAWING SDG-164 FOR WIDTH AND LOCATION REQUIREMENTS.
4. SEE SDG-151 AND G-10 FOR CURB AND JOINT DETAILS.
5. ALL HISTORICAL STAMPS / IMPRESSIONS (STREET NAME, CONTRACTOR NAME, AND DATE) SHALL BE PRESERVED PER SDG-115.
6. FOR DESIGNATED URBANIZED COMMUNITIES, SIDEWALK DESIGN (SCORING PATTERN, COLOR, TEXTURE) SHALL BE IN CONFORMANCE WITH HISTORIC DESIGN ON ADJACENT PROPERTIES.

REVISION	BY	APPROVED	DATE	CITY OF SAN DIEGO - STANDARD DRAWING	RECOMMENDED BY THE CITY OF SAN DIEGO STANDARDS COMMITTEE
ORIGINAL*	KA	J. NAGELVOORT	01/12		CONCRETE DRIVEWAY (FOR CONFINED RIGHT-OF-WAY)
UPDATED	RB	J. NAGELVOORT	10/15	11/20/2017 DATE	
UPDATED	FC	J. NAGELVOORT	02/16	SDG-162	
UPDATED	FC	J. NAGELVOORT	11/17		
				DRAWING NUMBER	